

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 01/27/2020

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: Reno Gun Abrade 60 Z
Product code	: 126100
	: Refractory Applications
1.3. Supplier	
Reno Refractories, Inc. 601 Reno Drive	
P.O. Box 201	
Morris, AL 35116 - United States	
T 205-647-0240 - F 205-647-6854 sales@r-ref.com - www.renorefractories.com	
1.4. Emergency telephone number Emergency number	: 1-800-262-8200 CHEMTREC
	. 1-000-202-0200 GHEIMTREG
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixt	ure
GHS US classification	
Corrosive to metals Category 1	May be corrosive to metals
Carcinogenicity Category 1A	May cause cancer
Specific target organ toxicity (repeated exposure) Category 1	Causes damage to organs through prolonged or repeated exposure
Category	
2.2. GHS Label elements, including precaut	tionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: May be corrosive to metals
	May cause cancer
	Causes damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
	Keep only in original container.
	Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Wear protective gloves/protective clothing/eye protection/face protection.
	If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.
	Absorb spillage to prevent material-damage.
	Dispose of contents/container to hazardous or special waste collection point, in accordance
	with local, regional, national and/or international regulation.
2.3. Other hazards which do not result in c	assification
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
	on ingradiante
SECTION 3: Composition/Information	
3.1. Substances	
Not applicable 01/27/2020	EN (English LIS)
0112112020	EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtur	es			
Name		Product identifier	%	GHS US classification
Crystalline silica	3	(CAS-No.) 14808-60-7	0.404 - 1.774	Carc. 1A, H350 STOT RE 1, H372
Titanium dioxid	9	(CAS-No.) 13463-67-7	0.04 - 0.61	Carc. 2, H351

Full text of hazard classes and H-statements : see section 16

6	
First-aid measures general : IF	
-	exposed or concerned: Get medical advice/attention.
	emove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : W	Vash skin with plenty of water.
	linse eyes with water as a precaution.
First-aid measures after ingestion : C	all a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects (acu	ute and delayed)
No additional information available	
4.3. Immediate medical attention and special tr	reatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing me	edia
Suitable extinguishing media : W	/ater spray. Dry powder. Foam.
5.2. Specific hazards arising from the chemical	l
No additional information available	
5.3. Special protective equipment and precauti	ions for fire-fighters
Protection during firefighting : D	o not attempt to take action without suitable protective equipment. Self-contained breathing pparatus. Complete protective clothing.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equipment	nt and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures : O	only qualified personnel equipped with suitable protective equipment may intervene. Do not reathe dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
	o not attempt to take action without suitable protective equipment. For further information efer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
	roduct enters sewers or public waters.
Avoid release to the environment. Notify authorities if pr	
	I cleaning up
3.3. Methods and material for containment and	I cleaning up fechanically recover the product. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for containment and Methods for cleaning up : M	
6.3. Methods and material for containment and Methods for cleaning up : M Other information : D	lechanically recover the product. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for containment and Methods for cleaning up : M Other information : D 6.4. Reference to other sections	lechanically recover the product. Notify authorities if product enters sewers or public waters.
S.3. Methods and material for containment and Methods for cleaning up : Other information : D 6.4. Reference to other sections For further information refer to section 13.	lechanically recover the product. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for containment and Methods for cleaning up : M Other information : D 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage	lechanically recover the product. Notify authorities if product enters sewers or public waters.
6.3. Methods and material for containment and Methods for cleaning up : M Other information : D 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : E hat te quadratic up up weak up	lechanically recover the product. Notify authorities if product enters sewers or public waters.
Methods for cleaning up : M Other information : D 6.4. Reference to other sections For further information refer to section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : E hat tege nd Hygiene measures : Section 13.	Acchanically recover the product. Notify authorities if product enters sewers or public waters. hispose of materials or solid residues at an authorized site. Insure good ventilation of the work station. Obtain special instructions before use. Do not andle until all safety precautions have been read and understood. Take all necessary echnical measures to avoid or minimize the release of the product on the workplace. Limit uantities of product at the minimum necessary for handling and limit the number of exposed rorkers. Provide local exhaust or general room ventilation. Wear personal protective quipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2.	Conditions for safe storage, including	j a	ny incompatibilities
Storag	e conditions	:	Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store in a well-ventilated place. Keep cool.
Incom	patible materials	:	Metals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reno Gun Abrade 60 Z		
No additional information available		
Crystalline silica (14808-60-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Silica crystaline - quartz	
ACGIH TWA (mg/m ³)	0.025 mg/m ³ (Respirable fraction)	
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)	
Regulatory reference	ACGIH 2019	
USA - OSHA - Occupational Exposure Lim	its	
Local name	Quartz (Respirable) (Silica: Crystalline)	
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts	
Titanium dioxide (13463-67-7)		
USA - ACGIH - Occupational Exposure Lin	nits	
Local name	Titanium dioxide	
ACGIH TWA (mg/m³)	10 mg/m ³	
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2019	
USA - OSHA - Occupational Exposure Limits		
Local name	Titanium dioxide (Total dust)	
OSHA PEL (TWA) (mg/m ³)	15 mg/m ³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection	:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECT	SECTION 9: Physical and chemical properties				
9.1.	Information on basic physical a	nd chemical properties			
Physi	cal state	: Solid			
Color		: Gray Black			
Odor		: Almost odorless			
Odor	threshold	: No data available			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 2.2 - 2.9
Solubility	: Water: < 0.1 %
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available
.2. Other information	
	: 0%

SECTION	U. Stability and reactivity		
10.1. Read	tivity		
The product is	non-reactive under normal condition	ns of use, storage and transport.	
10.2. Cher	nical stability		
Stable under n	ormal conditions.		
10.3. Poss	Possibility of hazardous reactions		
No dangerous	reactions known under normal cond	itions of use.	
10.4. Cond	litions to avoid		
None under red	commended storage and handling co	onditions (see section 7).	
10.5. Inco	mpatible materials		
metals.			
10.6. Haza	rdous decomposition products		
Under normal of	conditions of storage and use, hazar	dous decomposition products should not be produced.	
SECTION 1	1: Toxicological informatio	n	
11.1. Infor	mation on toxicological effects		
Acute toxicity	(oral)	: Not classified	
Acute toxicity	(dermal)	: Not classified	
Acute toxicity	(inhalation)	: Not classified	
Titanium di	oxide (13463-67-7)		
LD50 oral ra	at	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))	
LC50 inhala	tion rat (mg/l)	> 6.82 mg/l (Other 4 h Rat Male Experimental value Inhalation (dust) 14 day(s))	

1.1. Information on toxicological ef	fects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Crystalline silica (14808-60-7)	
Specific target organ toxicity – repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available

SEC	ION 12. Ecological information	
12.1.	Toxicity	
Ecolo	gy - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Tita	nium dioxide (13463-67-7)	

LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

Crystalline silica (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Titanium dioxide (13463-67-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	

12.3. Bioaccumulative potential

Crystalline silica (14808-60-7)		
Bioaccumulative potential	No bioaccumulation data available.	
Titanium dioxide (13463-67-7)		
Bioaccumulative potential	Not bioaccumulative.	
12.4. Mobility in soil		
Crystalline silica (14808-60-7)		
Ecology - soil	No (test)data on mobility of the substance available.	
Titanium dioxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Crystalline silica (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Crystalline silica (14808-60-7)	
Listed on the Canadian DSL (Domestic Substances List)	
Titanium dioxide (13463-67-7)	

EU-Regulations

National regulations

Crystalline silica (14808-60-7)	
Listed on IARC (International Agency for Research on Cancer)	
Titanium dioxide (13463-67-7)	
Listed on IARC (International Agency for Research on Cancer)	
15.3. US State regulations	

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 01/27/2020

Full text of H-phrases:

H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.