Safety Data Sheet



Section 1: Identification

Product identifier	
Product Name	· Reno Gun 65 LC/AL
Product Code	• 126676
Relevant identified uses o	of the substance or mixture and uses advised against
Recommended use	Refractory applications
Details of the supplier of t	he safety data sheet
Manufacturer	Reno Refractories, Inc.
Telephone (General)	P O Box 201 Morris, AL 35116 United States www.renorefractories.com sales@renorefractories.com • 205-647-0240
Emergency telephone nui	mber
Manufacturer	1-800-262-8200 - CHEMTREC

Section 2: Hazard Identification

United States (US) According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

Serious Eye Damage 1 Carcinogenicity 1A • Specific Target Organ Toxicity Repeated Exposure 1

Label elements

OSHA HCS 2012





Hazard statements · Causes serious eye damage May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Prevention • Obtain special instructions before use.

	Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, clothing , and eye/face protection , .
Response •	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical advice/attention.
Storage/Disposal •	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Other hazards	
OSHA HCS 2012 •	Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS

Classification of the s	ubstance or mixture
WHMIS	Other Toxic Effects - D2A Other Toxic Effects - D2B Corrosive - E
Label elements	
WHMIS	
WHMIS	Other Toxic Effects - D2A Other Toxic Effects - D2B Corrosive - E
Other hazards	
WHMIS	 In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

Substances

• Material does not meet the criteria of a substance.

Mixtures

Composition							
Chemical Name Identifiers %		LD50/LC50	Classifications According to Regulation/Directive	Comments			
Mullite	CAS :1302-93 -8	33.88% TO 36.19%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA		
Bauxite	CAS :1318-16 -7	15.984% TO 20%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs);	NDA		
Aluminum oxide	CAS :1344-28 -1	8.835% TO 16.505%	Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week (s)	OSHA HCS 2012: Not Classified	NDA		

Silica, amorphous	CAS :7631-86 -9	< 10.81%	NDA	OSHA HCS 2012: Not Classified	NDA
Cement, alumina, chemicals	CAS :65997- 16-2	1.6% TO 7%	NDA	OSHA HCS 2012: Not Classified	NDA
Aluminum calcium oxide	CAS :12042- 68-1	2% TO 7%	NDA	OSHA HCS 2012: Eye Dam. 1; Skin Irrit. 2; STOT SE 3: Resp. Irrit.;	NDA
Amorphous silica fume	CAS :69012- 64-2	2.4% TO 6%	NDA	OSHA HCS 2012: STOT RE 1 (Lungs)	NDA
Aluminum(III) silicate (2:1)	CAS :1302-76 -7	2.55% TO 5.7%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA
Clay	Proprietary	1.4% TO 3.6%	NDA	OSHA HCS 2012: Not Classified	NDA
Quartz	CAS :14808- 60-7	0.35% TO 2.0175%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs)	NDA
Non-Wetting Agent	Proprietary	0.96% TO 2%	NDA	OSHA HCS 2012: WHMIS:	NDA
Various Metal Oxides	NDA	0% TO 1.2%	NDA	OSHA HCS 2012: Not Classified	NDA
Titanium dioxide	CAS :13463- 67-7	0.03% TO 0.52375%	NDA	OSHA HCS 2012: Carc. 2	NDA
Amorphous/fused silica	CAS :60676- 86-0	0% TO 0.42%	NDA	OSHA HCS 2012: Not Classified	NDA
Cristobalite	CAS :14464- 46-1	0.132% TO 0.287%	NDA	OSHA HCS 2012: Carc. 1A	NDA
Iron oxide	CAS :1309-37 -1	0% TO 0.280125%	NDA	OSHA HCS 2012: Not Classified	NDA
Sodium hydroxide	CAS :1310-73 -2	0% TO 0.06875%	NDA	OSHA HCS 2012: Exposure limits	NDA
Magnesium oxide	CAS :1309-48 -4	0% TO 0.042%	NDA	OSHA HCS 2012: Exposure limits	NDA
Calcium oxide	CAS :1305-78 -8	0% TO 0.0265%	NDA	OSHA HCS 2012: Exposure limits	NDA

Section 4: First-Aid Measures

Description of first aid m	easures					
Inhalation	 Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Get medical attention immediately. 					
Skin	 In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If skin irritation occurs: Get medical advice/attention. 					
Eye	 In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention. 					
Ingestion	• Rinse mouth. Do not give anything by mouth to an unconscious person. Get medical attention immediately.					
Most important symptom	ns and effects, both acute and delayed					
	Refer to Section 11 - Toxicological Information.					
Indication of any immedi	ate medical attention and special treatment needed					
Notes to Physician	 All treatments should be based on observed signs and symptoms of distress in thepatient. Consideration should be given to the possibility that overexposure to materialsother than this product may have occurred. 					

Extinguishing media

Suitable Extinguishing Media	•	Material is non-combustible. In case of fire use media as appropriate for surrounding fire.
Unsuitable Extinguishing Media	•	None known.
Special hazards arising f	ro	m the substance or mixture
Unusual Fire and Explosion Hazards	•	None known.
Hazardous Combustion Products	•	None known.
Advice for firefighters		
	•	Wear positive pressure self-contained breathing apparatus (SCBA).

vvear positive pressure self-contained breathing apparatus (SCBA).
 Structural firefighters' protective clothing will only provide limited protection.
 Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions	 Isolate hazard area and deny entry to unauthorized and/or unprotected personnel. Do not touch or walk through spilled material. Ensure adequate ventilation to remove vapors, fumes, dust etc.

• Ventilate closed spaces before entering. Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

Environmental precautions

· No specific actions or treatments recommended related to exposure to this material.

Methods and material for containment and cleaning up

Containment/Clean-up Measures	 Avoid generating dust. FOR SMALL SPILLS: Clean with a vacuum with a filtration system sufficient to remove and prevent recirculation of crystalline silica (a vacuum equipped with a high-efficiency particulate air (HEPA) filter is recommended). FOR LARGE SPILLS: Use a fine spray or mist to control dust creation and carefully scoop or shovel into clean dry container for later reuse or disposal. If, an appropriate vacuum is unavailabe, only wet-clean-up methods should be used (i.e. misting). Moisture should be added as necessary to reduce exposure to airborne respirable silica dust.
----------------------------------	---

Section 7 - Handling and Storage

Precautions for safe handling

Handling
 Do not breathe dust. Avoid contact with skin, eyes, and clothing. Minimize dust generation and accumulation. Use good safety and industrial hygiene practices. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Wear long sleeves and/or protective coveralls. Contaminated clothing must be vacuumed before removal. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash thoroughly after handling. Do not use in areas without adequate ventilation.

Conditions for safe storage, including any incompatibilities

Storage

 Store in a covered location. Keep container closed. Store in a cool, dry place. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust accumulation.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines								
	Result	ACGIH	Canada Ontario	Canada Quebec	Mexico	NIOSH		
Sodium hydroxide (1310-73-2)	Ceilings	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling		
	STELs	Not established	Not established	Not established	10 mg/m3 STEL [LMPE-CT] (as Fe)	Not established		
Iron oxide (1309-37-1)	TWAs	5 mg/m3 TWA (respirable fraction)	5 mg/m3 TWA (respirable)	5 mg/m3 TWAEV (dust and fume, as Fe); 10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, regulated under Rouge, total dust)	5 mg/m3 TWA LMPE- PPT	5 mg/m3 TWA (dust and fume, as Fe)		
Calcium oxide (1305-78-8)	TWAs	2 mg/m3 TWA	2 mg/m3 TWA	2 mg/m3 TWAEV	2 mg/m3 TWA LMPE- PPT	2 mg/m3 TWA		
Magnesium oxide (1309-48-4)	TWAs	10 mg/m3 TWA (inhalable fraction)	10 mg/m3 TWA (inhalable)	10 mg/m3 TWAEV (fume, as Mg)	10 mg/m3 TWA LMPE -PPT (fume, as Mg)	Not established		
Amorphous/fused silica TWAs (60676-86-0)		Not established 0.1 mg/m3 TWA (respirable)		0.1 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	0.1 mg/m3 TWA LMPE-PPT; 10 mg/m3 TWA LMPE-PPT (inhalable particulate); 3 mg/m3 TWA LMPE-PPT (respirable particulate)	Not established		
	STELs	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT] (as Ti)	Not established		
Titanium dioxide (13463-67-7)	TWAs	10 mg/m3 TWA	10 mg/m3 TWA	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA LMPE -PPT (as Ti)	Not established		
Zirconium oxide	STELs	10 mg/m3 STEL (as Zr)	10 mg/m3 STEL (as Zr)	10 mg/m3 STEV (as Zr)	10 mg/m3 STEL [LMPE-CT] (as Zr)	10 mg/m3 STEL (except Zirconium tetrachloride, as Zr)		
		as Zirconium compounds	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds		
	TWAs	5 mg/m3 TWA (as Zr) ™As as Zirconium compounds	5 mg/m3 TWA (as Zr)	5 mg/m3 TWAEV (as Zr)	5 mg/m3 TWA LMPE- PPT (as Zr)	5 mg/m3 TWA (except Zirconium tetrachloride, as Zr)		
			as Zirconium compounds	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds		
Cristobalite (14464-46-1) TWAs 0.025 mg/m3 T (respirable fra		0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)		

Sodium aluminate	TWAs	Not established	Not established		? mg/m3 TWAEV (as N) as Aluminum, soluble salts	2 mg/m3 TWA LMPE- PPT as Aluminum, soluble salts	2 mg/m3 TWA (as Al) as Aluminum, soluble salts	
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.10 mg/m3 (designated substances regulation, respirable, I under Silica crystalline)	5 TWA 5 0 listed ().1 mg/m3 TWAEV respirable dust)	0.1 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)	
	STELs	Not established	Not establis	hed N	lot established	20 mg/m3 STEL [LMPE-CT]	Not established	
Clay (Proprietary)	TWAs	2 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)	2 mg/m3 TV (containing Asbestos a Crystalline s respirable)	VA 5 no (nd <1% A silica, C r	5 mg/m3 TWAEV containing no Asbestos and <1% Crystalline silica, espirable dust)	10 mg/m3 TWA LMPE -PPT	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	
Cement, alumina, chemicals	TWAs	10 mg/m3 TWA (inhalable particles, recommended); 3 mg/m3 TWA (respirable particles, recommended) as Particulates not otherwise classified (PNOC)	10 mg/m3 T (inhalable); TWA (respin as Particula otherwise c (PNOC)	TWA ((3 mg/m3 p rable) A classified a classified a	0 mg/m3 TWAEV including dust, inert or nuisance particulates; containing no Asbestos and <1% Crystalline silica, total lust) as Particulates not otherwise classified PNOC)	Not established	Not established	
Amorphous silica fume (69012-64-2)	TWAs	Not established	2 mg/m3 TWA (respirable, listed under Silica fume)		emg/m3 TWAEV containing no Asbestos and <1% Crystalline silica, espirable dust)	2 mg/m3 TWA LMPE- PPT; 10 mg/m3 TWA LMPE-PPT (inhalable particulate); 3 mg/m3 TWA LMPE-PPT (respirable particulate)	Not established	
Aluminum oxide (1344-28-1)	TWAs	1 mg/m3 TWA (respirable fraction) as Aluminum insoluble compounds	1 mg/m3 TV (respirable) as Aluminu insoluble compounds	VA 1) ((m C s d	0 mg/m3 TWAEV containing no Asbestos and <1% Crystalline silica, total lust, as AI)	10 mg/m3 TWA LMPE -PPT	Not established	
Silica, amorphous (7631-86-9)	TWAs	Not established Not es		shed N	lot established	Not established	6 mg/m3 TWA	
Exposure Limits/Guidelines (Con't.)								
Sodium hydrovida			F	Result	OSHA			
(1310-73-2)			TWAs	VAs 2 mg/m3 TWA		ma): 15 ma/m2 T\A/A //	otol duot listod under	
(1309-37-1)			TWAs		Rouge); 5 mg/m3 TWA (rume); 15 mg/m3 TWA (total dust, listed u Rouge); 5 mg/m3 TWA (respirable fraction, listed under Ro			
Calcium oxide (1305-78-8)					5 mg/m3 TWA	5 mg/m3 TWA		

Magnesium oxide (1309-48-4)	TWAs	15 mg/m3 TWA (fume, total particulate)
Titanium dioxide (13463-67-7)	TWAs	15 mg/m3 TWA (total dust)
Zirconium oxide	TWAs	5 mg/m3 TWA (as Zr) as Zirconium compounds
Clay (Proprietary)	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
Cement, alumina, chemicals	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) as Particulates not otherwise classified (PNOC)
Aluminum oxide (1344-28-1)	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

Exposure Control Notations

. Mexico

• Iron oxide (1309-37-1): Carcinogens: (A4 - Not classifiable as a human carcinogen)

•Zirconium oxide as Zirconium compounds: Carcinogens: (A4 - Not classifiable as a human carcinogen)

- •Clay (Proprietary): Carcinogens: (A4 Not classifiable as a human carcinogen)
- •Aluminum oxide (1344-28-1): Carcinogens: (A4 Not classifiable as a human carcinogen)
- Titanium dioxide (13463-67-7): Carcinogens: (A4 Not classifiable as a human carcinogen)

Canada Ontario

•Cristobalite (14464-46-1): Designated Substances: (0.05 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))

•Quartz (14808-60-7): Designated Substances: (0.10 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))

Canada Quebec

•Quartz (14808-60-7): Carcinogens: (C2 carcinogen - effect suspected in humans)

ACGIH

•Iron oxide (1309-37-1): Carcinogens: (A4 - Not Classifiable as a Human Carcinogen)

•Magnesium oxide (1309-48-4): Carcinogens: (A4 - Not Classifiable as a Human Carcinogen)

•Zirconium oxide as Zirconium compounds: Carcinogens: (A4 - Not Classifiable as a Human Carcinogen)

•Clay (Proprietary): Carcinogens: (A4 - Not Classifiable as a Human Carcinogen)

•Aluminum oxide as Aluminum insoluble compounds: Carcinogens: (A4 - Not Classifiable as a Human Carcinogen)

•Titanium dioxide (13463-67-7): Carcinogens: (A4 - Not Classifiable as a Human Carcinogen)

•Cristobalite (14464-46-1): Carcinogens: (A2 - Suspected Human Carcinogen)

•Quartz (14808-60-7): Carcinogens: (A2 - Suspected Human Carcinogen)

Exposure Limits Supplemental

OSHA

•Cristobalite (14464-46-1): **Mineral Dusts:** ((1/2)(30)/(%SiO2 + 2) mg/m3 TWA, total dust; (1/2)(250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (1/2)(10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)

•Quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)

•Amorphous/fused silica (60676-86-0): Mineral Dusts: ((80)/(% SiO2) mg/m3 TWA; 20 mppcf TWA)

•Silica, amorphous (7631-86-9): Mineral Dusts: (20 mppcf TWA; (80)/(% SiO2) mg/m3 TWA)

ACGIH

•Calcium oxide (1305-78-8): TLV Basis - Critical Effects: (upper respiratory tract irritation)

• Iron oxide (1309-37-1): TLV Basis - Critical Effects: (pneumoconiosis)

•Sodium hydroxide (1310-73-2): TLV Basis - Critical Effects: (eye, skin and upper respiratory tract irritation)

•Clay (Proprietary): TLV Basis - Critical Effects: (pneumoconiosis)

•Aluminum oxide as Aluminum insoluble compounds: **TLV Basis - Critical Effects:** (pneumoconiosis; lower respiratory tract irritation; neurotoxicity)

• Titanium dioxide (13463-67-7): **TLV Basis - Critical Effects:** (lower respiratory tract irritation) | **Notice of Intended Changes (TLVs):** (1 mg/m3 TWA (respirable fraction); A3 - confirmed animal carcinogen with unknown relevance to humans; TLV basis: lower respiratory tract irritation, pneumoconiosis)

•Cristobalite (14464-46-1): TLV Basis - Critical Effects: (lung cancer; pulmonary fibrosis)
•Quartz (14808-60-7): TLV Basis - Critical Effects: (lung cancer; pulmonary fibrosis)

Exposure controls			
Engineering Measures/Controls	 Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Collection systems must be designed and maintained to prevent the accumalation and recirculation of respirable silica into the workplace 		
Personal Protective Equipmen	nt		
Respiratory	 For limited exposure use purifying respirator with h respirator regulations fou NIOSH/MSHA or Europe exceeded or symptoms a 	an N95 dust mask. For prolonged exposure use an air- nigh efficiency particulate air (HEPA) filters. Follow the OSHA nd in 29 CFR 1910.134 or European Standard EN 149. Use a an Standard EN 149 approved respirator if exposure limits are are experienced.	
Eye/Face	· Wear protective eyewear	r (goggles, face shield, or safety glasses).	
Hands	• Wear appropriate gloves.		
Skin/Body	• Wear long sleeves and/o	r protective coveralls.	
General Industrial Hygiene Considerations	 Avoid breathing dust. Av from clothing by blowing hands before eating, drin accordance with good in 	oid contact with skin, eyes or clothing. Do not remove dusts or shaking. Do not eat, drink or smoke during work. Wash iking, or smoking. Wash thoroughly after handling. Handle in dustrial hygiene and safety practice.	
Environmental Exposure Controls	 Follow best practice for s approved landfill. 	site management and disposal of waste. Dispose of in an	
Key to abbreviations			
ACGIH = American Conference of Gover NIOSH = National Institute of Occupation	nmental Industrial Hygiene aal Safety and Health	STEV = Short Term Exposure Value TWAEV = Time-Weighted Average Exposure Value	
OSHA = Occupational Safety and Healt	Administration	TWA = Time-Weighted Averages are based on 8h/day, 40h/week	
STEL = Short Term Exposure Limits are exposures	based on 15-minute		

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description						
Physical Form	Solid	Appearance/Description	Gray granular dry powder with an earthy odor.			
Color	Gray	Odor	Earthy			
Particulate Size	600 µ	Odor Threshold	No data available			
General Properties						
Boiling Point	No data available	Melting Point/Freezing Point	No data available			
Decomposition Temperature	No data available	рН	No data available			
Specific Gravity/Relative Density	2.2 to 2.9 Water=1	Water Solubility	Negligible < 0.1 %			
Viscosity	No data available	Explosive Properties	No data available			
Volatility						
Vapor Pressure	No data available	Vapor Density	No data available			

Evaporation Rate	No data available	VOC (Wt.)	0 %	
VOC (Vol.)	0 %			
Flammability	-			
Flash Point	No data available	UEL	No data available	
LEL	No data available	Autoignition	No data available	
Flammability (solid, gas)	No data available			
Environmental	•		•	
Octanol/Water Partition coefficient	No data available			

Section 10: Stability and Reactivity

Reactivity

•	 No dangerous reaction known under conditions of normal use.
Chemical stability	
	 Stable under normal temperatures and pressures.
Possibility of hazardous r	eactions
	 Hazardous polymerization not indicated.
Conditions to avoid	
	None known.
Incompatible materials	
	None known.
Hazardous decompositio	n products
	None known.

Section 11 - Toxicological Information

Information on toxicological effects

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • Data lacking
Skin corrosion/Irritation	OSHA HCS 2012 • Data lacking
Serious eye damage/Irritation	OSHA HCS 2012 • Data lacking
Skin sensitization	OSHA HCS 2012 • Data lacking
Respiratory sensitization	OSHA HCS 2012 • Data lacking
Aspiration Hazard	OSHA HCS 2012 • Data lacking
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • Data lacking
Toxicity for Reproduction	OSHA HCS 2012 • Data lacking
STOT-SE	OSHA HCS 2012 • Data lacking
STOT-RE	OSHA HCS 2012 • Data lacking

Route(s) of entry/exposure

- Inhalation, Skin, Eye, Ingestion
- Any pre-existing conditions of the lungs. Disorders of the lungs.

Medical Conditions Aggravated by Exposure

Potential Health Effects Inhalation	
Acute (Immediate)	 Exposure to dust may cause irritation.
Chronic (Delayed)	 Chronic overexposure to dust containing respirable sized crystalline silica can cause delayed lung injury (silicosis). Inhalation of dust containing crystalline silica pulmonary diseases such as asthma and lung disorder associated with smoking.
Skin	
Acute (Immediate)	 Exposure to dust may cause irritation.
Chronic (Delayed)	No data available.
Eye	
Acute (Immediate)	 Causes serious eye damage. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.
Chronic (Delayed)	No data available.
Ingestion	
Acute (Immediate)	 Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.
Chronic (Delayed)	No data available.
Carcinogenic Effects	 May cause cancer. IARC studies have shown sufficient evidence from animal studies to categorize crystalline silica as a group 1 carcinogen.
Key to abbreviations TC = Toxic Concentration TD = Toxic Dose	

	Section 12 - Ecological Information
ľ	

Toxicity

• Material data lacking.

Persistence and degradability

• Material data lacking.

Bioaccumulative potential

Material data lacking.

Mobility in Soil

Material data lacking.

Other adverse effects

No studies have been found.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste	•	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Packaging waste	•	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	NDA	NDA	NDA	NDA
TDG	NDA	NDA	NDA	NDA	NDA
IATA/ICAO	NDA	NDA	NDA	NDA	NDA

Special precautions for user • None specified.

· No data available Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Acute, Chronic

State Right To Know					
Component	CAS	MA	NJ	PA	
Aluminum oxide	1344-28-1	Yes	Yes	Yes	
Bauxite	1318-16-7	No	No	No	
Calcium oxide	1305-78-8	Yes	Yes	Yes	
Cristobalite	14464-46-1	Yes	Yes	Yes	
Clay	Proprietary	Yes	Yes	Yes	
Potassium oxide	12136-45-7	No	Yes	No	
Quartz	14808-60-7	Yes	Yes	Yes	
Silica, amorphous	7631-86-9	Yes	Yes	Yes	
Sodium aluminate	1302-42-7	No	No	No	
Sodium hydroxide	1310-73-2	Yes	Yes	Yes	
Titanium dioxide	13463-67-7	Yes	Yes	Yes	

Inventory			
Component	CAS	Canada DSL	TSCA
Aluminum oxide	1344-28-1	Yes	Yes
Bauxite	1318-16-7	No	No
Calcium oxide	1305-78-8	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes
Clay	Proprietary	Yes	Yes
Potassium oxide	12136-45-7	Yes	Yes
Quartz	14808-60-7	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes
Sodium aluminate	1302-42-7	Yes	Yes
Sodium hydroxide	1310-73-2	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes

Canada

labor		
Canada - WHMIS - Classifications of Substances		
Potassium oxide	12136-45-7	E
Sodium aluminate	1302-42-7	E
• Clay	Proprietary	D2A
• Bauxite	1318-16-7	Not Listed
Calcium oxide	1305-78-8	F
Sodium hydroxide	1310-73-2	E (including 0.04% in aqueous solution, 0.08%, 0.4% in aqueous solution, 2%, 2.5%, 4% in aqueous solution, 5%, 10% 16% 20% 40% 50% in
• Titanium dioxide	13463-67-7	aqueous solution, 8.7N) D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Titanium dioxide, mixture containing on Health Canada's WHMIS Division website)
• Aluminum oxide	1344-28-1	Uncontrolled product according to WHMIS classification criteria
• Cristobalite	14464-46-1	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Silica, amorphous	7631-86-9	Uncontrolled product according to WHMIS classification criteria
• Quartz	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Canada - WHMIS - Ingredient Disclosure List		
Potassium oxide	12136-45-7	Not Listed
Sodium aluminate	1302-42-7	Not Listed
• Clav	Proprietary	Not Listed
• Bauxite	1318-16-7	1 %
Calcium oxide	1305-78-8	1 %
	1310 73 2	1 0/
	1010-70-2	Not Listod
	13403-07-7	
	1044-20-1	1 /0
	14464-46-1	1 %
• Silica, amorphous	/631-86-9	1 %
• Quartz	14808-60-7	1 %

United States

Environment		
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
Potassium oxide	12136-45-7	Not Listed
Sodium aluminate	1302-42-7	Not Listed
• Clay	Proprietary	Not Listed
• Bauxite	1318-16-7	Not Listed
Calcium oxide	1305-78-8	Not Listed
Sodium hydroxide	1310-73-2	1000 lb final RQ; 454 kg final RQ
Titanium dioxide	13463-67-7	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Potassium oxide	12136-45-7	Not Listed
Sodium aluminate	1302-42-7	Not Listed
• Clay	Proprietary	Not Listed
• Bauxite	1318-16-7	Not Listed
Calcium oxide	1305-78-8	Not Listed
Sodium hydroxide	1310-73-2	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Aluminum oxide	1344-28-1	1.0 % de minimis concentration (fibrous forms)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

United States - California

Environment U.S California - Proposition 65 - Carcinogens List		
Potassium oxide	12136-45-7	Not Listed
Sodium aluminate	1302-42-7	Not Listed
• Clay	Proprietary	Not Listed
• Bauxite	1318-16-7	Not Listed
Calcium oxide	1305-78-8	Not Listed
Sodium hydroxide	1310-73-2	Not Listed
Titanium dioxide	13463-67-7	carcinogen, initial date 9/2/11 (airborne, unbound particles of respirable size)
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)

United States - Pennsylvania

Labor	(Dight to Know) Environmental Upper			
U.S Pennsylvania - RT	(Right to Know) - Environmental Hazard	LIST		
Potassium oxide		12136-45-7	Not Listed	
Sodium aluminate		1302-42-7	Not Listed	
Preparation Date: 13/August/2015 Format: GHS Language: Engli			h (US)	
Revision Date: 27/April/2018		4	OSHA HCS 2012, V	VHMIS

• Clay	Proprietary	Not Listed
• Bauxite	1318-16-7	Not Listed
Calcium oxide	1305-78-8	Not Listed
Sodium hydroxide	1310-73-2	
Titanium dioxide	13463-67-7	Not Listed
Aluminum oxide	1344-28-1	
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
Quartz	14808-60-7	Not Listed

Other Information

• WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information

Revision Date	• 27/April/2018
Last Revision Date	• 13/August/2015
Preparation Date	• 13/August/2015
Disclaimer/Statement of Liability	 The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Key to abbreviations	

NDA = No data available