

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 03/11/2020

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: Reno Gun BTW
Product code	: 127700
1.2. Recommended use and restrictions o	
Recommended use	: Refractory Applications
1.3. Supplier	
Reno Refractories, Inc. 601 Reno Drive P.O. Box 201 Morris, AL 35116 - United States T 205-647-0240 - F 205-647-6854 <u>sales@r-ref.com</u> - <u>www.renorefractories.com</u>	
1.4. Emergency telephone number	
Emergency number	: 1-800-262-8200 CHEMTREC
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	ture
GHS US classification	
Corrosive to metals Category 1 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 1A Specific target organ toxicity (repeated exposure) Category 1	
2.2. GHS Label elements, including precau	utionary statements
GHS US labeling Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: May be corrosive to metals Causes serious eye irritation May cause cancer Causes damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. If eye irritation persists: Get medical advice/attention. Absorb spillage to prevent material-damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Other hazards which do not result in classification

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Silicon carbide	(CAS-No.) 409-21-2	26.05 - 32	Carc. 1B, H350
Crystalline silica	(CAS-No.) 14808-60-7	0.96 - 4.87	Carc. 1A, H350 STOT RE 1, H372
Carbon*	(CAS-No.) Trade Secret	1 - 2	Carc. 1B, H350
Aluminum sulfate (2:3)	(CAS-No.) 10043-01-3	1 - 2	Met. Corr. 1, H290 Eye Dam. 1, H318
Titanium dioxide	(CAS-No.) 13463-67-7	<= 0.55	Carc. 2, H351

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	 Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and s Treat symptomatically.	special treatment, if necessary
SECTION 5: Fire-fighting measures	S
5.1. Suitable (and unsuitable) extingui	shing media
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Specific hazards arising from the	chemical
No additional information available	
5.3. Special protective equipment and	precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify author	rities if product enters sewers or public waters.
6.3. Methods and material for contain	nent and cleaning up
Methods for cleaning up Other information	Mechanically recover the product. Notify authorities if product enters sewers or public waters.Dispose of materials or solid residues at an authorized site.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Keep only in original container. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Metals.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1. **Reno Gun BTW** No additional information available Carbon No additional information available Crystalline silica (14808-60-7) **USA - ACGIH - Occupational Exposure Limits** Local name Silica crystaline - quartz ACGIH TWA (mg/m³) 0.025 mg/m³ (Respirable fraction) Remark (ACGIH) TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen) ACGIH 2019 Regulatory reference **USA - OSHA - Occupational Exposure Limits** Local name Quartz (Respirable) (Silica: Crystalline) Remark (OSHA) Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1. Regulatory reference (US-OSHA) **OSHA Annotated Table Z-3 Mineral Dusts** Aluminum sulfate (2:3) (10043-01-3) No additional information available Silicon carbide (409-21-2) **USA - ACGIH - Occupational Exposure Limits** Local name Silicon carbide ACGIH TWA (mg/m³) 3 mg/m³ (Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) 0.1 fibers/cm³ (Respirable fibers: length > 5 μ m; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phasecontrast illumination) 10 mg/m³ (Inhalable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) Remark (ACGIH) Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen) Regulatory reference **ACGIH 2019 USA - OSHA - Occupational Exposure Limits** Silicon carbide Local name OSHA PEL (TWA) (mg/m³) 15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction) Regulatory reference (US-OSHA) OSHA Annotated Table Z-1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7) USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (mg/m ³)	10 mg/m ³	
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2019	
USA - OSHA - Occupational Exposure Limits		
Local name	Titanium dioxide (Total dust)	
OSHA PEL (TWA) (mg/m ³)	15 mg/m³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:	
Protective aloves	

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1. Physical state : Solid Color : Gray Odor : Almost odourless Odor threshold : No data available : No data available рΗ Melting point : No data available Freezing point : Not applicable Boiling point No data available : Flash point : Not applicable Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : 2.7 - 2.9 : Water: < 0.1 % Solubility Log Pow : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosion limits : Not applicable Explosive properties : No data available Oxidizing properties : No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2.	Other information
No additio	nal information available
SECTIO	N 10: Stability and reactivity
10.1. I	Reactivity
The produ	ct is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability
Stable und	der normal conditions.
10.3. I	Possibility of hazardous reactions
No danger	rous reactions known under normal conditions of use.
10.4.	Conditions to avoid
None unde	er recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Not classified		
Acute toxicity (inhalation)	: Not classified		

Aluminum sulfate (2:3) (10043-01-3)			
LD50 oral rat	2000 - 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s))		
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value of similar product, Dermal, 14 day(s))		
LC50 inhalation rat (mg/l)	> 5 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))		
ATE US (oral)	2000 mg/kg body weight		
Silicon carbide (409-21-2)			
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)		
Titanium dioxide (13463-67-7)			
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))		
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Causes serious eye irritation.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: May cause cancer.		
Crystalline silica (14808-60-7)			
IARC group	1 - Carcinogenic to humans		
Silicon carbide (409-21-2)			
IARC group	2A - Probably carcinogenic to humans		

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations		
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.	
Crystalline silica (14808-60-7)		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	: Not classified	
Viscosity, kinematic	: No data available	
Symptoms/effects after eye contact	: Eye irritation.	
SECTION 12: Ecological informat	tion	
2.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
Aluminum sulfate (2:3) (10043-01-3)		
LC50 fish 1	> 87.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Lethal)	
EC50 Daphnia 1	> 200 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
ErC50 (algae)	14 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)	
Titanium dioxide (13463-67-7)		

(
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system,
	Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

Persistence and degradability 12.2.

Crystalline silica (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Aluminum sulfate (2:3) (10043-01-3)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Silicon carbide (409-21-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
Titanium dioxide (13463-67-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	

12.3. **Bioaccumulative potential**

Crystalline silica (14808-60-7)	
Bioaccumulative potential	No bioaccumulation data available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Aluminum sulfate (2:3) (10043-01-3)	
Bioaccumulative potential	No bioaccumulation data available.
Silicon carbide (409-21-2)	
Bioaccumulative potential	Bioaccumulation: not applicable.
Titanium dioxide (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Crystalline silica (14808-60-7)		
No (test)data on mobility of the substance available.		
73 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)		
No (test)data on mobility of the substance available.		
Titanium dioxide (13463-67-7)		
Low potential for mobility in soil.		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideratio	20
13.1. Disposal methods	115
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
CECTION 44. Transport information	· ·
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Not applicable	
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Not applicable	
Air transport	
Not applicable	
SECTION 15: Regulatory informatio	n
15.1. US Federal regulations	
Carbon	
Listed on the United States TSCA (Toxic Sub	ostances Control Act) inventory
Crystalline silica (14808-60-7)	
Listed on the United States TSCA (Toxic Sub	bstances Control Act) inventory
Aluminum sulfate (2:3) (10043-01-3)	
Aluminum sulfate (2:3) (10043-01-3) Listed on the United States TSCA (Toxic Sub	ostances Control Act) inventory
· · · · · · ·	bstances Control Act) inventory United States SARA Section 313 5000 lb

Silicon carbide (409-21-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Carbon
Listed on the Canadian DSL (Domestic Substances List)
Crystalline silica (14808-60-7)
Listed on the Canadian DSL (Domestic Substances List)
Aluminum sulfate (2:3) (10043-01-3)
Listed on the Canadian DSL (Domestic Substances List)
Silicon carbide (409-21-2)
Listed on the Canadian DSL (Domestic Substances List)
Titanium dioxide (13463-67-7)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

National regulations

Crystalline silica (14808-60-7)	
Listed on IARC (International Agency for Research on Cancer)	
Silicon carbide (409-21-2)	
Listed on IARC (International Agency for Research on Cancer)	
Titanium dioxide (13463-67-7)	
Listed on IARC (International Agency for Research on Cancer)	
E 2 LIS State regulations	

15.3. US State regulations

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Aluminum sulfate (2:3)(10043-01-3)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silicon carbide(409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 03/11/2020

Full text of H-phrases:

H290	May be corrosive to metals
H318	Causes serious eye damage
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.