

## Safety Data Sheet



## Section 1: Identification

### Product identifier

**Product Name** • Reno Gun 90 LW FF  
**Product Code** • 138800

### Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** • Refractory applications

### Details of the supplier of the safety data sheet

**Manufacturer** • Reno Refractories, Inc.  
 PO Box 201  
 Morris, AL 35116  
 United States  
 www.renorefractories.com  
 sales@renorefractories.com  
**Telephone (General)** • 205-647-0240

### Emergency telephone number

**Manufacturer** • 1-800-262-8200 - CHEMTREC

## Section 2: Hazard Identification

### United States (US)

According to OSHA 29 CFR 1910.1200 HCS

### Classification of the substance or mixture

**OSHA HCS 2012**

- Skin Irritation 2 - H315
- Serious Eye Damage 1 - H318
- Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335
- Carcinogenicity 1A - H350
- Specific Target Organ Toxicity Repeated Exposure 1 - H372

### Label elements

OSHA HCS 2012

### DANGER



**Hazard statements** • Causes skin irritation - H315  
 Causes serious eye damage - H318  
 May cause respiratory irritation - H335  
 May cause cancer. - H350  
 Causes damage to organs - Lungs through prolonged or repeated exposure - H372

## Precautionary statements

- Prevention**
  - Obtain special instructions before use. - P201
  - Do not handle until all safety precautions have been read and understood. - P202
  - Do not breathe dust. - P260
  - Wash thoroughly after handling. - P264
  - Do not eat, drink or smoke when using this product. - P270
  - Use only outdoors or in a well-ventilated area. - P271
  - Wear protective gloves/protective clothing/eye protection/face protection. - P280
- Response**
  - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
  - Call a POISON CENTER or doctor/physician if you feel unwell. - P312
  - If on skin: Wash with plenty of water .
  - Take off contaminated clothing and wash before reuse. - P362
  - If skin irritation occurs: Get medical advice/attention. - P332+P313
  - Specific treatment, see supplemental first aid information. - P321
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338
  - Immediately call a POISON CENTER or doctor/physician. - P310
  - IF exposed or concerned: Get medical advice/attention. - P308+P313
  - Get medical advice/attention if you feel unwell. - P314
- Storage/Disposal**
  - Store in a well-ventilated place. Keep container tightly closed. - P403+P233
  - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

## Other hazards

### OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

### According to WHMIS

## Classification of the substance or mixture

### WHMIS

- Other Toxic Effects - D2A
- Corrosive - E

## Label elements

### WHMIS



- Other Toxic Effects - D2A
- Corrosive - E

## Other hazards

### WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## Section 3 - Composition/Information on Ingredients

### Substances

- Material does not meet the criteria of a substance.

### Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments
Aluminum(III) silicate (2:1)	CAS:1302-76-7	35.7% TO 42.75%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA
Aluminum calcium oxide	CAS:12042-68-1	10% TO 24%	NDA	OSHA HCS 2012: Eye Dam. 1; Skin Irrit. 2; STOT SE 3: Resp. Irrit.	NDA
Cement, alumina, chemicals	CAS:65997-16-2	9% TO 10%	NDA	OSHA HCS 2012: Not Classified	NDA
Mullite	CAS:1302-93-8	9.1% TO 9.75%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA
Perlite	CAS:93763-70-3	7% TO 8%	NDA	OSHA HCS 2012: Not Classified	NDA
Quartz	CAS:14808-60-7	2.3% TO 5.65%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs)	NDA
Cristobalite	CAS:14464-46-1	2.1% TO 3.795%	NDA	OSHA HCS 2012: Carc. 1A	NDA
Titanium dioxide	CAS:13463-67-7	0.42% TO 3.033%	NDA	OSHA HCS 2012: Carc. 2	NDA
Silica, amorphous	CAS:7631-86-9	1.4% TO 3%	NDA	OSHA HCS 2012: Not Classified	NDA
Bentonite	CAS:1302-78-9	1.3% TO 2.7%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA
Amorphous/fused silica	CAS:60676-86-0	0% TO 1.5%	NDA	OSHA HCS 2012: Not Classified	NDA
Iron oxide	CAS:1309-37-1	0% TO 1.003%	NDA	OSHA HCS 2012: Not Classified	NDA
Sodium hydroxide	CAS:1310-73-2	0% TO 0.206%	NDA	OSHA HCS 2012: Skin Corr. 1B; Eye Dam. 1	NDA
Magnesium oxide	CAS:1309-48-4	0% TO 0.15%	NDA	OSHA HCS 2012: Not Classified	NDA
1-Propene, homopolymer	CAS:9003-07-0	0.1484% TO 0.15%	Ingestion/Oral-Rat LD50 • >8 g/kg	OSHA HCS 2012: Not Classified	NDA
Sodium aluminate	CAS:1302-42-7	< 0.11%	NDA	OSHA HCS 2012: Skin Corr. 1C; Eye Dam. 1	NDA
Zirconium oxide	CAS:1314-23-4	0% TO 0.1002%	NDA	OSHA HCS 2012: Not Classified	NDA
Calcium oxide	CAS:1305-78-8	0% TO 0.08%	NDA	OSHA HCS 2012: Exposure limit(s)	NDA
Aluminum oxide	CAS:1344-28-1	0% TO 0.006%	NDA	OSHA HCS 2012: Exposure limit(s)	NDA

## Section 4: First-Aid Measures

### Description of first aid measures

#### Inhalation

- Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Get medical attention immediately.

#### Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If skin irritation occurs: Get medical advice/attention.

#### Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

#### Ingestion

- Rinse mouth. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

## Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

## Indication of any immediate medical attention and special treatment needed

### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

## Section 5: Fire-Fighting Measures

### Extinguishing media

**Suitable Extinguishing Media** • Material is non-combustible. In case of fire use media as appropriate for surrounding fire.

**Unsuitable Extinguishing Media** • None known.

### Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards** • None known.

**Hazardous Combustion Products** • None known.

### Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

## Section 6 - Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** • Isolate hazard area and deny entry to unauthorized and/or unprotected personnel. Do not touch or walk through spilled material. Ensure adequate ventilation to remove vapors, fumes, dust etc.

**Emergency Procedures** • Ventilate closed spaces before entering. Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

### Environmental precautions

- No specific actions or treatments recommended related to exposure to this material.

### Methods and material for containment and cleaning up

**Containment/Clean-up Measures** • Avoid generating dust.  
 FOR SMALL SPILLS: Clean with a vacuum with a filtration system sufficient to remove and prevent recirculation of crystalline silica (a vacuum equipped with a high-efficiency particulate air (HEPA) filter is recommended).  
 FOR LARGE SPILLS: Use a fine spray or mist to control dust creation and carefully scoop or shovel into clean dry container for later reuse or disposal.  
 If, an appropriate vacuum is unavailable, only wet-clean-up methods should be used (i.e. misting). Moisture should be added as necessary to reduce exposure to airborne respirable silica dust.

## Section 7 - Handling and Storage

### Precautions for safe handling

#### Handling

- Do not breathe dust. Avoid contact with skin, eyes, and clothing. Minimize dust generation and accumulation. Use good safety and industrial hygiene practices. Routine housekeeping should be instituted to ensure that dusts do not accumulate on

surfaces. Wear long sleeves and/or protective coveralls. Contaminated clothing must be vacuumed before removal. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash thoroughly after handling. Do not use in areas without adequate ventilation.

## Conditions for safe storage, including any incompatibilities

### Storage

- Store in a covered location. Keep container closed. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust accumulation.

## Section 8 - Exposure Controls/Personal Protection

### Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	Mexico	NIOSH
Sodium hydroxide (1310-73-2)	Ceilings	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling
Iron oxide (1309-37-1)	STELs	Not established	Not established	Not established	10 mg/m3 STEL [LMPE-CT] (as Fe)	Not established
	TWAs	5 mg/m3 TWA (respirable fraction)	5 mg/m3 TWA (respirable)	5 mg/m3 TWAEV (dust and fume, as Fe); 10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, regulated under Rouge, total dust)	5 mg/m3 TWA LMPE- PPT	5 mg/m3 TWA (dust and fume, as Fe)
Zirconium oxide as Zirconium compounds	STELs	10 mg/m3 STEL (as Zr) <i>as Zirconium compounds</i>	10 mg/m3 STEL (as Zr) <i>as Zirconium compounds</i>	10 mg/m3 STEV (as Zr) <i>as Zirconium compounds</i>	10 mg/m3 STEL [LMPE-CT] (as Zr) <i>as Zirconium compounds</i>	10 mg/m3 STEL (except Zirconium tetrachloride, as Zr) <i>as Zirconium compounds</i>
	TWAs	5 mg/m3 TWA (as Zr) <i>as Zirconium compounds</i>	5 mg/m3 TWA (as Zr) <i>as Zirconium compounds</i>	5 mg/m3 TWAEV (as Zr) <i>as Zirconium compounds</i>	5 mg/m3 TWA LMPE- PPT (as Zr) <i>as Zirconium compounds</i>	5 mg/m3 TWA (except Zirconium tetrachloride, as Zr) <i>as Zirconium compounds</i>
Calcium oxide (1305-78-8)	TWAs	2 mg/m3 TWA	2 mg/m3 TWA	2 mg/m3 TWAEV	2 mg/m3 TWA LMPE- PPT	2 mg/m3 TWA
Magnesium oxide (1309-48-4)	TWAs	10 mg/m3 TWA (inhalable fraction)	10 mg/m3 TWA (inhalable)	10 mg/m3 TWAEV (fume, as Mg)	10 mg/m3 TWA LMPE-PPT (fume, as Mg)	Not established
Aluminum oxide (1344-28-1)	TWAs	1 mg/m3 TWA (respirable fraction) <i>as Aluminum insoluble compounds</i>	1 mg/m3 TWA (respirable) <i>as Aluminum insoluble compounds</i>	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust, as Al)	10 mg/m3 TWA LMPE-PPT	Not established
					0.1 mg/m3 TWA	

Amorphous/fused silica (60676-86-0)	TWAs	Not established	0.1 mg/m3 TWA (respirable)	0.1 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	LMPE-PPT; 10 mg/m3 TWA LMPE-PPT (inhalable particulate); 3 mg/m3 TWA LMPE-PPT (respirable particulate)	Not established
Sodium aluminate as Aluminum, soluble salts	TWAs	Not established	Not established	2 mg/m3 TWAEV (as Al) <i>as Aluminum, soluble salts</i>	2 mg/m3 TWA LMPE-PPT <i>as Aluminum, soluble salts</i>	2 mg/m3 TWA (as Al) <i>as Aluminum, soluble salts</i>
Titanium dioxide (13463-67-7)	STELs	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT] (as Ti)	Not established
	TWAs	10 mg/m3 TWA	10 mg/m3 TWA	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA LMPE-PPT (as Ti)	Not established
Silica, amorphous (7631-86-9)	TWAs	Not established	Not established	Not established	Not established	6 mg/m3 TWA
Cristobalite (14464-46-1)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.10 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.1 mg/m3 TWAEV (respirable dust)	0.1 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Perlite (93763-70-3)	TWAs	Not established	10 mg/m3 TWA (containing no Asbestos and <1% Crystalline silica)	Not established	10 mg/m3 TWA LMPE-PPT	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Cement, alumina, chemicals as Particulates not otherwise classified (PNOC)	TWAs	10 mg/m3 TWA (inhalable particles, recommended); 3 mg/m3 TWA (respirable particles, recommended) <i>as Particulates not otherwise classified (PNOC)</i>	10 mg/m3 TWA (inhalable); 3 mg/m3 TWA (respirable) <i>as Particulates not otherwise classified (PNOC)</i>	10 mg/m3 TWAEV (including dust, inert or nuisance particulates; containing no Asbestos and <1% Crystalline silica, total dust) <i>as Particulates not otherwise classified (PNOC)</i>	Not established	Not established

**Exposure Limits/Guidelines (Con't.)**

	Result	OSHA
Sodium hydroxide (1310-73-2)	TWAs	2 mg/m3 TWA
		10 mg/m3 TWA (fume);

Iron oxide (1309-37-1)	TWAs	15 mg/m3 TWA (total dust, listed under Rouge); 5 mg/m3 TWA (respirable fraction, listed under Rouge)
Zirconium oxide	TWAs	5 mg/m3 TWA (as Zr) <i>as Zirconium compounds</i>
Calcium oxide (1305-78-8)	TWAs	5 mg/m3 TWA
Magnesium oxide (1309-48-4)	TWAs	15 mg/m3 TWA (fume, total particulate)
Aluminum oxide (1344-28-1)	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
Titanium dioxide (13463-67-7)	TWAs	15 mg/m3 TWA (total dust)
Cement, alumina, chemicals	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) <i>as Particulates not otherwise classified (PNOC)</i>

**Exposure controls**

**Engineering Measures/Controls**

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Collection systems must be designed and maintained to prevent the accumulation and recirculation of respirable silica into the workplace.

**Personal Protective Equipment**

**Respiratory**

- For limited exposure use an N95 dust mask. For prolonged exposure use an air-purifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

**Eye/Face**

- Wear protective eyewear (goggles, face shield, or safety glasses).

**Hands**

- Wear appropriate gloves.

**Skin/Body**

- Wear long sleeves and/or protective coveralls.

**General Industrial Hygiene Considerations**

- Avoid breathing dust. Avoid contact with skin, eyes or clothing. Do not remove dusts from clothing by blowing or shaking. Do not eat, drink or smoke during work. Wash hands before eating, drinking, or smoking. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

**Environmental Exposure Controls**

- Follow best practice for site management and disposal of waste. Dispose of in an approved landfill.

**Key to abbreviations**

ACGIH = American Conference of Governmental Industrial Hygiene  
 NIOSH = National Institute of Occupational Safety and Health

STEL = Short Term Exposure Limits are based on 15-minute exposures  
 TWAEV = Time-Weighted Average Exposure Value

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9 - Physical and Chemical Properties

### Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Gray granular dry powder with an earthy odor.
Color	Gray	Odor	Earthy
Particulate Size	600 µ	Odor Threshold	No data available
General Properties			
Boiling Point	No data available	Melting Point	No data available
Decomposition Temperature	No data available	pH	Not relevant
Specific Gravity/Relative Density	2.2 to 2.9 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	No data available		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	0 %
Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

## Section 10: Stability and Reactivity

### Reactivity

- No dangerous reaction known under conditions of normal use.

### Chemical stability

- Stable under normal temperatures and pressures.

### Possibility of hazardous reactions

- Hazardous polymerization not indicated.

### Conditions to avoid

- None known.

### Incompatible materials

- None known.

### Hazardous decomposition products

- None known.

## Section 11 - Toxicological Information

### Information on toxicological effects



Component Name	CAS	Data
Silica, amorphous (1.4% TO 3%)	7631-86-9	<b>Irritation:</b> eye-rbt 25 mg/24H MLD
Titanium dioxide (0.42% TO 3.033%)	13463-67-7	<b>Irritation:</b> skn-hmn 300 ug/3D-I MLD; <b>Tumorigen/Carcinogen:</b> ihl-rat TCLo:250 mg/m <sup>3</sup> /6H/2Y-I
Perlite (7% TO 8%)	93763-70-3	<b>Acute Toxicity:</b> orl-mus LD50:12960 mg/kg
Sodium hydroxide (0% TO 0.206%)	1310-73-2	<b>Irritation:</b> eye-rbt 50 ug/24H SEV; skn-rbt 500 mg/24H SEV
1-Propene, homopolymer (0.1484% TO 0.15%)	9003-07-0	<b>Acute Toxicity:</b> orl-rat LD50:>8 gm/kg
GHS Properties		Classification
<b>Acute toxicity</b>	OSHA HCS 2012 • No data available	
<b>Aspiration Hazard</b>	OSHA HCS 2012 • No data available	
<b>Carcinogenicity</b>	OSHA HCS 2012 • Carcinogenicity 1A	
<b>Germ Cell Mutagenicity</b>	OSHA HCS 2012 • No data available	
<b>Skin corrosion/Irritation</b>	OSHA HCS 2012 • Skin Irritation 2	
<b>Skin sensitization</b>	OSHA HCS 2012 • No data available	
<b>STOT-RE</b>	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1	
<b>STOT-SE</b>	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation	
<b>Toxicity for Reproduction</b>	OSHA HCS 2012 • No data available	
<b>Respiratory sensitization</b>	OSHA HCS 2012 • No data available	
<b>Serious eye damage/Irritation</b>	OSHA HCS 2012 • Serious Eye Damage 1	

**Target Organs**

- Lungs

**Route(s) of entry/exposure**

- Inhalation, Skin, Eye, Ingestion

**Medical Conditions Aggravated by Exposure**

- Any pre-existing conditions of the lungs. Disorders of the lungs.

**Potential Health Effects****Inhalation****Acute (Immediate)**

- May cause respiratory irritation. Exposure to dust may cause irritation.

**Chronic (Delayed)**

- Chronic overexposure to dust containing respirable sized crystalline silica can cause delayed lung injury (silicosis). Inhalation of dust containing crystalline silica pulmonary diseases such as asthma and lung disorder associated with smoking.

**Skin****Acute (Immediate)**

- Causes skin irritation. Exposure to dust may cause irritation.

**Chronic (Delayed)**

- No data available.

**Eye****Acute (Immediate)**

- Causes serious eye damage. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

**Chronic (Delayed)**

- No data available.

**Ingestion****Acute (Immediate)**

- Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

**Chronic (Delayed)**

- No data available.

**Carcinogenic Effects**

- May cause cancer. IARC studies have shown sufficient evidence from animal studies to categorize crystalline silica as a group 1 carcinogen.

Carcinogenic Effects			
	CAS	IARC	NTP
Titanium dioxide	13463-67-7	Group 2B-Possible Carcinogen	Not Listed
Cristobalite	14464-46-1	Group 1-Carcinogenic	Not Listed
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

**Key to abbreviations**

LD = Lethal Dose      TC = Toxic Concentration  
 MLD = Mild            TD = Toxic Dose  
 SEV = Severe

## Section 12 - Ecological Information

**Toxicity**

- Material data lacking.

**Persistence and degradability**

- Material data lacking.

**Bioaccumulative potential**

- Material data lacking.

**Mobility in Soil**

- Material data lacking.

**Other adverse effects**

- No studies have been found.

## Section 13 - Disposal Considerations

**Waste treatment methods****Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Packaging waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

**Special precautions for user**      • None specified.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**      • No data available

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic

State Right To Know				
Component	CAS	MA	NJ	PA
Amorphous/fused silica	60676-86-0	Yes	Yes	No
Calcium oxide	1305-78-8	Yes	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes	Yes
Iron oxide	1309-37-1	Yes	Yes	Yes
Magnesium oxide	1309-48-4	Yes	Yes	Yes
Perlite	93763-70-3	Yes	Yes	Yes
Potassium oxide	12136-45-7	No	Yes	No
Quartz	14808-60-7	Yes	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes	Yes
Sodium aluminate	1302-42-7	No	No	Yes
Sodium hydroxide	1310-73-2	Yes	Yes	Yes
Sodium oxide	1313-59-3	No	No	No
Titanium dioxide	13463-67-7	Yes	Yes	Yes

Inventory			
Component	CAS	Canada DSL	TSCA
Amorphous/fused silica	60676-86-0	Yes	Yes
Calcium oxide	1305-78-8	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes
Iron oxide	1309-37-1	Yes	Yes
Magnesium oxide	1309-48-4	Yes	Yes
Perlite	93763-70-3	Yes	No
Potassium oxide	12136-45-7	Yes	Yes
Quartz	14808-60-7	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes
Sodium aluminate	1302-42-7	Yes	Yes
Sodium hydroxide	1310-73-2	Yes	Yes
Sodium oxide	1313-59-3	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes

## Canada

### Labor

#### Canada - WHMIS - Classifications of Substances

• Sodium oxide	1313-59-3	E
• Potassium oxide	12136-45-7	E
• Sodium aluminate	1302-42-7	E
• Sodium aluminate as Aluminum, soluble compounds		Not Listed

• Sodium aluminate as Aluminum, soluble salts		Not Listed
• Perlite	93763-70-3	D2A (expanded, containing >0.1% Crystalline silica); Uncontrolled product according to WHMIS classification criteria (expanded)
• Calcium oxide	1305-78-8	E
• Iron oxide	1309-37-1	Uncontrolled product according to WHMIS classification criteria
• Iron oxide as Iron compounds		Not Listed
• Magnesium oxide	1309-48-4	Uncontrolled product according to WHMIS classification criteria
• Sodium hydroxide	1310-73-2	E (including 0.04% in aqueous solution, 0.08%, 0.4% in aqueous solution, 2%, 2.5%, 4% in aqueous solution, 5%, 10%, 16%, 20%, 40%, 50% in aqueous solution, 8.7N)
• Titanium dioxide	13463-67-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Titanium dioxide, mixture containing on Health Canada's WHMIS Division website.)
• Titanium dioxide as Titanium compounds		Not Listed
• Cristobalite	14464-46-1	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
• Silica, amorphous	7631-86-9	Uncontrolled product according to WHMIS classification criteria
• Amorphous/fused silica	60676-86-0	Uncontrolled product according to WHMIS classification criteria
• Quartz	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
<b>Canada - WHMIS - Ingredient Disclosure List</b>		
• Sodium oxide	1313-59-3	Not Listed
• Potassium oxide	12136-45-7	Not Listed
• Sodium aluminate	1302-42-7	Not Listed
• Sodium aluminate as Aluminum, soluble compounds		Not Listed
• Sodium aluminate as Aluminum, soluble salts		1 %

• Perlite	93763-70-3	Not Listed
• Calcium oxide	1305-78-8	1 %
• Iron oxide	1309-37-1	1 %
• Iron oxide as Iron compounds		Not Listed
• Magnesium oxide	1309-48-4	1 %
• Sodium hydroxide	1310-73-2	1 %
• Titanium dioxide	13463-67-7	Not Listed
• Titanium dioxide as Titanium compounds		Not Listed
• Cristobalite	14464-46-1	1 %
• Silica, amorphous	7631-86-9	1 %
• Amorphous/fused silica	60676-86-0	1 %
• Quartz	14808-60-7	1 %

## United States

### Environment

#### U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Sodium oxide	1313-59-3	Not Listed
• Potassium oxide	12136-45-7	Not Listed
• Sodium aluminate	1302-42-7	Not Listed
• Sodium aluminate as Aluminum, soluble compounds		Not Listed
• Sodium aluminate as Aluminum, soluble salts		Not Listed
• Perlite	93763-70-3	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
• Iron oxide as Iron compounds		Not Listed
• Magnesium oxide	1309-48-4	Not Listed
• Sodium hydroxide	1310-73-2	1000 lb final RQ; 454 kg final RQ
• Titanium dioxide	13463-67-7	Not Listed
• Titanium dioxide as Titanium compounds		Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Quartz	14808-60-7	Not Listed

#### U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Sodium oxide	1313-59-3	Not Listed
• Potassium oxide	12136-45-7	Not Listed
• Sodium aluminate	1302-42-7	Not Listed
• Sodium aluminate as Aluminum, soluble compounds		Not Listed
• Sodium aluminate as Aluminum, soluble salts		Not Listed
• Perlite	93763-70-3	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
• Iron oxide as Iron compounds		Not Listed
• Magnesium oxide	1309-48-4	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Titanium dioxide	13463-67-7	Not Listed
• Titanium dioxide as Titanium compounds		Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Quartz	14808-60-7	Not Listed

## United States - California

### Environment

#### U.S. - California - Proposition 65 - Carcinogens List

• Sodium oxide	1313-59-3	Not Listed
• Potassium oxide	12136-45-7	Not Listed
• Sodium aluminate	1302-42-7	Not Listed
• Sodium aluminate as Aluminum, soluble compounds		Not Listed
• Sodium aluminate as Aluminum, soluble salts		Not Listed
• Perlite	93763-70-3	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
• Iron oxide as Iron compounds		Not Listed
• Magnesium oxide	1309-48-4	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Titanium dioxide	13463-67-7	carcinogen, initial date 9/2/11 (airborne, unbound particles of respirable size)
• Titanium dioxide as Titanium compounds		Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Quartz	14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)

## United States - Pennsylvania

### Labor

#### U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Sodium oxide	1313-59-3	Not Listed
• Potassium oxide	12136-45-7	Not Listed
• Sodium aluminate	1302-42-7	Not Listed
• Sodium aluminate as Aluminum, soluble compounds		Not Listed
• Sodium aluminate as Aluminum, soluble salts		Not Listed
• Perlite	93763-70-3	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
• Iron oxide as Iron compounds		Not Listed
• Magnesium oxide	1309-48-4	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Titanium dioxide	13463-67-7	Not Listed
• Titanium dioxide as Titanium compounds		Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Quartz	14808-60-7	Not Listed

#### U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Sodium oxide	1313-59-3	Not Listed
• Potassium oxide	12136-45-7	Not Listed
• Sodium aluminate	1302-42-7	Not Listed
• Sodium aluminate as Aluminum, soluble compounds		Not Listed
• Sodium aluminate as Aluminum, soluble salts		Not Listed

• Perlite	93763-70-3	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
• Iron oxide as Iron compounds		Not Listed
• Magnesium oxide	1309-48-4	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Titanium dioxide	13463-67-7	Not Listed
• Titanium dioxide as Titanium compounds		Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Quartz	14808-60-7	Not Listed

## Other Information

- **WARNING:** This product contains a chemical known to the State of California to cause cancer.

## Section 16 - Other Information

### Last Revision Date

- 27/February/2014

### Preparation Date

- 11/December/2012

### Disclaimer/Statement of Liability

- The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### Key to abbreviations

NDA = No data available