Safety Data Sheet



Section 1: Identification

Product identifier						
	Reno Reflite 30-90 G					
Product Code	• 139307					
Relevant identified uses of	of the substance or mixture and uses advised against					
Recommended use	 Refractory applications 					
Details of the supplier of the safety data sheet						
Manufacturer	 Reno Refractories, Inc. 					
	PO Box 201 Morris, AL 35116 United States www.renorefractories.com sales@renorefractories.com					
Telephone (General) • 205-647-0240						
Emergency telephone number						
Manufacturer	• 1-800-262-8200 - CHEMTREC					

Section 2: Hazard Identification

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012

• Carcinogenicity 1A - H350 Specific Target Organ Toxicity Repeated Exposure 1 - H372

Label elements

OSHA HCS 2012

DANGER



Hazard statements . May cause cancer. - H350 Causes damage to organs - Lungs through prolonged or repeated exposure - H372

Precautionary statements

Prevention . Obtain special instructions before use. - P201

Do not handle until all safety precautions have been read and understood. - P202 Do not breathe dust. - P260 Wash thoroughly after handling. - P264

R	Do not eat, drink or smoke when using this product P270 Wear protective gloves/protective clothing/eye protection/face protection P280 esponse IF exposed or concerned: Get medical advice/attention P308+P313 Get medical advice/attention if you feel unwell P314
Storage/I	Disposal Dispose of content and/or container in accordance with local, regional, national, and/or international regulations P501
Other hazards	
OSHA HCS 2012	 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.
Canada According to WHMIS	
Classification of th	ne substance or mixture
WHMIS	Other Toxic Effects - D2A
Label elements WHMIS	\bigcirc



• Other Toxic Effects - D2A

Other hazards WHMIS

• In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

Substances

• Material does not meet the criteria of a substance.

Mixtures

Composition						
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments	
Aluminum(III) silicate (2:1)	CAS: 1302-76- 7	28.9% TO 34.2%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA	
Cement, alumina, chemicals	CAS: 65997- 16-2	15.4% TO 27%	NDA	OSHA HCS 2012: Not Classified	NDA	
Mullite	CAS: 1302-93- 8	13% TO 15.6%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA	
Aluminum oxide	CAS: 1344-28- 1	2.955% TO 13.506%	NDA	OSHA HCS 2012: Not Classified	NDA	
Perlite	CAS: 93763- 70-3	7% TO 9%	NDA	OSHA HCS 2012: Not Classified	NDA	
Cristobalite	CAS: 14464- 46-1	3.034% TO 6.076%	NDA	OSHA HCS 2012: Carc. 1A	NDA	

Silica, amorphous	CAS :7631-86- 9	2% TO 5.1468%	NDA	OSHA HCS 2012: Not Classified	NDA
Bentonite	CAS :1302-78- 9	1.8% TO 4%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA
Quartz	CAS :14808- 60-7	1.73% TO 3.8%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs)	NDA
Titanium dioxide	CAS: 13463- 67-7	0.34% TO 1.833%	NDA	OSHA HCS 2012: Carc. 2	NDA
1-Propene, homopolymer	CAS :9003-07-0	0% TO 0.13%	Ingestion/Oral-Rat LD50 • >8 g/kg	OSHA HCS 2012: Not Classified	NDA
Sodium aluminate	CAS :1302-42- 7	< 0.11%	NDA	OSHA HCS 2012: Skin Corr. 1C, Eye Dam. 1	NDA
Zirconium oxide	CAS :1314-23- 4	0% TO 0.1002%	NDA	OSHA HCS 2012: Not Classified	NDA
Silica, crystalline - tridymite	CAS: 15468- 32-3	0% TO 0.04%	NDA	OSHA HCS 2012: Exposure limit(s)	NDA
Calcium oxide	CAS :1305-78- 8	0% TO 0.03%	NDA	OSHA HCS 2012: Exposure limit(s)	NDA
Iron oxide	CAS :1309-37- 1	0% TO 0.003%	NDA	OSHA HCS 2012: Exposure limit(s)	NDA

Section 4: First-Aid Measures

Description of first aid measures

Inhalation Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention immediately. Move victim to fresh air. Skin In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If skin irritation occurs: Get medical advice/attention. In case of contact with substance, immediately flush eyes with running water for at Eye least 20 minutes. If eye irritation persists: Get medical advice/attention. Rinse mouth. Do not give anything by mouth to an unconscious person. Get medical Ingestion attention immediately. Most important symptoms and effects, both acute and delayed Refer to Section 11 - Toxicological Information. Indication of any immediate medical attention and special treatment needed Notes to Physician All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media	 Material is non-combustible. In case of fire use media as appropriate for surrounding fire.
Unsuitable Extinguishing Media	None known.
Special hazards arising	from the substance or mixture
Unusual Fire and Explosion Hazards	None known.
Hazardous Combustion Products	None known.

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).
 Structural firefighters' protective clothing will only provide limited protection.
 Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

- Isolate hazard area and deny entry to unauthorized and/or unprotected personnel. Do
 not touch or walk through spilled material. Ensure adequate ventilation to remove
 vapors, fumes, dust etc.
- Emergency Procedures

Personal Precautions

• Ventilate closed spaces before entering. Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

Environmental precautions

• No specific actions or treatments recommended related to exposure to this material.

Methods and material for containment and cleaning up

MeasuresFOR SMALL SPILLS: Clean with a vacuum with a filtration system sufficient to r and prevent recirculation of crystalline silica (a vacuum equipped with a high-effic particulate air (HEPA) filter is recommended). FOR LARGE SPILLS: Use a fine spray or mist to control dust creation and care scoop or shovel into clean dry container for later reuse or disposal. If, an appropriate vacuum is unavailabe, only wet-clean-up methods should be us (i.e. misting). Moisture should be added as necessary to reduce exposure to airl respirable silica dust.

Section 7 - Handling and Storage

Precautions for safe handling

Llevelling	De not broothe duct. Week thereweekly ofter headling. De not wee in error without
Handling	 Do not breathe dust. Wash thoroughly after handling. Do not use in areas without adequate ventilation. Avoid contact with skin, eyes, and clothing. Minimize dust generation and accumulation. Use good safety and industrial hygiene practices. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Wear long sleeves and/or protective coveralls. Contaminated clothing must be vacuumed before removal. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
Conditions for onfo store	
Conditions for safe storag	ge, including any incompatibilities

Storage

• Store in a covered location. Keep container closed. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust accumulation.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	Mexico	NIOSH
	STELs	Not established	Not established	Not established	10 mg/m3 STEL [LMPE-CT] (as Fe)	Not established
Iron oxide (1309-37-1)	TWAs	5 mg/m3 TWA (respirable fraction)	5 mg/m3 TWA (respirable)	5 mg/m3 TWAEV (dust and fume, as Fe); 10 mg/m3 TWAEV (containing no Asbestos and	5 mg/m3 TWA LMPE- PPT	5 mg/m3 TWA (dust and fume, as Fe)

				<1% Crystalline silica, regulated under Rouge, total dust)		
	STELs	10 mg/m3 STEL (as Zr)	10 mg/m3 STEL (as Zr)	10 mg/m3 STEV (as Zr)	10 mg/m3 STEL [LMPE-CT] (as Zr)	10 mg/m3 STEL (except Zirconium tetrachloride, as Zr)
Zirconium oxide as	STELS	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds
Zirconium compounds		5 mg/m3 TWA (as Zr)	5 mg/m3 TWA (as Zr)	5 mg/m3 TWAEV (as Zr)	5 mg/m3 TWA LMPE- PPT (as Zr)	5 mg/m3 TWA (except Zirconium tetrachloride, as Zr)
	TWAs	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds	as Zirconium compounds
Silica, crystalline - tridymite (15468-32-3)	TWAs	Not established	Not established	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Calcium oxide (1305-78-8)	TWAs	2 mg/m3 TWA	2 mg/m3 TWA	2 mg/m3 TWAEV	2 mg/m3 TWA LMPE- PPT	2 mg/m3 TWA
Sodium aluminate as Aluminum,	TWAs	Not established	Niet estek Pakad	2 mg/m3 TWAEV (as Al)	2 mg/m3 TWA LMPE- PPT	2 mg/m3 TWA (as Al)
soluble salts	TVVAS		Not established	as Aluminum, soluble salts	as Aluminum, soluble salts	as Aluminum, soluble salts
	STELs	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT] (as Ti)	Not established
Titanium dioxide (13463-67-7) TWA	TWAs	10 mg/m3 TWA	10 mg/m3 TWA	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA LMPE-PPT (as Ti)	Not established
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.10 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.1 mg/m3 TWAEV (respirable dust)	0.1 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Silica, amorphous (7631-86-9)	TWAs	Not established	Not established	Not established	Not established	6 mg/m3 TWA
Aluminum oxide		1 mg/m3 TWA (respirable fraction)	1 mg/m3 TWA (respirable)	10 mg/m3 TWAEV (containing no	10 mg/m3 TWA	
(1344-28-1)	TWAs	as Aluminum insoluble compounds	as Aluminum insoluble compounds	Asbestos and <1% Crystalline silica, total dust, as Al)	LMPE-PPT	Not established
Cristobalite (14464-46-1)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Perlite (93763-70-3)	TWAs	Not established	10 mg/m3 TWA (containing no Asbestos and <1% Crystalline silica)	Not established	10 mg/m3 TWA LMPE-PPT	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)

Cement, alumina, chemicals as Particulates not otherwise classified (PNOC)	TWAs	10 mg/m3 TWA (inhalable particles, recommended); 3 mg/m3 TWA (respirable particles, recommended) as Particulates not otherwise classified (PNOC)	(inha TW/ as F othe	ng/m3 TWA alable); 3 mg/m3 A (respirable) Particulates not erwise classified OC)	(inc or n part con Asb Cry: dus as l oth	ng/m3 TWAEV luding dust, inert uisance iculates; taining no estos and <1% stalline silica, total t) Particulates not erwise classified IOC)	Not established	Not established
		Ex	pos	ure Limits/Gu	idel	ines (Con't.)		
				Result		OSHA		
Iron oxide (1309-37-1)			TWAs		10 mg/m3 TWA (fume); 15 mg/m3 TWA (total dust, listed under Rouge); 5 mg/m3 TWA (respirable fraction, listed under Rouge)			
Zirconium oxide			TWAs		5 mg/m3 TWA (as as Zirconium compounds	s Zr)		
Calcium oxide (1305-78-8)			TWAs		5 mg/m3 TWA			
Titanium dioxide (13463-67-7)				TWAs		15 mg/m3 TWA (to dust)	otal	
Aluminum oxide (1344-28-1)			TWAs		15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)			
Cement, alumina, chemicals				TWAs		15 mg/m3 TWA (to dust); 5 mg/m3 TV (respirable fractio as Particulates no otherwise classifi (PNOC)	VA n) Dt	

Exposure controls

Engineering Measures/Controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Collection systems must be designed and maintained to prevent the accumalation and recirculation of respirable silica into the workplace.
Personal Protective Equipment	
Respiratory	For limited exposure use an N95 dust mask. For prolonged exposure use an air- purifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face	 Wear protective eyewear (goggles, face shield, or safety glasses). 					
Hands	 Wear appropriate glove 	Wear appropriate gloves.				
Skin/Body	 Wear long sleeves and 	Wear long sleeves and/or protective coveralls.				
General Industrial Hygiene Considerations	from clothing by blowir	woid contact with skin, eyes or clothing. Do not remove dusts ng or shaking. Do not eat, drink or smoke during work. Wash ng. Handle in accordance with good industrial hygiene and				
Environmental Exposure Controls	 Follow best practice for approved landfill. 	r site management and disposal of waste. Dispose of in an				
Key to abbreviations						
ACGIH = American Conference of Gove	rnmental Industrial Hygiene	STEL = Short Term Exposure Limits are based on 15-minute exposures				
NIOSH = National Institute of Occupation	onal Safety and Health	TWAEV = Time-Weighted Average Exposure Value				
OSHA = Occupational Safety and Heal	th Administration	TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures				

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Gray, dry granular solid with an earthy odor.
Color	Gray	Odor	Earthy
Particulate Size	600 µ	Odor Threshold	No data available
General Properties			
Boiling Point	No data available	Melting Point	No data available
Decomposition Temperature	No data available	pН	Not relevant
Specific Gravity/Relative Density	2.53 Water=1	Density	No data available
Water Solubility	Negligible < 0.1 %	Viscosity	No data available
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	0 %
Flammability	-		
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental	-	•	•
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

• No dangerous reaction known under conditions of normal use.

Chemical stability

• Stable under normal temperatures and pressures.

Possibility of hazardous reactions

• Hazardous polymerization will not occur.

Conditions to avoid

No data available

Incompatible materials

No data available

Hazardous decomposition products

No data available

Section 11 - Toxicological Information

Information on toxicological effects

Component Name		CAS	Data	
Silica, amorphous (2% TO 5.1468%)	763	1-86-9 Irritation: eye-rbt 25 mg/24H MLD		
Perlite (7% TO 9%)	937	763-70-3 Acute Toxicity: orl-mus LD50:12960 mg/kg		
Titanium dioxide (0.34% TO 1.833%)	134	163-67-7	Irritation: skn-hmn 300 ug/3D-I MLD; Tumorigen/Carcinogen: ihl-rat TCLo:250 mg/m3/6H/2Y-I	
1-Propene, homopolymer (0% TO 0.13%)	900)3-07-0	Acute Toxicity: orl-rat LD50:>8 gm/kg	
GHS Properties		Classification		
Acute toxicity		OSHA HCS 2012 • No data available		
Aspiration Hazard		OSHA HCS 2012 • No data available		
Carcinogenicity		OSHA HCS 2012 • Carcinogenicity 1A		
Germ Cell Mutagenicity		OSHA HCS 2012 • No data available		
Skin corrosion/Irritation		OSHA HCS 2012 • No data available		
Skin sensitization		OSHA HCS 2012 • No data available		
STOT-RE		OSHA I	HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1	
STOT-SE		OSHA I	HCS 2012 • No data available	
Toxicity for Reproduction		OSHA HCS 2012 • No data available		
Respiratory sensitization		OSHA HCS 2012 • No data available		
Serious eye damage/Irritation		OSHA	HCS 2012 • No data available	

Target Organs

- Lungs
- Route(s) of entry/exposure
- Any pre-existing conditions of the lungs. Disorders of the lungs.

Inhalation, Skin, Eye, Ingestion

Medical Conditions Aggravated by Exposure

Potential Health Effects

Inhalation

Acute (Immediate)

Chronic (Delayed)

Skin

Acute (Immediate)

Eye

Acute (Immediate)

- Nuisance dust may affect the lungs but reactions are typically reversible.
- Chronic overexposure to dust containing respirable sized crystalline silica can cause • delayed lung injury (silicosis). Inhalation of dust containing crystalline silica pulmonary diseases such as asthma and lung disorder associated with smoking.

Chronic (Delayed)

- Exposure to dust may cause mechanical irritation.
- No data available.
- Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

Chronic (Delayed) Ingestion Acute (Immediate)

- No data available.
- Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.
- No data available.

Chronic (Delayed) Carcinogenic Effects

• May cause cancer. IARC studies have shown sufficient evidence from animal studies to categorize crystalline silica as a group 1 carcinogen.

		Carcinogenic Effects	
	CAS	IARC	NTP
Silica, crystalline - tridymite	15468-32-3	Group 1-Carcinogenic	Not Listed
Titanium dioxide	13463-67-7	Group 2B-Possible Carcinogen	Not Listed
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen
Cristobalite	14464-46-1	Group 1-Carcinogenic	Not Listed

Key to abbreviations

LD = Lethal Dose

MLD = Mild

SEV = Severe

TC = Toxic Concentration

Section 12 - Ecological Information

Toxicity

Material data lacking.

Persistence and degradability

Material data lacking.

Bioaccumulative potential

Material data lacking.

Mobility in Soil

• Material data lacking.

Other adverse effects

• No studies have been found.

Section 13 - Disposal Considerations

Waste treatment methods Product waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. Packaging waste • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

• No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications . Chronic

	State Right To Know			
Component	CAS	MA	NJ	PA
Aluminum oxide	1344-28-1	Yes	Yes	Yes
Bentonite	1302-78-9	No	No	No
Calcium oxide	1305-78-8	Yes	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes	Yes
Perlite	93763-70-3	Yes	Yes	Yes
Quartz	14808-60-7	Yes	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes	Yes
Silica, crystalline - tridymite	15468-32-3	Yes	Yes	Yes
Sodium aluminate	1302-42-7	No	No	No
Sodium chloride	7647-14-5	No	No	No
Sodium oxide	1313-59-3	No	No	No
Titanium dioxide	13463-67-7	Yes	Yes	Yes

		Inventory	
Component	CAS	Canada DSL	TSCA
Aluminum oxide	1344-28-1	Yes	Yes
Bentonite	1302-78-9	Yes	Yes
Calcium oxide	1305-78-8	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes
Perlite	93763-70-3	Yes	No
Quartz	14808-60-7	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes
Silica, crystalline - tridymite	15468-32-3	No	No
Sodium aluminate	1302-42-7	Yes	Yes
Sodium chloride	7647-14-5	Yes	Yes
Sodium oxide	1313-59-3	Yes	Yes

itanium dioxide	13463-67-7	Yes		Yes
anada				
Labor	MIS - Classifications of S	ubstances		
Sodium oxide			1313-59-3	E
Sodium alum			1302-42-7	E
	lline - tridymite		15468-32-3	D2A
enica, eryeta				D2A (expanded, containing >0.1% Crystalline silica);
Perlite			93763-70-3	Uncontrolled product according to WHMIS classification criteria (expanded)
 Calcium oxid 	e		1305-78-8	E
 Titanium diox 	tide		13463-67-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specifi Issues - Titanium dioxide, mixture containing on Health Canada's WHMIS Division website.)
• Aluminum ox	ide		1344-28-1	Uncontrolled product according to WHMIS classification criteria
Sodium chlor	ride		7647-14-5	Uncontrolled product according to WHMIS classification criteria
• Cristobalite			14464-46-1	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specif Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
 Silica, amorp 	hous		7631-86-9	Uncontrolled product according to WHMIS classification criteria
• Quartz			14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specif Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Bentonite			1302-78-9	D2A
Canada - WH	MIS - Ingredient Disclosu	re List		
 Sodium oxide 	e		1313-59-3	Not Listed
 Sodium alum 	inate		1302-42-7	Not Listed
 Silica, crysta 	lline - tridymite		15468-32-3	1 %
Perlite			93763-70-3	Not Listed
 Calcium oxid 	e		1305-78-8	1 %
 Titanium diox 	ride		13463-67-7	Not Listed

Aluminum oxide	1344-28-1	1 %
Sodium chloride	7647-14-5	Not Listed
Cristobalite	14464-46-1	1 %
 Silica, amorphous 	7631-86-9	1 %
Quartz	14808-60-7	1 %
Bentonite	1302-78-9	Not Listed

United States

Environment U.S CERCLA/SARA - Section 313 - Emission Reporting		
Sodium oxide	1313-59-3	Not Listed
Sodium aluminate	1302-42-7	Not Listed
Silica, crystalline - tridymite	15468-32-3	Not Listed
Perlite	93763-70-3	Not Listed
Calcium oxide	1305-78-8	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Aluminum oxide	1344-28-1	1.0 % de minimis concentration (fibrous forms)
Sodium chloride	7647-14-5	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
Quartz	14808-60-7	Not Listed
Bentonite	1302-78-9	Not Listed

United States - California

1313-59-3	Not Listed
1302-42-7	Not Listed
15468-32-3	Not Listed
93763-70-3	Not Listed
1305-78-8	Not Listed
	carcinogen, initial date 9/2/11
13463-67-7	(airborne, unbound particles respirable size)
1344-28-1	Not Listed
7647-14-5	Not Listed
14464-46-1	Not Listed
7631-86-9	Not Listed
	carcinogen, initial date 10/1/8
14808-60-7	(airborne particles of respirable size)
1302-78-9	Not Listed
	1302-42-7 15468-32-3 93763-70-3 1305-78-8 13463-67-7 1344-28-1 7647-14-5 14464-46-1 7631-86-9 14808-60-7

United States - Pennsylvania

abor U.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List		
Sodium oxide	1313-59-3	Not Listed
Sodium aluminate	1302-42-7	Not Listed
Silica, crystalline - tridymite	15468-32-3	Not Listed
• Perlite	93763-70-3	Not Listed
Calcium oxide	1305-78-8	Not Listed
Titanium dioxide	13463-67-7	Not Listed

1344-28-1	
7647-14-5	Not Listed
14464-46-1	Not Listed
7631-86-9	Not Listed
14808-60-7	Not Listed
1302-78-9	Not Listed
	7647-14-5 14464-46-1 7631-86-9 14808-60-7

Other Information

• WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information	
Last Revision Date	• 04/April/2014
Preparation Date	• 01/June/2012
Disclaimer/Statement of Liability	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Key to abbreviations NDA = No data available	