## **Safety Data Sheet**



#### **Section 1: Identification**

**Product identifier** 

Product Name Reno Pump 50 Z LC

Product Code • 143075

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Refractory applications

Details of the supplier of the safety data sheet

Manufacturer • Reno Refractories, Inc.

P O Box 201 Morris, AL 35116 United States

www.renorefractories.com sales@renorefractories.com

**Telephone (General)** • 205-647-0240

**Emergency telephone number** 

Manufacturer • 1-800-262-8200 - CHEMTREC

#### **Section 2: Hazard Identification**

**United States (US)** 

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Carcinogenicity 1A

Specific Target Organ Toxicity Repeated Exposure 1

Label elements
OSHA HCS 2012

**DANGER** 



**Hazard statements** • May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

**Precautionary statements** 

**Prevention** • Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, clothing, and eye/face protection, .

**Response** • IF exposed or concerned: Get medical advice/attention.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Other hazards

• Under United States Regulations (29 CFR 1910.1200 - Hazard Communication

Standard), this product is considered hazardous.

Canada

**According to: WHMIS** 

#### Classification of the substance or mixture

**WHMIS** • Other Toxic Effects - D2A

Other Toxic Effects - D2B

Label elements

WHMIS .

**(T)** 

• Other Toxic Effects - D2A Other Toxic Effects - D2B

Other hazards

• In Canada, the product mentioned above is considered hazardous under the

Workplace Hazardous Materials Information System (WHMIS).

## Section 3 - Composition/Information on Ingredients

#### **Substances**

Material does not meet the criteria of a substance.

#### **Mixtures**

Composition						
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments	
Alumina Silicate	Proprietary	37.7% TO 40.3%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA	
Aluminum(III) silicate (2:1)	<b>CAS</b> :1302-76-7	16.15% TO 20.9%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA	
Cristobalite	<b>CAS</b> :14464-46-1	8.7% TO 15.523%	NDA	OSHA HCS 2012: Carc. 1A	NDA	
Silica, amorphous	<b>CAS</b> :7631-86-9	5.8% TO 12.4%	NDA	OSHA HCS 2012: Not Classified	NDA	
Cement, alumina, chemicals	<b>CAS</b> :65997-16-2	6% TO 9%	NDA	OSHA HCS 2012: Not Classified	NDA	
Amorphous silica fume	<b>CAS</b> :69012-64-2	3.6% TO 8.5%	NDA	OSHA HCS 2012: STOT RE 1 (Lungs)	NDA	

Zirconium(IV) silicate (1:1)	<b>CAS:</b> 14940-68-2	1.96% TO 6%	NDA	OSHA HCS 2012: WHMIS:	NDA
Aluminum oxide	<b>CAS:</b> 1344-28-1	0.985% TO 4%	Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week(s)	OSHA HCS 2012: Not Classified	NDA
Quartz	<b>CAS:</b> 14808-60-7	0.95% TO 2.309%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs);	NDA
Titanium dioxide	<b>CAS:</b> 13463-67-7	0.19% TO 1.15%	NDA	OSHA HCS 2012: Carc. 2	NDA
Dispersing Agent	Proprietary	< 0.2325%	Ingestion/Oral-Rat LD50 • 3120 mg/kg Skin-Rabbit LD50 • >4640 mg/kg	OSHA HCS 2012: Eye Irrit. 2A; Skin Irrit. 2; STOT SE 3: Resp. Irrit.	NDA
Dispersing Agent	Proprietary	< 0.044%	NDA	OSHA HCS 2012: Exposure limits	NDA
Rutile (TiO2)	<b>CAS</b> :1317-80-2	0.002% TO 0.018%	NDA	OSHA HCS 2012: WHMIS:	NDA
Diphosphoric acid, sodium salt (1:4)	<b>CAS</b> :7722-88-5	< 0.0125%	Ingestion/Oral-Rat LD50 • 4 g/kg	OSHA HCS 2012: Exposure limits	NDA
Sodium trimetaphosphate	<b>CAS</b> :7785-84-4	< 0.005%	Ingestion/Oral-Mouse LD50 • 10300 mg/kg	OSHA HCS 2012: Exposure limits	NDA
Formaldehyde	CAS:50-00-0	< 0.000025%	Ingestion/Oral-Rat LD50 • 100 mg/kg Inhalation-Rat LC50 • 250 ppm 2 Hour(s) Skin-Rabbit LD50 • 270 mg/kg	OSHA HCS 2012: Exposure limits	NDA

#### **Section 4: First-Aid Measures**

#### **Description of first aid measures**

Inhalation

• Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention immediately.

Skin

Eye

• In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If skin irritation occurs: Get medical advice/attention.

-

 In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

 Rinse mouth. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

## Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician

 All treatments should be based on observed signs and symptoms of distress in thepatient. Consideration should be given to the possibility that overexposure to materialsother than this product may have occurred.

## **Section 5: Fire-Fighting Measures**

## Extinguishing media

Suitable Extinguishing Media •

Material is non-combustible. In case of fire use media as appropriate for surrounding fire.

Unsuitable Extinguishing Media

None known.

## Special hazards arising from the substance or mixture

Preparation Date: 05/November/2015

Revision Date: 27/April/2018

Page 3 of 16

Format: GHS Language: English (US)

OSHA HCS 2012, WHMIS

**Unusual Fire and Explosion** 

**Hazards** 

**Hazardous Combustion** 

**Products** 

None known.

None known.

## **Advice for firefighters**

Wear positive pressure self-contained breathing apparatus (SCBA).
 Structural firefighters' protective clothing will only provide limited protection.
 Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

#### Section 6 - Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

Isolate hazard area and deny entry to unauthorized and/or unprotected personnel. Do
not walk through spilled material. Ensure adequate ventilation to remove vapors,
fumes, dust etc. Wear appropriate personal protective equipment, avoid direct contact.

**Emergency Procedures** 

 Ventilate closed spaces before entering. Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

#### **Environmental precautions**

No specific actions or treatments recommended related to exposure to this material.

#### Methods and material for containment and cleaning up

Containment/Clean-up Measures

Avoid generating dust.

FOR SMALL SPILLS: Clean with a vacuum with a filtration system sufficient to remove and prevent recirculation of crystalline silica (a vacuum equipped with a high-efficiency particulate air (HEPA) filter is recommended).

FOR LARGE SPILLS: Use a fine spray or mist to control dust creation and carefully scoop or shovel into clean dry container for later reuse or disposal

scoop or shovel into clean dry container for later reuse or disposal.

If, an appropriate vacuum is unavailabe, only wet-clean-up methods should be used (i.e. misting). Moisture should be added as necessary to reduce exposure to airborne respirable silica dust.

## Section 7 - Handling and Storage

## Precautions for safe handling

Handling

Use good safety and industrial hygiene practices. Use only in well ventilated areas.
Wear appropriate personal protective equipment, avoid direct contact. Wear long
sleeves and/or protective coveralls. Do not breathe dust. Avoid contact with skin,
eyes, and clothing. Minimize dust generation and accumulation. Routine
housekeeping should be instituted to ensure that dusts do not accumulate on
surfaces. Contaminated clothing must be vacuumed before removal. Contaminated
work clothing should not be allowed out of the workplace. Wash contaminated clothing
before reuse. Wash thoroughly after handling.

## Conditions for safe storage, including any incompatibilities

Storage

• Store in a covered location. Keep container closed. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust accumulation.

## **Section 8 - Exposure Controls/Personal Protection**

#### Control parameters

Exposure Limits/Guidelines						
F	Result	ACGIH	Canada Ontario	Canada Quebec	Mexico	NIOSH

Formaldehyde	Ceilings	0.3 ppm Ceiling	1.5 ppm Ceiling	2 ppm Ceiling; 3 mg/m3 Ceiling	2 ppm Ceiling; 3 mg/m3 Ceiling	0.1 ppm Ceiling (15 min)
(50-00-0)	STELs	Not established	1.0 ppm STEL	Not established	Not established	Not established
	TWAs	Not established	Not established	Not established	Not established	0.016 ppm TWA
Diphosphoric acid, sodium salt (1:4) (7722-88-5)	TWAs	Not established	5 mg/m3 TWA	5 mg/m3 TWAEV	Not established	5 mg/m3 TWA
	STELs	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT] (as Ti)	Not established
Titanium dioxide (13463-67-7)	TWAs	10 mg/m3 TWA	10 mg/m3 TWA	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA LMPE -PPT (as Ti)	Not established
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.10 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.1 mg/m3 TWAEV (respirable dust)	0.1 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Aluminum oxide (1344-28-1)	TWAs	1 mg/m3 TWA (respirable fraction) as Aluminum insoluble compounds	1 mg/m3 TWA (respirable) as Aluminum insoluble compounds	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust, as AI)	10 mg/m3 TWA LMPE -PPT	Not established
Amorphous silica fume (69012-64-2)	TWAs	Not established	2 mg/m3 TWA (respirable, listed under Silica fume)	2 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	2 mg/m3 TWA LMPE- PPT; 10 mg/m3 TWA LMPE-PPT (inhalable particulate); 3 mg/m3 TWA LMPE-PPT (respirable particulate)	Not established
Silica, amorphous (7631-86-9)	TWAs	Not established	Not established	Not established	Not established	6 mg/m3 TWA
Cement, alumina, chemicals	TWAs	10 mg/m3 TWA (inhalable particles, recommended); 3 mg/m3 TWA (respirable particles, recommended) as Particulates not otherwise classified (PNOC)	10 mg/m3 TWA (inhalable); 3 mg/m3 TWA (respirable) as Particulates not otherwise classified (PNOC)	10 mg/m3 TWAEV (including dust, inert or nuisance particulates; containing no Asbestos and <1% Crystalline silica, total dust)  as Particulates not otherwise classified (PNOC)	Not established	Not established
Cristobalite (14464-46-1)	TWAs	0.025 mg/m3 TWA (respirable fraction)	0.05 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
		Ex	posure Limits/Gui	delines (Con't.)		
			Result		OSHA	

Formaldehyde	STELs	2 ppm STEL (see 29 CFR 1910.1048)		
(50-00-0)	TWAs	0.75 ppm TWA		
Titanium dioxide (13463-67-7)	TWAs	15 mg/m3 TWA (total dust)		
Aluminum oxide (1344-28-1)	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)		
Cement, alumina, chemicals	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) as Particulates not otherwise classified (PNOC)		

## Exposure Limits Supplemental OSHA

- •Silica, amorphous (7631-86-9): Mineral Dusts: (20 mppcf TWA; (80)/(% SiO2) mg/m3 TWA)
- •Cristobalite (14464-46-1): **Mineral Dusts:** ((1/2)(30)/(%SiO2 + 2) mg/m3 TWA, total dust; (1/2)(250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (1/2)(10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)
- •Quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2
- + 2) mg/m3 TWA, respirable fraction)

## **Exposure controls**

# Engineering Measures/Controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Collection systems must be designed and maintained to prevent the accumulation and recirculation of respirable silica into the workplace.

#### Personal Protective Equipment

#### Respiratory

 For limited exposure use an N95 dust mask. For prolonged exposure use an airpurifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear protective eyewear (goggles, face shield, or safety glasses).

Hands

Wear appropriate gloves.

Skin/Body

Wear long sleeves and/or protective coveralls.

# General Industrial Hygiene Considerations

Do not breathe dust. Avoid contact with skin, eyes or clothing. Do not remove dusts from clothing by blowing or shaking. Do not eat, drink or smoke during work. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and

# **Environmental Exposure Controls**

• Follow best practice for site management and disposal of waste. Dispose of in an approved landfill.

#### Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene STEL = Short Term Exposure Limits are based on 15-minute exposures

safety practice.

NIOSH = National Institute of Occupational Safety and Health TWAEV = Time-Weighted Average Exposure Value

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## **Section 9 - Physical and Chemical Properties**

Preparation Date: 05/November/2015

Revision Date: 27/April/2018

Page 6 of 16

Format: GHS Language: English (US)

OSHA HCS 2012, WHMIS

## **Information on Physical and Chemical Properties**

Material Description			
Physical Form	Solid	Appearance/Description	Gray granular dry powder with an earthy odor.
Color	Gray	Odor	Earthy
Particulate Size	600 µ	Odor Threshold	No data available
General Properties	-	•	-
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	No data available
Specific Gravity/Relative Density	2.2 to 2.9 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	No data available		
Volatility		-	-
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	0 %
VOC (Vol.)	0 %		
Flammability		·	-
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental		-	-
Octanol/Water Partition coefficient	No data available		

## **Section 10: Stability and Reactivity**

## Reactivity

· No dangerous reaction known under conditions of normal use.

## **Chemical stability**

• Stable under normal temperatures and pressures.

## Possibility of hazardous reactions

· Hazardous polymerization will not occur.

#### **Conditions to avoid**

· No data available

## Incompatible materials

· No data available

## **Hazardous decomposition products**

No data available

## **Section 11 - Toxicological Information**

## Information on toxicological effects

	Components				
Silica, amorphous (5.8% TO 12.4%)	7631-86-9	Irritation: Eye-Rabbit • 25 mg 24 Hour(s) • Mild irritation			
Cristobalite (8.7% TO 15.523%)	14464-46- 1	Acute Toxicity: Inhalation-Human TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Dyspnea; Multi-dose Toxicity: Inhalation-Mouse TCLo • 43 mg/m³ 5 Hour(s) 9 Day(s)-Intermittent; Lungs, Thorax, or			

Preparation Date: 05/November/2015 Revision Date: 27/April/2018 Format: GHS Language: English (US)
OSHA HCS 2012, WHMIS

		Respiration:Pleural effusion; Lungs, Thorax, or Respiration:Other changes
Titanium dioxide (0.19% TO 1.15%)		Irritation: Skin-Human • 300 µg 3 Day(s)-Intermittent • Mild irritation; Tumorigen / Carcinogen: Inhalation-Rat TCLo • 250 mg/m³ 6 Hour(s) 2 Year(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors
Dispersing Agent (< 0.2325%)	Proprietary	Acute Toxicity: Ingestion/Oral-Rat LD50 • 3120 mg/kg; Behavioral:Somnolence (general depressed activity); Behavioral:Coma; Irritation: Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • No data available
Skin corrosion/Irritation	OSHA HCS 2012 • No data available
Serious eye damage/Irritation	OSHA HCS 2012 • No data available
Skin sensitization	OSHA HCS 2012 • No data available
Respiratory sensitization	OSHA HCS 2012 • No data available
Aspiration Hazard	OSHA HCS 2012 • No data available
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available
Toxicity for Reproduction	OSHA HCS 2012 • No data available
STOT-SE	OSHA HCS 2012 • No data available
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1

**Target Organs** 

|[206]|

Route(s) of entry/exposure

Medical Conditions Aggravated by Exposure Potential Health Effects Inhalation · Inhalation, Skin, Eye, Ingestion

Any pre-existing conditions of the lungs. Disorders of the lungs.

Acute (Immediate)

Chronic (Delayed)

• Nuisance dust may affect the lungs but reactions are typically reversible.

 Chronic overexposure to dust containing respirable sized crystalline silica can cause delayed lung injury (silicosis). Inhalation of dust containing crystalline silica pulmonary diseases such as asthma and lung disorder associated with smoking.

Skin

Acute (Immediate)

• Exposure to dust may cause mechanical irritation.

**Chronic (Delayed)** 

· No data available.

Eye

Acute (Immediate)

• Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

**Chronic (Delayed)** 

No data available.

Ingestion

Acute (Immediate)

 Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

**Chronic (Delayed)** 

No data available.

Carcinogenic Effects

 May cause cancer. IARC studies have shown sufficient evidence from animal studies to categorize crystalline silica as a group 1 carcinogen.

Carcinogenic Effects						
	CAS OSHA IARC NTP					

Formaldehyde	50-00-0	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen
Titanium dioxide	13463-67-7	Not Listed	Group 2B-Possible Carcinogen	Not Listed
Quartz	14808-60-7	Not Listed	Group 1-Carcinogenic	Known Human Carcinogen
Cristobalite	14464-46-1	Not Listed	Group 1-Carcinogenic	Not Listed

#### Key to abbreviations

LD = Lethal Dose

TC = Toxic Concentration

## **Section 12 - Ecological Information**

## **Toxicity**

· Material data lacking.

## Persistence and degradability

Material data lacking.

## **Bioaccumulative potential**

Material data lacking.

## **Mobility in Soil**

· Material data lacking.

#### Other adverse effects

· No studies have been found.

## **Section 13 - Disposal Considerations**

#### Waste treatment methods

**Product waste** 

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## **Section 14 - Transport Information**

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user

None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

## **Section 15 - Regulatory Information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Chronic

		State Righ	t To Know	
Component	CAS	MA	NJ	PA
Aluminum oxide	1344-28-1	Yes	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes	Yes
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Yes	Yes	Yes
Formaldehyde	50-00-0	Yes	Yes	Yes
Quartz	14808-60-7	Yes	Yes	Yes
Rutile (TiO2)	1317-80-2	No	No	Yes
Silica, amorphous	7631-86-9	Yes	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes	Yes
Dispersing Agent	Proprietary	Yes	No	Yes
Zirconium(IV) silicate (1:1)	14940-68-2	No	No	No

		Inventory	
Component	CAS	Canada DSL	TSCA
Aluminum oxide	1344-28-1	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Yes	Yes
Formaldehyde	50-00-0	Yes	Yes
Quartz	14808-60-7	Yes	Yes
Rutile (TiO2)	1317-80-2	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes
Dispersing Agent	Proprietary	Yes	Yes
Zirconium(IV) silicate (1:1)	14940-68-2	Yes	Yes

#### Canada

Canada - WHMIS - Classifications of Substances		
	44040.00	Uncontrolled product
Zirconium(IV) silicate (1:1)	14940-68-2	according to WHMIS classification criteria
Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
		A, B1, D1A, D2A, D2B; B3,
Formaldehyde	50-00-0	D1A, D2A, D2B, E (regulated under Formol)
		D2A (In certain cases, this classification does not apply.
		For more information, consult
Titanium dioxide	13463-67-7	the section Substance Specific Issues - Titanium dioxide,

		mixture containing on Health
		Canada's WHMIS Division
		website.)
Diphosphoric acid, sodium salt (1:4)	7722-88-5	D2B
	4044.004	Uncontrolled product
Aluminum oxide	1344-28-1	according to WHMIS classification criteria
		D2A (In certain cases, this
		classification does not apply.
		For more information, consult
Cristobalite	14464-46-1	the section Substance Specific Issues - Silica, crystalline,
		encapsulated on Health
		Canada's WHMIS Division
		website.) Uncontrolled product
Silica, amorphous	7631-86-9	according to WHMIS
		classification criteria
		D2A (In certain cases, this
		classification does not apply. For more information, consult
Ourte	44000 00 7	the section Substance Specific
• Quartz	14808-60-7	Issues - Silica, crystalline,
		encapsulated on Health Canada's WHMIS Division
		website.)
Canada WILMIS Ingradient Displacure List		
Canada - WHMIS - Ingredient Disclosure List  • Zirconium(IV) silicate (1:1)	14940-68-2	1 %
• Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
• Formaldehyde	50-00-0	0.1 %
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	1 %
Aluminum oxide	1344-28-1	1 %
Cristobalite	14464-46-1	1 %
Silica, amorphous     Quartz	7631-86-9 14808-60-7	1 % 1 %
Quartz	14000-00-7	1 /0
Environment		
Canada - CEPA - Priority Substances List	4 40 40 00 0	
Zirconium(IV) silicate (1:1)     Dutile (TiO2)	14940-68-2	Not Listed
<ul><li>Rutile (TiO2)</li><li>Dispersing Agent</li></ul>	1317-80-2 <i>Proprietary</i>	Not Listed Not Listed
		Priority Substance List 2
Formaldehyde	50-00-0	(substance considered toxic)
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite     Silica amerikana	14464-46-1	Not Listed
Silica, amorphous     Ouartz	7631-86-9 14808-60-7	Not Listed Not Listed
• Quartz	14808-00-7	INOT FIRECT
Canada - CEPA - Schedule I - List of Toxic Substances		
Zirconium(IV) silicate (1:1)     Putile (TiO2)	14940-68-2	Not Listed
<ul><li>Rutile (TiO2)</li><li>Dispersing Agent</li></ul>	1317-80-2 <i>Proprietary</i>	Not Listed Not Listed
Disposing Agent	Froprietary	NOT LISTED

Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

#### **United States**

Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	1000 lb TQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
.S OSHA - Specifically Regulated Chemicals		
· Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
		2 ppm STEL (See 29 CFR 1910.1048, 15 min); 0.5 ppm
• Formaldehyde	50-00-0	Action Level (See 29 CFR 1910.1048); 0.75 ppm TWA (See 29 CFR 1910.1048)
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
Quartz	14808-60-7	Not Listed

#### **Environment** U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants Zirconium(IV) silicate (1:1) 14940-68-2 Not Listed • Rutile (TiO2) 1317-80-2 Not Listed · Dispersing Agent Not Listed Proprietary • Formaldehyde 50-00-0 · Titanium dioxide 13463-67-7 Not Listed • Diphosphoric acid, sodium salt (1:4) 7722-88-5 Not Listed · Aluminum oxide 1344-28-1 Not Listed Cristobalite 14464-46-1 Not Listed · Silica, amorphous 7631-86-9 Not Listed Quartz 14808-60-7 Not Listed U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities • Zirconium(IV) silicate (1:1) Not Listed 14940-68-2 • Rutile (TiO2) 1317-80-2 Not Listed

Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	100 lb final RQ; 45.4 kg final RQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQ	)e	
Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
• Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	100 lb EPCRA RQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
Quartz	14000 00 7	Not Elotod
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs	4.40.40.00.0	
• Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
• Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	500 lb TPQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
• Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	0.1 % de minimis concentration
Titanium dioxide	13463-67-7	Not Listed
		Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	1.0 % de minimis
Aluminum oxide	1344-28-1	concentration (fibrous forms)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appe	endix VII	
Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
• Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
		Included in waste streams:
Formaldehyde	50-00-0	K009, K010, K038, K040,
		K156, K157

Titanium dioxide	13463-67-7	Not Listed	
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed	
Aluminum oxide	1344-28-1	Not Listed	
Cristobalite	14464-46-1	Not Listed	
Silica, amorphous	7631-86-9	Not Listed	
• Quartz	14808-60-7	Not Listed	
U.S RCRA (Resource Conservation & Recovery Act) - Hazardous			
Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed	
• Rutile (TiO2)	1317-80-2	Not Listed	
Dispersing Agent	Proprietary	Not Listed	
Formaldehyde	50-00-0	waste number U122	
Titanium dioxide	13463-67-7	Not Listed	
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed	
Aluminum oxide	1344-28-1	Not Listed	
Cristobalite	14464-46-1	Not Listed	
Silica, amorphous	7631-86-9	Not Listed	
• Quartz	14808-60-7	Not Listed	
U.S RCRA (Resource Conservation & Recovery Act) - U Series \	Nastes - Acutely Toxic Wastes & C	ther Hazardous	
Characteristics			
Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed	
• Rutile (TiO2)	1317-80-2	Not Listed	
Dispersing Agent	Proprietary	Not Listed	
Formaldehyde	50-00-0	waste number U122	
Titanium dioxide	13463-67-7	Not Listed	
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed	
Aluminum oxide	1344-28-1	Not Listed	
Cristobalite	14464-46-1	Not Listed	
Silica, amorphous	7631-86-9	Not Listed	
• Quartz	14808-60-7	Not Listed	
			- 1

## **United States - California**

Environment		
U.S California - Proposition 65 - Carcinogens List	14940-68-2	Not Listed
Zirconium(IV) silicate (1:1)		
• Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	carcinogen, initial date 1/1/88 (gas)
Titanium dioxide	13463-67-7	carcinogen, initial date 9/2/11 (airborne, unbound particles of respirable size)
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
• Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed

Formaldehyde	50-00-0	40 μg/day NSRL (gas)
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

#### United States - Pennsylvania

S Pennsylvania - RTK (Right to Know) - Environmental Haza		
Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
Quartz	14808-60-7	Not Listed
S Pennsylvania - RTK (Right to Know) - Special Hazardous	Substances	
Zirconium(IV) silicate (1:1)	14940-68-2	Not Listed
Rutile (TiO2)	1317-80-2	Not Listed
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Alumaianum avida	1344-28-1	Not Listed
Aluminum oxide	14464-46-1	Not Listed
Cristobalite		
	7631-86-9	Not Listed

#### Other Information

 WARNING: This product contains a chemical known to the State of California to cause cancer.

#### Section 16 - Other Information

**Revision Date** 

**Last Revision Date** 

**Preparation Date** 

Disclaimer/Statement of Liability

- 27/April/2018
- 29/December/2015
- 05/November/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates

only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Key to abbreviations** NDA = No data available