### Safety Data Sheet



#### **Section 1: Identification**

**Product identifier** 

Product Name Reno Cast 55 X

Product Code • 144100

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Refractory applications

Details of the supplier of the safety data sheet

Manufacturer • Reno Refractories, Inc.

P O Box 201 Morris, AL 35116 United States

www.renorefractories.com sales@renorefractories.com

**Telephone (General)** • 205-647-0240

**Emergency telephone number** 

Manufacturer • 1-800-262-8200 - CHEMTREC

#### **Section 2: Hazard Identification**

**United States (US)** 

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Carcinogenicity 1A

Specific Target Organ Toxicity Repeated Exposure 1

Label elements
OSHA HCS 2012

**DANGER** 



**Hazard statements** • May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

**Precautionary statements** 

**Prevention** • Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, clothing, and eye/face protection, .

**Response** • IF exposed or concerned: Get medical advice/attention.

**Storage/Disposal** • Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Other hazards

• Under United States Regulations (29 CFR 1910.1200 - Hazard Communication

Standard), this product is considered hazardous.

Canada

**According to: WHMIS** 

Classification of the substance or mixture

WHMIS
 Other Toxic Effects - D2A

Label elements

WHMIS .

1

WHMIS
 Other Toxic Effects - D2A

Other hazards

WHMIS
 In Canada, the product mentioned above is considered hazardous under the

Workplace Hazardous Materials Information System (WHMIS).

# Section 3 - Composition/Information on Ingredients

#### **Substances**

Material does not meet the criteria of a substance.

#### **Mixtures**

Composition						
Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments		
Proprietary	47.74% TO 50.05%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA		
<b>CAS:</b> 409-21-	10.46% TO 17%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA		
<b>CAS</b> :7631-86-9	0.03% TO 15.25%	NDA	OSHA HCS 2012: Not Classified	NDA		
<b>CAS</b> :69012-64-2	2.4% TO 8%	NDA	OSHA HCS 2012: STOT RE 1 (Lungs)	NDA		
<b>CAS:</b> 1344-28-1	3.94% TO 8%	Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week(s)	OSHA HCS 2012: Not Classified	NDA		
<b>CAS</b> :65997-16-2	3% TO 7%	NDA	OSHA HCS 2012: Not Classified	NDA		
<b>CAS:</b> 1302-76-7	1.7% TO 5.7%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA		
	Proprietary  CAS:409-21-2  CAS:7631-86-9  CAS:69012-64-2  CAS:1344-28-1  CAS:65997-16-2  CAS:1302-	Proprietary         47.74% TO 50.05%           CAS:409-21- 2         10.46% TO 17%           CAS:7631- 86-9         0.03% TO 15.25%           CAS:69012- 64-2         2.4% TO 8%           CAS:1344- 28-1         3.94% TO 8%           CAS:65997- 16-2         3% TO 7%           CAS:1302- 1.7% TO	Identifiers         %         LD50/LC50           Proprietary         47.74% TO 50.05%         NDA           CAS:409-21- 2         10.46% TO 17%         NDA           CAS:7631- 86-9         0.03% TO 15.25%         NDA           CAS:69012- 64-2         2.4% TO 8%         NDA           CAS:1344- 28-1         3.94% TO 8%         Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week(s)           CAS:65997- 16-2         3% TO 7%         NDA           CAS:1302- 1.7% TO NDA         NDA	Identifiers         %         LD50/LC50         Classifications According to Regulation/Directive           Proprietary         47.74% TO 50.05%         NDA         OSHA HCS 2012: STOT RE 2 (Lungs)           CAS:409-21- 2         10.46% TO 17%         NDA         OSHA HCS 2012: STOT RE 2 (Lungs)           CAS:7631- 86-9         0.03% TO 15.25%         NDA         OSHA HCS 2012: Not Classified           CAS:69012- 64-2         2.4% TO 8%         NDA         OSHA HCS 2012: STOT RE 1 (Lungs)           CAS:1344- 28-1         3.94% TO 8%         Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week(s)         OSHA HCS 2012: Not Classified           CAS:65997- 16-2         3% TO 7%         NDA         OSHA HCS 2012: Not Classified           CAS:1302-         1.7% TO         NDA         OSHA HCS 2012: STOT RE 2		

Quartz	<b>CAS</b> :14808-60-7	0.1% TO 0.638%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs)	NDA
Titanium dioxide	<b>CAS</b> :13463-67-7	0.02% TO 0.3%	NDA	OSHA HCS 2012: Carc. 2	NDA
Cristobalite	<b>CAS</b> :14464-46-1	0.186% TO 0.201%	NDA	OSHA HCS 2012: Carc. 1A	NDA
Dispersing Agent	Proprietary	< 0.186%	Ingestion/Oral-Rat LD50 • 3120 mg/kg Skin-Rabbit LD50 • >4640 mg/kg	OSHA HCS 2012: Eye Irrit. 2A; Skin Irrit. 2; STOT SE 3: Resp. Irrit.	NDA
Diphosphoric acid, sodium salt (1:4)	<b>CAS</b> :7722-88-5	< 0.01%	Ingestion/Oral-Rat LD50 • 4 g/kg	OSHA HCS 2012: Exposure limits	NDA
Formaldehyde	CAS:50-00-0	<= 0.00002%	Ingestion/Oral-Rat LD50 • 100 mg/kg Inhalation-Rat LC50 • 250 ppm 2 Hour(s) Skin-Rabbit LD50 • 270 mg/kg	OSHA HCS 2012: Exposure limits	NDA

#### Section 4: First-Aid Measures

#### **Description of first aid measures**

Inhalation

 Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention immediately.

Skin

In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If skin irritation occurs: Get medical advice/attention.

Eye

 In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

#### Most important symptoms and effects, both acute and delayed

Refer to Section 11 - Toxicological Information.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician

 All treatments should be based on observed signs and symptoms of distress in thepatient. Consideration should be given to the possibility that overexposure to materialsother than this product may have occurred.

## Section 5: Fire-Fighting Measures

# Extinguishing media

Suitable Extinguishing Media • Material is non-combustible. In case of fire use media as appropriate for surrounding fire

**Unsuitable Extinguishing** Media

### Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards** 

None known.

None known.

**Hazardous Combustion Products** 

None known.

# Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Structural firefighters' protective clothing will only provide limited protection. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

#### Section 6 - Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

• Isolate hazard area and deny entry to unauthorized and/or unprotected personnel. Do not walk through spilled material. Ensure adequate ventilation to remove vapors, fumes, dust etc. Wear appropriate personal protective equipment, avoid direct contact.

#### **Emergency Procedures**

 Ventilate closed spaces before entering. Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

#### **Environmental precautions**

• No specific actions or treatments recommended related to exposure to this material.

#### Methods and material for containment and cleaning up

# Containment/Clean-up Measures

Avoid generating dust.

FOR SMALL SPILLS: Clean with a vacuum with a filtration system sufficient to remove and prevent recirculation of crystalline silica (a vacuum equipped with a high-efficiency particulate air (HEPA) filter is recommended).

FOR LARGE SPILLS: Use a fine spray or mist to control dust creation and carefully scoop or shovel into clean dry container for later reuse or disposal.

If, an appropriate vacuum is unavailabe, only wet-clean-up methods should be used (i.e. misting). Moisture should be added as necessary to reduce exposure to airborne respirable silica dust.

### **Section 7 - Handling and Storage**

### Precautions for safe handling

#### Handling

Use good safety and industrial hygiene practices. Use only in well ventilated areas.
Wear appropriate personal protective equipment, avoid direct contact. Wear long
sleeves and/or protective coveralls. Do not breathe dust. Avoid contact with skin,
eyes, and clothing. Minimize dust generation and accumulation. Routine
housekeeping should be instituted to ensure that dusts do not accumulate on
surfaces. Contaminated clothing must be vacuumed before removal. Contaminated
work clothing should not be allowed out of the workplace. Wash contaminated clothing
before reuse. Wash thoroughly after handling.

# Conditions for safe storage, including any incompatibilities

Storage

 Store in a covered location. Keep container closed. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust accumulation.

## **Section 8 - Exposure Controls/Personal Protection**

### Control parameters

Exposure Limits/Guidelines							
	Result	ACGIH	Canada Manitoba	Canada Ontario	Canada Quebec	Mexico	
Formaldehyde (50-00-0)	Ceilings	0.3 ppm Ceiling	Not established	1.5 ppm Ceiling	2 ppm Ceiling; 3 mg/m3 Ceiling	2 ppm Ceiling; 3 mg/m3 Ceiling	
	Designated Substances	Not established	Present	Not established	Not established	Not established	
	STELs	Not established	Not established	1.0 ppm STEL	Not established	Not established	
Diphosphoric acid, sodium salt (1:4) (7722-88-5)	TWAs	Not established	Not established	5 mg/m3 TWA	5 mg/m3 TWAEV	Not established	

	STELs	Not established	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT] (as Ti)
Titanium dioxide (13463-67-7)	TWAs	10 mg/m3 TWA	Not established	10 mg/m3 TWA	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA LMPE-PPT (as Ti)
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	Not established	0.10 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.1 mg/m3 TWAEV (respirable dust)	0.1 mg/m3 TWA LMPE-PPT (respirable fraction)
Cristobalite (14464-46-1)	TWAs	0.025 mg/m3 TWA (respirable fraction)	Not established	0.05 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)
Amorphous silica fume (69012-64-2)	TWAs	Not established	Not established	2 mg/m3 TWA (respirable, listed under Silica fume)	2 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	2 mg/m3 TWA LMPE- PPT; 10 mg/m3 TWA LMPE-PPT (inhalable particulate); 3 mg/m3 TWA LMPE-PPT (respirable particulate)
Aluminum oxide (1344-28-1)	TWAs	Not established	Not established	Not established	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust, as Al)	10 mg/m3 TWA LMPE-PPT
	STELs	Not established	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT]
		10 mg/m3 TWA				

Silicon carbide (409-21-2)	TWAs	(nonfibrous, inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica); 3 mg/m3 TWA (nonfibrous, respirable fraction, particulate matter containing no asbestos and <1% crystalline silica); 0 fiber/cm3 TWA (as determined by the membrane filter method at 400-450 magnification (4-mr objective), using phase-contrast illumination., respirable fibers, including whiskers length >5 µm, asperatio >=3:1)	.1 Not established	10 mg/m3 TWA (non-fibrous, containing no Asbestos and <1% Crystalline silica, inhalable); 3 mg/m3 TWA (non-fibrous, containing no Asbestos and <1% Crystalline silica, respirable); 0.1 fibre/cm3 TWA (fibrous, including whiskers, fibres >5 µm in length and an aspect ratio >=3:1 as determined by the membrane filter method at 400-450 times magnification (4-mm objective), using phase-contrast illumination, respirable)	10 mg/m3 TWAEV (non fibrous, containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA LMPE-PPT	
			posure Limits/Gui	<u> </u>	I	2114	
		Result STELs	Not established	IIOSH	2 ppm STEL (see 29	SHA CFR 1910.1048)	
Formaldehyde		TWAs	0.016 ppm TWA		0.75 ppm TWA		
(50-00-0)		Ceilings	0.1 ppm Ceiling (15 min)		Not established		
Diphosphoric acid, (7722-88-5)	sodium salt (1	:4) TWAs	5 mg/m3 TWA			Not established	
Titanium dioxide (13463-67-7)		TWAs	Not established	Not established		15 mg/m3 TWA (total dust)	
Silica, amorphous (7631-86-9)	ΙΙ///Δε		6 mg/m3 TWA	6 mg/m3 TWA		Not established	
Quartz (14808-60-7) TWAs		0.05 mg/m3 TWA (r	respirable dust)	Not established			
Cristobalite (14464-46-1)		0.05 mg/m3 TWA (r	respirable dust)	Not established			
Aluminum oxide (1344-28-1) TWAs		Not established		15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)			
Silicon carbide (409-21-2)		TWAs	10 mg/m3 TWA (total) (respirable dust)	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)		15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	

#### **Exposure Limits Supplemental** OSHA

- •Cristobalite (14464-46-1): Mineral Dusts: ((1/2)(30)/(%SiO2 + 2) mg/m3 TWA, total dust; (1/2)(250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (1/2)(10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)
- •Quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2
- + 2) mg/m3 TWA, respirable fraction)
- •Silica, amorphous (7631-86-9): **Mineral Dusts**: (20 mppcf TWA; (80)/(% SiO2) mg/m3 TWA)

# **Exposure controls**

#### **Engineering**

· Good general ventilation should be used. Ventilation rates should be matched to

#### Measures/Controls

conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Collection systems must be designed and maintained to prevent the accumalation and recirculation of respirable silica into the workplace.

#### **Personal Protective Equipment**

Respiratory

For limited exposure use an N95 dust mask. For prolonged exposure use an airpurifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA
respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a
NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are
exceeded or symptoms are experienced.

Eye/Face

Wear protective eyewear (goggles, face shield, or safety glasses).

Hands

Wear appropriate gloves.

Skin/Body

· Wear long sleeves and/or protective coveralls.

General Industrial Hygiene Considerations

 Do not breathe dust. Avoid contact with skin, eyes or clothing. Do not remove dusts from clothing by blowing or shaking. Do not eat, drink or smoke during work. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

# **Environmental Exposure Controls**

 Follow best practice for site management and disposal of waste. Dispose of in an approved landfill.

#### Key to abbreviations

ACGIH = ... American Conference of Governmental Industrial

'- Hygiene

STEL = Short Term Exposure Limits are based on 15-minute exposures

NIOSH = National Institute of Occupational Safety and Health

TWAEV = Time-Weighted Average Exposure Value

OSHA = Occupational Safety and Health Administration

TWA = Time-Weighted Averages are based on 8h/day, 40h/week

exposures

# **Section 9 - Physical and Chemical Properties**

# **Information on Physical and Chemical Properties**

Material Description			
Physical Form	Solid	Appearance/Description	Gray granular dry powder with an earthy odor.
Color	Gray	Odor	Earthy
Particulate Size	600 µ	Odor Threshold	No data available
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	No data available
Specific Gravity/Relative Density	2.2 to 2.9 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	No data available		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	0 %
VOC (Vol.)	0 %		
Flammability			
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available

Flammability (solid, gas)	No data available	
Environmental		
Octanol/Water Partition coefficient	No data available	

# **Section 10: Stability and Reactivity**

### Reactivity

• No dangerous reaction known under conditions of normal use.

# **Chemical stability**

• Stable under normal temperatures and pressures.

# Possibility of hazardous reactions

· Hazardous polymerization will not occur.

#### **Conditions to avoid**

· No data available

# Incompatible materials

· No data available

### **Hazardous decomposition products**

· No data available

# **Section 11 - Toxicological Information**

### Information on toxicological effects

	Components					
Titanium dioxide (0.02% TO 0.3%)	13463-67- 7	Irritation: Skin-Human • 300 μg 3 Day(s)-Intermittent • Mild irritation; Tumorigen / Carcinogen: Inhalation-Rat TCLo • 250 mg/m³ 6 Hour(s) 2 Year(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors				
Cristobalite (0.186% TO 0.201%)	14464-46- 1	Acute Toxicity: Inhalation-Human TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Dyspnea; Multi-dose Toxicity: Inhalation-Mouse TCLo • 43 mg/m³ 5 Hour(s) 9 Day(s)-Intermittent; Lungs, Thorax, or Respiration:Pleural effusion; Lungs, Thorax, or Respiration:Other changes				
Silica, amorphous (0.03% TO 15.25%)	7631-86-9	Irritation: Eye-Rabbit • 25 mg 24 Hour(s) • Mild irritation				
Dispersing Agent (< 0.186%)	Proprietary	Acute Toxicity: Ingestion/Oral-Rat LD50 • 3120 mg/kg; Behavioral:Somnolence (general depressed activity); Behavioral:Coma; Irritation: Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation				

Classification
OSHA HCS 2012 • No data available
OSHA HCS 2012 • No data available
OSHA HCS 2012 • No data available
OSHA HCS 2012 • No data available
OSHA HCS 2012 • No data available
OSHA HCS 2012 • No data available

Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available
Toxicity for Reproduction	OSHA HCS 2012 • No data available
STOT-SE	OSHA HCS 2012 • No data available
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1

**Target Organs** 

|[206]|

Route(s) of entry/exposure

· Inhalation, Skin, Eye, Ingestion

Medical Conditions Aggravated by Exposure Potential Health Effects

Any pre-existing conditions of the lungs. Disorders of the lungs.

Inhalation

Acute (Immediate)

• Nuisance dust may affect the lungs but reactions are typically reversible.

**Chronic (Delayed)** 

 Chronic overexposure to dust containing respirable sized crystalline silica can cause delayed lung injury (silicosis). Inhalation of dust containing crystalline silica pulmonary diseases such as asthma and lung disorder associated with smoking.

Skin

Acute (Immediate)

• Exposure to dust may cause mechanical irritation.

**Chronic (Delayed)** 

· No data available.

Eye

Acute (Immediate)

 Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

**Chronic (Delayed)** 

No data available.

Ingestion

Acute (Immediate)

 Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

**Chronic (Delayed)** 

Carcinogenic Effects

No data available.

• May cause cancer. IARC studies have shown sufficient evidence from animal studies to categorize crystalline silica as a group 1 carcinogen.

Carcinogenic Effects						
	CAS OSHA IARC NTP					
Formaldehyde	50-00-0	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen		
Titanium dioxide	13463-67-7	Not Listed	Group 2B-Possible Carcinogen	Not Listed		
Quartz	14808-60-7	Not Listed	Group 1-Carcinogenic	Known Human Carcinogen		
Cristobalite	14464-46-1	Not Listed	Group 1-Carcinogenic	Not Listed		

#### Key to abbreviations

LD = Lethal Dose

TC = Toxic Concentration

# Section 12 - Ecological Information

# **Toxicity**

· Material data lacking.

# Persistence and degradability

Material data lacking.

#### Bioaccumulative potential

Material data lacking.

## **Mobility in Soil**

Material data lacking.

#### Other adverse effects

No studies have been found.

#### **Section 13 - Disposal Considerations**

#### Waste treatment methods

**Product waste** 

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

# **Section 14 - Transport Information**

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

· No data available

# **Section 15 - Regulatory Information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Chronic

State Right To Know				
Component	CAS	MA	NJ	PA
Aluminum oxide	1344-28-1	Yes	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes	Yes
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Yes	Yes	Yes
Formaldehyde	50-00-0	Yes	Yes	Yes
Quartz	14808-60-7	Yes	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes	Yes
Dispersing Agent	Proprietary	Yes	No	Yes

	Inventory		
Component	CAS	Canada DSL	TSCA
Aluminum oxide	1344-28-1	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Yes	Yes
Formaldehyde	50-00-0	Yes	Yes
Quartz	14808-60-7	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes
Dispersing Agent	Proprietary	Yes	Yes

### Canada

Labor		
Canada - WHMIS - Classifications of Substances	5	N. C. C.
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	A, B1, D1A, D2A, D2B; B3, D1A, D2A, D2B, E (regulated under Formol)
Titanium dioxide	13463-67-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Titanium dioxide, mixture containing on Health Canada's WHMIS Division website.)
Diphosphoric acid, sodium salt (1:4)	7722-88-5	D2B
Aluminum oxide	1344-28-1	Uncontrolled product according to WHMIS classification criteria
Cristobalite	14464-46-1	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Silica, amorphous	7631-86-9	Uncontrolled product according to WHMIS classification criteria
• Quartz	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Canada - WHMIS - Ingredient Disclosure List		
Dispersing Agent	Proprietary	Not Listed
• Formaldehyde	50-00-0	0.1 %
Titanium dioxide	13463-67-7	Not Listed

<ul> <li>Diphosphoric acid, sodium salt (1:4)</li> <li>Aluminum oxide</li> <li>Cristobalite</li> <li>Silica, amorphous</li> <li>Quartz</li> </ul>	7722-88-5 1344-28-1 14464-46-1 7631-86-9 14808-60-7	1 % 1 % 1 % 1 %
• Quartz	14808-60-7	1 %

Environment		
Canada - CEPA - Priority Substances List		
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	Priority Substance List 2 (substance considered toxic)
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
Canada - CEPA - Schedule I - List of Toxic Substances		
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

### **United States**

Dispersing Agent	Chemicals  Proprietary	Not Listed
• Formaldehyde	50-00-0	1000 lb TQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
J.S OSHA - Specifically Regulated Chemicals		
Dispersing Agent	Proprietary	Not Listed
		2 ppm STEL (See 29 CFR 1910.1048, 15 min); 0.5 ppm
Formaldehyde	50-00-0	Action Level (See 29 CFR 1910.1048); 0.75 ppm TWA (See 29 CFR 1910.1048)
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
Dispersing Agent	Proprietary	Not Listed
		100 lb final RQ; 45.4 kg final
• Formaldehyde	50-00-0	RQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	100 lb EPCRA RQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs		
• Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	500 lb TPQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Dispersing Agent	Proprietary	Not Listed
* Dispersing Agent	rioprietary	0.1 % de minimis
Formaldehyde	50-00-0	concentration
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	1.0 % de minimis concentration (fibrous forms)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix	VII	

Dispersing Agent	Proprietary	Not Listed
		Included in waste streams:
Formaldehyde	50-00-0	K009, K010, K038, K040,
		K156, K157
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Hazardous	Constituents - Appendix VIII to 40	0 CFR 261
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	waste number U122
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - U Series W.	astes - Acutely Toxic Wastes & C	Other Hazardous
Characteristics		
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	waste number U122
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

### **United States - California**

Proprietary	Not Listed
50-00-0	carcinogen, initial date 1/1/88 (gas)
13463-67-7	carcinogen, initial date 9/2/11 (airborne, unbound particles of respirable size)
7722-88-5	Not Listed
1344-28-1	Not Listed
14464-46-1	Not Listed
7631-86-9	Not Listed
14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)
Proprietary	Not Listed
50-00-0	40 μg/day NSRL (gas)
13463-67-7	Not Listed
7722-88-5	Not Listed
1344-28-1	Not Listed
	50-00-0  13463-67-7  7722-88-5 1344-28-1 14464-46-1 7631-86-9  14808-60-7  Proprietary 50-00-0 13463-67-7 7722-88-5

Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

#### **United States - Pennsylvania**

Dispersing Agent	Proprietary	
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
J.S Pennsylvania - RTK (Right to Know) - Special Hazardous	Substances	
Dispersing Agent	Proprietary	Not Listed
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

#### Other Information

 WARNING: This product contains a chemical known to the State of California to cause cancer.

#### Section 16 - Other Information

**Revision Date** 

**Last Revision Date** 

**Preparation Date** 

Disclaimer/Statement of Liability

- 27/April/2018
- 26/December/2014
- 01/June/2009
- The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key to abbreviations

NDA = No data available