Safety Data Sheet



Section 1: Identification

Product identifier

Product Name • Reno Cast 65 LC

Product Code • 149200

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Refractory applications

Details of the supplier of the safety data sheet

Manufacturer
 Reno Refractories, Inc.

P O Box 201 Morris, AL 35116 United States

www.renorefractories.com sales@renorefractories.com

Telephone (General) • 205-647-0240

Emergency telephone number

Manufacturer • 1-800-262-8200 - CHEMTREC

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Carcinogenicity 1A

Specific Target Organ Toxicity Repeated Exposure 1

Label elements
OSHA HCS 2012

DANGER



Hazard statements • May cause cancer.

Causes damage to organs - Lungs through prolonged or repeated exposure

Precautionary statements

Prevention • Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

Response • IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Other hazards

• Under United States Regulations (29 CFR 1910.1200 - Hazard Communication

Standard), this product is considered hazardous.

Canada

According to: WHMIS

Classification of the substance or mixture

WHMIS
 Other Toxic Effects - D2A

Label elements

WHMIS .

(T)

• Other Toxic Effects - D2A

Other hazards

WHMIS
 In Canada, the product mentioned above is considered hazardous under the

Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance.

Mixtures

	Composition						
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments		
Mullite	CAS: 1302- 93-8	43.89% TO 48.51%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA		
Aluminum oxide	CAS: 1344-28-1	13.84% TO 19%	NDA	OSHA HCS 2012: Not Classified - Criteria not met	NDA		
Silica, amorphous	CAS: 7631-86-9	< 14.49%	NDA	OSHA HCS 2012: Data lacking	NDA		
Aluminum(III) silicate (2:1)	CAS: 1302-76-7	5.95% TO 8.55%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA		
Cement, alumina, chemicals	CAS :65997-16-2	5% TO 6%	NDA	OSHA HCS 2012: Skin Irrit 2, Eye Irrit 2A	NDA		
Amorphous silica fume	CAS :69012-64-2	3% TO 6%	NDA	OSHA HCS 2012: STOT RE 1 (Lungs)	NDA		
Quartz	CAS: 14808-60-7	0.395% TO 0.906%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs)	NDA		

Preparation Date: 09/September/2013

Revision Date: 27/April/2018

Titanium dioxide	CAS :13463-67-7	0.07% TO 0.45%	NDA	OSHA HCS 2012: Carc. 2	NDA
Cristobalite	CAS :14464-46-1	0.171% TO 0.198%	NDA	OSHA HCS 2012: Carc. 1A	NDA
Diphosphoric acid, sodium salt (1:4)	CAS :7722-88-5	0.001% TO 0.0075%	Ingestion/Oral-Rat LD50 • 4 g/kg	OSHA HCS 2012: Skin Irrit. 2; Eye Irrit. 2A; STOT RE 2 (Lungs)	NDA
Formaldehyde	CAS: 50-00-	<= 0.00001%	Ingestion/Oral-Rat LD50 • 100 mg/kg Inhalation-Rat LC50 • 250 ppm 4 Hour(s) Skin-Rabbit LD50 • 270 mg/kg	OSHA HCS 2012: Acute Tox 3 (Oral, Dermal); Acute Tox 2 (Inhalation)(not relevant); Skin Sensitizer 1A; Eye Dam. 1; Skin Corr. 1A(not relevant); Carc. 1A; Muta. 1B;	NDA

See Section 11 for Toxicological Information.

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

 Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention immediately.

Skin

Eye

In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If skin irritation occurs: Get medical advice/attention.

In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse mouth. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

Most important symptoms and effects, both acute and delayed

· Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

All treatments should be based on observed signs and symptoms of distress in thepatient. Consideration should be given to the possibility that overexposure to materialsother than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media •

Material is non-combustible. In case of fire use media as appropriate for surrounding fire.

Unsuitable Extinguishing

Media

None known.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion

Hazards

· None known.

Hazardous Combustion Products

None known.

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

 Isolate hazard area and deny entry to unauthorized and/or unprotected personnel. Do not touch or walk through spilled material. Ensure adequate ventilation to remove vapors, fumes, dust etc.

Emergency Procedures

 Ventilate closed spaces before entering. Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

Environmental precautions

· No specific actions or treatments recommended related to exposure to this material.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

• Avoid generating dust.

FOR SMALL SPILLS: Clean with a vacuum with a filtration system sufficient to remove and prevent recirculation of crystalline silica (a vacuum equipped with a high-efficiency particulate air (HEPA) filter is recommended).

FOR LARGE SPILLS: Use a fine spray or mist to control dust creation and carefully scoop or shovel into clean dry container for later reuse or disposal.

If, an appropriate vacuum is unavailabe, only wet-clean-up methods should be used (i.e. misting). Moisture should be added as necessary to reduce exposure to airborne respirable silica dust.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

 Do not breathe dust. Wash thoroughly after handling. Do not use in areas without adequate ventilation. Avoid contact with skin, eyes, and clothing. Minimize dust generation and accumulation. Use good safety and industrial hygiene practices. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Wear long sleeves and/or protective coveralls. Contaminated clothing must be vacuumed before removal. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage

 Store in a covered location. Keep container closed. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust accumulation.

Section 8 - Exposure Controls/Personal Protection

Control parameters

			Exposure Limits	/Guidelines		
	Result	ACGIH	Canada Ontario	Canada Quebec	Mexico	NIOSH
Formaldehyde	Ceilings	0.3 ppm Ceiling	1.5 ppm Ceiling	2 ppm Ceiling; 3 mg/m3 Ceiling	2 ppm Ceiling; 3 mg/m3 Ceiling	0.1 ppm Ceiling (15 min)
(50-00-0)	STELs	Not established	1.0 ppm STEL	Not established	Not established	Not established
	TWAs	Not established	Not established	Not established	Not established	0.016 ppm TWA
Diphosphoric acid, sodium salt (1:4) (7722-88-5)	TWAs	Not established	5 mg/m3 TWA	5 mg/m3 TWAEV	Not established	5 mg/m3 TWA
	STELs	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT] (as Ti)	Not established
Titanium dioxide				10 mg/m3 TWAEV		

(13463-67-7)	TWAs	10 mg/m3 TWA	10 mg/m3 TWA		Ast	ntaining no pestos and <1% stalline silica, total st)	10 mg/m3 TWA LMPE -PPT (as Ti)	Not established
Cristobalite (14464-46-1)	TWAs	0.025 mg/m3 TWA (respirable fraction)				5 mg/m3 TWAEV spirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	(des sub regi	o mg/m3 TWA signated stances ulation, respirable, ed under Silica, stalline)		mg/m3 TWAEV spirable dust)	0.1 mg/m3 TWA LMPE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Amorphous silica fume (69012-64-2)	TWAs	Not established	2 mg/m3 TWA (respirable, listed under Silica fume)		(co Ask Cry	ng/m3 TWAEV Intaining no Interest of the second sec	2 mg/m3 TWA LMPE- PPT; 10 mg/m3 TWA LMPE-PPT (inhalable particulate); 3 mg/m3 TWA LMPE-PPT (respirable particulate)	Not established
Cement, alumina, chemicals	TWAs	10 mg/m3 TWA (inhalable particles, recommended); 3 mg/m3 TWA (respirable particles, recommended) as Particulates not otherwise classified (PNOC)	10 mg/m3 TWA (inhalable); 3 mg/m3 TWA (respirable) as Particulates not otherwise classified (PNOC)		(incorring or repart con Ask Cry dust as a oth	mg/m3 TWAEV cluding dust, inert nuisance ticulates; ttaining no pestos and <1% estalline silica, total est) Particulates not erwise classified NOC)	Not established	Not established
Aluminum oxide (1344-28-1)	TWAs	1 mg/m3 TWA (respirable fraction) as Aluminum insoluble compounds	1 mg/m3 TWA (respirable) as Aluminum insoluble compounds		(co Ask Cry	mg/m3 TWAEV ntaining no pestos and <1% stalline silica, total st, as AI)	10 mg/m3 TWA LMPE -PPT	Not established
Silica, amorphous (7631-86-9)	TWAs	Not established	Not	established	Not	established	Not established	6 mg/m3 TWA
		Ex	pos	ure Limits/Gui	del	ines (Con't.)		
				Result		0 mm 0TE1 / /	OSHA	
Formaldehyde (50-00-0)				STELs		· · · · · · · · · · · · · · · · · · ·	29 CFR 1910.1048)	
Titanium dioxide				TWAs		0.75 ppm TWA		
(13463-67-7)				TWAs		15 mg/m3 TWA (to	WA (total dust)	
Cement, alumina, chemicals			TWAs 15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fit as Particulates not otherwise classified (PNOC)					
Aluminum oxide (1344-28-1)				TWAs		15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)		

Exposure controls

Engineering Measures/Controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Collection systems must be designed and maintained to prevent the accumulation and recirculation of respirable silica into the workplace.

Personal Protective Equipment

Respiratory

 For limited exposure use an N95 dust mask. For prolonged exposure use an airpurifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear protective evewear (goggles, face shield, or safety glasses).

Hands

Wear appropriate gloves.

Skin/Body

Wear long sleeves and/or protective coveralls.

General Industrial Hygiene Considerations

Do not breathe dust. Avoid contact with skin, eyes or clothing. Do not remove dusts from clothing by blowing or shaking. Do not eat, drink or smoke during work. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls

Follow best practice for site management and disposal of waste. Dispose of in an approved landfill.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial

Hygiene

TWAEV = Time-Weighted Average Exposure Value

NIOSH = National Institute of Occupational Safety and Health

OSHA = Occupational Safety and Health Administration

= Time-Weighted Averages are based on 8h/day, 40h/week TWA exposures

STEL = Short Term Exposure Limits are based on 15-minute exposures

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Gray granular dry powder with an earthy odor.
Color	Gray	Odor	Earthy
Particulate Size	600 µ	Odor Threshold	No data available
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	Not relevant
Specific Gravity/Relative Density	= 2.53 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	No data available		
Volatility			-
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	0 %
Flammability		-	-
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available
	1		

Preparation Date: 09/September/2013

Revision Date: 27/April/2018

Flammability (solid, gas)	Not flammable.	
Environmental		
Octanol/Water Partition coefficient	No data available	

Section 10: Stability and Reactivity

Reactivity

· No dangerous reaction known under conditions of normal use.

Chemical stability

• Stable under normal temperatures and pressures.

Possibility of hazardous reactions

· Hazardous polymerization will not occur.

Conditions to avoid

· No data available

Incompatible materials

No data available

Hazardous decomposition products

· No data available

Section 11 - Toxicological Information

Information on toxicological effects

Components				
Silica, amorphous (< 14.49%)	7631-86-9	Irritation: Eye-Rabbit • 25 mg 24 Hour(s) • Mild irritation		

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • No data available
Skin corrosion/Irritation	OSHA HCS 2012 • No data available
Serious eye damage/Irritation	OSHA HCS 2012 • No data available
Skin sensitization	OSHA HCS 2012 • No data available
Respiratory sensitization	OSHA HCS 2012 • No data available
Aspiration Hazard	OSHA HCS 2012 • No data available
Carcinogenicity	OSHA HCS 2012 • No data available
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available
Toxicity for Reproduction	OSHA HCS 2012 • No data available
STOT-SE	OSHA HCS 2012 • No data available
STOT-RE	OSHA HCS 2012 • No data available

Target Organs

Lungs

Route(s) of entry/exposure

• Inhalation, Skin, Eye, Ingestion

Medical Conditions Aggravated by Exposure · Any pre-existing conditions of the lungs. Disorders of the lungs.

Potential Health Effects Inhalation

Acute (Immediate)

Nuisance dust may affect the lungs but reactions are typically reversible.

Chronic (Delayed)

Chronic overexposure to dust containing respirable sized crystalline silica can cause delayed lung injury (silicosis). Inhalation of dust containing crystalline silica pulmonary

diseases such as asthma and lung disorder associated with smoking.

Skin

Acute (Immediate)

Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

No data available.

Eye

Acute (Immediate)

 Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

Chronic (Delayed)

No data available.

Ingestion

Acute (Immediate)

 Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

Chronic (Delayed)

No data available.

Carcinogenic Effects

May cause cancer. IARC studies have shown sufficient evidence from animal studies to categorize crystalline silica as a group 1 carcinogen.

Carcinogenic Effects					
	CAS	OSHA	IARC	NTP	
Formaldehyde	50-00-0	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen	
Titanium dioxide	13463-67-7	Not Listed	Group 2B-Possible Carcinogen	Evidence of Carcinogenicity	
Cristobalite	14464-46-1	Not Listed	Group 1-Carcinogenic	Not Listed	
Quartz	14808-60-7	Not Listed	Group 1-Carcinogenic	Known Human Carcinogen	

Key to abbreviations

MLD = Mild

TC = Toxic Concentration

Section 12 - Ecological Information

Toxicity

Material data lacking.

Persistence and degradability

Material data lacking.

Bioaccumulative potential

Material data lacking.

Mobility in Soil

Material data lacking.

Other adverse effects

No studies have been found.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not regulated	NDA	NDA	NDA
TDG	NDA	Not regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not regulated	NDA	NDA	NDA

Special precautions for user • None known.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant.

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • Chronic

	State Right To Know					
Component	CAS	MA	NJ	PA		
Aluminum oxide	1344-28-1	Yes	Yes	Yes		
Cristobalite	14464-46-1	Yes	Yes	Yes		
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Yes	Yes	Yes		
Formaldehyde	50-00-0	Yes	Yes	Yes		
Quartz	14808-60-7	Yes	Yes	Yes		
Silica, amorphous	7631-86-9	Yes	Yes	Yes		
Sodium sulfate	7757-82-6	Yes	No	Yes		
Sodium trimetaphosphate	7785-84-4	Yes	No	Yes		
Titanium dioxide	13463-67-7	Yes	Yes	Yes		
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Yes	No	Yes		

		Inventory	
Component	CAS	Canada DSL	TSCA
Aluminum oxide	1344-28-1	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Yes	Yes
Formaldehyde	50-00-0	Yes	Yes
Quartz	14808-60-7	Yes	Yes

Preparation Date: 09/September/2013 Revision Date: 27/April/2018

Format: GHS Language: English (US) OSHA HCS 2012, WHMIS

Silica, amorphous	7631-86-9	Yes	Yes
Sodium sulfate	7757-82-6	Yes	Yes
Sodium trimetaphosphate	7785-84-4	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Yes	Yes

Canada

Labor Canada - WHMIS - Classifications of Substances		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
• Formaldehyde	50-00-0	A, B1, D1A, D2A, D2B; B3, D1A, D2A, D2B, E (regulated under Formol)
Titanium dioxide	13463-67-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specifi Issues - Titanium dioxide, mixture containing on Health Canada's WHMIS Division website.)
Diphosphoric acid, sodium salt (1:4)	7722-88-5	D2B
Aluminum oxide	1344-28-1	Uncontrolled product according to WHMIS classification criteria
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Uncontrolled product according to WHMIS classification criteria
Cristobalite	14464-46-1	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specif Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Silica, amorphous	7631-86-9	Uncontrolled product according to WHMIS classification criteria
• Quartz	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specifi Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Canada - WHMIS - Ingredient Disclosure List		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	0.1 %

2-88-5 1 % 28-1 1 %	
-28-1 1 %	
Not Listed	
-82-6 Not Listed	
4-46-1 1 %	
-86-9 1 %	
	-86-9 1 % 8-60-7 1 %

Environment Canada - CEPA - Priority Substances List		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
• Formaldehyde	50-00-0	Priority Substance List 2 (substance considered toxic)
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
Canada - CEPA - Schedule I - List of Toxic Substances		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

United States

_[Labor————————————————————————————————————		
U.S OSHA - Process Safety Management - Highly Hazardous C	Chemicals	
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	1000 lb TQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S OSHA - Specifically Regulated Chemicals		
Sodium trimetaphosphate	7785-84-4	Not Listed

Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
		2 ppm STEL (See 29 CFR
Formaldehyde	50-00-0	1910.1048, 15 min); 0.5 ppm Action Level (See 29 CFR
- 1 offilialderryde	30-00-0	1910.1048); 0.75 ppm TWA
		(See 29 CFR 1910.1048)
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants	7705 04 4	Not Listed
Sodium trimetaphosphate Triphosphoria gold, godium celt (1:5)	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5) Formaldehyda	7758-29-4	Not Listed
Formaldehyde Titarairus disarida	50-00-0	Not Listed
Titanium dioxide Dinh contario poid, poditivn colt (4:4)	13463-67-7	Not Listed
• Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds	7757 00 0	Not Listed
Sodium sulfate	7757-82-6	Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	100 lb final RQ; 45.4 kg final RQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	100 lb EPCRA RQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds	.511.201	Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed

• Silica, amorphous

Not Listed

7631-86-9

• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances	TPQs	
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	500 lb TPQ
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
Qualitz	14000 00 7	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
• Formaldehyde	50-00-0	0.1 % de minimis concentration
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	1.0 % de minimis concentration (fibrous forms)
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Basis for Lis	ting - Annondiy VII	
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
• Formaldehyde	50-00-0	Included in waste streams: K009, K010, K038, K040, K156, K157
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds	1011 20 1	Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphousQuartz	7631-86-9 14808-60-7	Not Listed Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Hazardous C		
Sodium trimetaphosphate Triphosphatic and and trime and (4.5)	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde Titanium attenden	50-00-0	waste number U122
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed

Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
J.S RCRA (Resource Conservation & Recovery Act) - U Series W	astes - Acutely Toxic Wastes & (Other Hazardous
Characteristics		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	waste number U122
Titanium dioxide	13463-67-7	Not Listed
• Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

United States - California

Environment U.S California - Proposition 65 - Carcinogens List		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	carcinogen, initial date 1/1/88 (gas)
Titanium dioxide	13463-67-7	carcinogen, initial date 9/2/11 (airborne, unbound particles of respirable size)
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	40 μg/day NSRL (gas)
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

United States - Pennsylvania

Labo	
11.0	Dannardre

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

· Sodium trimetaphosphate 7785-84-4

Triphosphoric acid, sodium salt (1:5)	7758-29-4	
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	(solution)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Substances		
Sodium trimetaphosphate	7785-84-4	Not Listed
Triphosphoric acid, sodium salt (1:5)	7758-29-4	Not Listed
Formaldehyde	50-00-0	
Titanium dioxide	13463-67-7	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Aluminum oxide as Aluminum insoluble compounds		Not Listed
Sodium sulfate	7757-82-6	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

Other Information

 WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information

Revision Date

Last Revision Date

Preparation Date

Disclaimer/Statement of Liability

- 27/April/2018
- 09/September/2013
- 09/September/2013
- The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key to abbreviations

NDA = No data available