Safety Data Sheet



Section 1: Identification

Product identifier

Product Name Reno Cast 85 LC AL

Product Code • 159100

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Refractory applications

Details of the supplier of the safety data sheet

Manufacturer • Reno Refractories, Inc.

P O Box 201 Morris, AL 35116 United States

www.renorefractories.com sales@renorefractories.com

Telephone (General) • 205-647-0240

Emergency telephone number

Manufacturer • 1-800-262-8200 - CHEMTREC

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 • Carcinogenicity 1A

Specific Target Organ Toxicity Repeated Exposure 1

Label elements
OSHA HCS 2012

DANGER



Hazard statements • May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Prevention • Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves, clothing, and eye/face protection, .

Response • IF exposed or concerned: Get medical advice/attention.

Storage/Disposal • Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Other hazards

OSHA HCS 2012 Under United States Regulations (29 CFR 1910.1200 - Hazard Communication

Standard), this product is considered hazardous.

Canada

According to: WHMIS

Classification of the substance or mixture

WHMIS · Other Toxic Effects - D2A Other Toxic Effects - D2B

Label elements

WHMIS

WHMIS Other Toxic Effects - D2A Other Toxic Effects - D2B

Other hazards

WHMIS In Canada, the product mentioned above is considered hazardous under the

Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance.

Mixtures

Composition						
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments	
Bauxite	CAS: 1318- 16-7	37.84% TO 40.48%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA	
Aluminum oxide	CAS: 1344-28-1	31.505% TO 39%	Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week(s)	OSHA HCS 2012: Not Classified	NDA	
Cement, alumina, chemicals	CAS :65997-16-2	6% TO 8%	NDA	OSHA HCS 2012: Not Classified	NDA	
Amorphous silica fume	CAS :69012-64-2	3% TO 7%	NDA	OSHA HCS 2012: STOT RE 1 (Lungs)	NDA	
NON-WETTING AGENT	Proprietary	2% TO 5%	NDA	OSHA HCS 2012: Not Classified	NDA	
Silica, amorphous	CAS: 7631-86-9	2.795% TO 2.99%	NDA	OSHA HCS 2012: Not Classified	NDA	
Aluminum(III) silicate (2:1)	CAS :1302-76-7	0.85% TO 1.9%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)	NDA	
			1			

Titanium dioxide	CAS :13463-67-7	1.4075% TO 1.895%	NDA	OSHA HCS 2012: Carc. 2	NDA
Iron oxide	CAS :1309-37-1	0.86% TO 1.04%	NDA	OSHA HCS 2012: Not Classified	NDA
Cristobalite	CAS :14464-46-1	0.43% TO 0.462%	NDA	OSHA HCS 2012: Carc. 1A	NDA
Amorphous/fused silica	CAS :60676-86-0	< 0.3%	NDA	OSHA HCS 2012: Not Classified	NDA
Quartz	CAS :14808-60-7	0.05% TO 0.213%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs)	NDA
DISPERSING AGENT 1	Proprietary	< 0.1395%	Ingestion/Oral-Rat LD50 • 3120 mg/kg Skin-Rabbit LD50 • >4640 mg/kg	OSHA HCS 2012: Eye Irrit. 2A; Skin Irrit. 2; STOT SE 3: Resp. Irrit.	NDA
Zirconium oxide	CAS :1314-23-4	< 0.12%	NDA	OSHA HCS 2012: Not Classified	NDA
Nickel	CAS :7440-02-0	< 0.06%	NDA	OSHA HCS 2012: Exposure limits	NDA
Magnesium oxide	CAS :1309-48-4	< 0.06%	NDA	OSHA HCS 2012: Exposure limits	NDA
Chromium	CAS :7440-47-3	< 0.06%	NDA	OSHA HCS 2012: Exposure limits	NDA
Calcium oxide	CAS :1305-78-8	< 0.06%	NDA	OSHA HCS 2012: Exposure limits	NDA
Cobalt	CAS :7440-48-4	< 0.03%	Ingestion/Oral-Rat LD50 • 6171 mg/kg	OSHA HCS 2012: Exposure limits	NDA
Diphosphoric acid, sodium salt (1:4)	CAS :7722-88-5	< 0.0075%	Ingestion/Oral-Rat LD50 • 4 g/kg	OSHA HCS 2012: Exposure limits	NDA
Formaldehyde	CAS :50-00-0	<= 0.00002%	Ingestion/Oral-Rat LD50 • 100 mg/kg Inhalation-Rat LC50 • 203 mg/m³ Skin-Rabbit LD50 • 270 mg/kg	OSHA HCS 2012: Exposure limits	NDA

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

 Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention immediately.

Skin

 In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If skin irritation occurs: Get medical advice/attention.

Eye

• In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

 Rinse mouth. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

Most important symptoms and effects, both acute and delayed

• Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

 All treatments should be based on observed signs and symptoms of distress in thepatient. Consideration should be given to the possibility that overexposure to materialsother than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media •

Material is non-combustible. In case of fire use media as appropriate for surrounding

Unsuitable Extinguishing

Media

None known.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion

None known.

Hazards

Products

Hazardous Combustion

None known.

Advice for firefighters

· Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

 Isolate hazard area and deny entry to unauthorized and/or unprotected personnel. Do not walk through spilled material. Énsure adequate ventilation to remove vapors, fumes, dust etc. Wear appropriate personal protective equipment, avoid direct contact.

Emergency Procedures

Ventilate closed spaces before entering. Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

Environmental precautions

No specific actions or treatments recommended related to exposure to this material.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

Avoid generating dust.

FOR SMALL SPILLS: Clean with a vacuum with a filtration system sufficient to remove and prevent recirculation of crystalline silica (a vacuum equipped with a high-efficiency particulate air (HEPA) filter is recommended). FOR LARGE SPILLS: Use a fine spray or mist to control dust creation and carefully

scoop or shovel into clean dry container for later reuse or disposal.

If, an appropriate vacuum is unavailabe, only wet-clean-up methods should be used (i.e. misting). Moisture should be added as necessary to reduce exposure to airborne

respirable silica dust.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

 Use good safety and industrial hygiene practices. Use only in well ventilated areas. Wear appropriate personal protective equipment, avoid direct contact. Wear long sleeves and/or protective coveralls. Do not breathe dust. Avoid contact with skin, eyes, and clothing. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Contaminated clothing must be vacuumed before removal. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage

 Keep container closed. Store in a covered location. Store in a cool, dry place. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust

Preparation Date: 01/June/2014 Format: GHS Language: English (US) Revision Date: 30/April/2018 OSHA HCS 2012, WHMIS Page 4 of 21

accumulation.

Section 8 - Exposure Controls/Personal Protection

Control parameters

		E	xposure Limits/G	uidelines		
	Result	ACGIH	Canada Manitoba	Canada Ontario	Canada Quebec	Mexico
	Ceilings	0.3 ppm Ceiling	Not established	1.5 ppm Ceiling	2 ppm Ceiling; 3 mg/m3 Ceiling	2 ppm Ceiling; 3 mg/m3 Ceiling
Formaldehyde (50-00-0)	Designated Substances	Not established	Present	Not established	Not established	Not established
	STELs	Not established	Not established	1.0 ppm STEL	Not established	Not established
Diphosphoric acid, sodium salt (1:4) (7722-88-5)	TWAs	Not established	Not established	5 mg/m3 TWA	5 mg/m3 TWAEV	Not established
Cobalt (7440-48-4)	TWAs	0.02 mg/m3 TWA	Not established	0.02 mg/m3 TWA	0.02 mg/m3 TWAEV	0.1 mg/m3 TWA LMPE-PPT (dust and fume, as Co)
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	Not established	0.10 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.1 mg/m3 TWAEV (respirable dust)	0.1 mg/m3 TWA LMPE-PPT (respirable fraction)
Calcium oxide (1305-78-8)	TWAs	2 mg/m3 TWA	Not established	2 mg/m3 TWA	2 mg/m3 TWAEV	2 mg/m3 TWA LMPE -PPT
Chromium	TWAs	0.5 mg/m3 TWA	Not established	0.5 mg/m3 TWA	0.5 mg/m3 TWAEV	0.5 mg/m3 TWA LMPE-PPT
(7440-47-3)	Designated Substances	Not established	Present	Not established	Not established	Not established
Magnesium oxide (1309-48-4)	TWAs	10 mg/m3 TWA (inhalable fraction)	Not established	10 mg/m3 TWA (inhalable)	10 mg/m3 TWAEV (fume, as Mg)	10 mg/m3 TWA LMPE-PPT (fume, as Mg)
Nickel	TWAs	1.5 mg/m3 TWA (inhalable fraction)	Not established	1 mg/m3 TWA (inhalable)	1 mg/m3 TWAEV	1 mg/m3 TWA LMPE -PPT
Mickel	Designated Substances	Not established	Present	Not established	Not established	Not established
	STELs	10 mg/m3 STEL (as Zr)	Not established	10 mg/m3 STEL (as Zr)	10 mg/m3 STEV (as Zr)	10 mg/m3 STEL [LMPE-CT] (as Zr)
Ziroonium ovida		as Zirconium compounds		as Zirconium compounds	as Zirconium compounds	as Zirconium compounds
Zirconium oxide	TWAs	5 mg/m3 TWA (as Zr)	Not established	5 mg/m3 TWA (as Zr)	5 mg/m3 TWAEV (as Zr)	5 mg/m3 TWA LMPE -PPT (as Zr)
		as Zirconium compounds		as Zirconium compounds	as Zirconium compounds	as Zirconium compounds
						0.1 mg/m3 TWA

Amorphous/fused silica (60676-86-0)	TWAs	Not established	Not established	0.1 mg/m3 TWA (respirable)	0.1 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	LMPE-PPT; 10 mg/m3 TWA LMPE- PPT (inhalable particulate); 3 mg/m3 TWA LMPE- PPT (respirable particulate)
Cristobalite (14464-46-1)	TWAs	0.025 mg/m3 TWA (respirable fraction)	Not established	0.05 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)
	STELs	Not established	Not established	Not established	Not established	10 mg/m3 STEL [LMPE-CT] (as Fe)
Iron oxide (1309-37-1)	TWAs	5 mg/m3 TWA (respirable fraction)	Not established	5 mg/m3 TWA (respirable)	5 mg/m3 TWAEV (dust and fume, as Fe); 10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, regulated under Rouge, total dust)	5 mg/m3 TWA LMPE -PPT
	STELs	Not established	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT] (as Ti)
Titanium dioxide (13463-67-7)	TWAs	10 mg/m3 TWA	Not established	10 mg/m3 TWA	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA LMPE-PPT (as Ti)
NON-WETTING AGENT (Proprietary)	TWAs	10 mg/m3 TWA	Not established	10 mg/m3 TWA	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust); 5 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	Not established
Amorphous silica fume (69012-64-2)	TWAs	Not established	Not established	2 mg/m3 TWA (respirable, listed under Silica fume)	2 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	2 mg/m3 TWA LMPE -PPT; 10 mg/m3 TWA LMPE-PPT (inhalable particulate); 3 mg/m3 TWA LMPE- PPT (respirable particulate)
		10 mg/m3 TWA			10 mg/m3 TWAEV (including dust, inert	

Cement, alumina, chemicals	TWAs	reco mg/r (resp reco	alable particles, mmended); 3 m3 TWA pirable particles, mmended) Particulates not erwise classified OC)	Not established	10 mg/m3 TWA (inhalable); 3 mg/m3 TWA (respirable) as Particulates not otherwise classified (PNOC)	or nuisance particulates; containing no Asbestos and <1% Crystalline silica, total dust) as Particulates not otherwise classified (PNOC)	Not established	
Aluminum oxide (1344-28-1)	TWAs	(responding as A inso	g/m3 TWA pirable fraction) Muminum Muble pounds	Not established	1 mg/m3 TWA (respirable) as Aluminum insoluble compounds	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust, as Al)	10 mg/m3 TWA LMPE-PPT	
			Expo	sure Limits/Guide	elines (Con't.)			
			Result	NIO	SH	OS	НА	
Formaldehyde			STELs	Not established		2 ppm STEL (see 29 C	FR 1910.1048)	
(50-00-0)			TWAs	0.016 ppm TWA		0.75 ppm TWA		
			Ceilings	0.1 ppm Ceiling (15 min	n)	Not established		
Diphosphoric acid, (7722-88-5)	sodium salt (1:4)	TWAs	5 mg/m3 TWA		Not established		
Cobalt (7440-48-4)			TWAs	0.05 mg/m3 TWA (dust and fume)		0.1 mg/m3 TWA (dust and fume)		
Quartz (14808-60-7)			TWAs	0.05 mg/m3 TWA (respirable dust)		Not established		
Calcium oxide (1305-78-8)			TWAs	2 mg/m3 TWA		5 mg/m3 TWA		
Chromium (7440-47-3)			TWAs	0.5 mg/m3 TWA		1 mg/m3 TWA		
Magnesium oxide (1309-48-4)			TWAs	Not established		15 mg/m3 TWA (fume, total particulate)		
Nickel (7440-02-0)			TWAs	0.015 mg/m3 TWA		1 mg/m3 TWA		
				tetrachioride, as Zr)		5 mg/m3 TWA (as Zr)		
Zirconium oxide				as Zirconium compou	nds	as Zirconium compounds		
Zirconium oxide			STELs	10 mg/m3 STEL (except Zirconium tetrachloride, as Zr)		Not established		
Cristobalite			as Zirconium compou 0.05 mg/m3 TWA (res		Not established			
(14464-46-1) Iron oxide (1309-37-1)		TWAs	5 mg/m3 TWA (dust and fume, as Fe)		10 mg/m3 TWA (fume); 15 mg/m3 TWA (total dust, listed under Rouge); 5 mg/m3 TWA (respirable fraction, listed under Rouge)			
Titanium dioxide (13463-67-7)			TWAs	Not established		15 mg/m3 TWA (total o	dust)	
NON-WETTING AGE (Proprietary)	ENT		TWAs	10 mg/m3 TWA (total ((respirable dust)	dust); 5 mg/m3 TWA	•	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	

Silica, amorphous (7631-86-9)	TWAs	6 mg/m3 TWA	Not established
Cement, alumina, chemicals	TWAs	Not established	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction) as Particulates not otherwise classified (PNOC)
Aluminum oxide (1344-28-1)	TWAs	Not established	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

Exposure Control Notations

Mexico

- •Iron oxide (1309-37-1): Carcinogens: (A4 Not classifiable as a human carcinogen)
- Zirconium oxide as Zirconium compounds: Carcinogens: (A4 Not classifiable as a human carcinogen)
- •Aluminum oxide (1344-28-1): Carcinogens: (A4 Not classifiable as a human carcinogen)
- •Titanium dioxide (13463-67-7): Carcinogens: (A4 Not classifiable as a human carcinogen)
- •Formaldehyde (50-00-0): Carcinogens: (A2 Suspected human carcinogen)
- •Chromium (7440-47-3): Carcinogens: (A4 Not classifiable as a human carcinogen)
- •Cobalt (7440-48-4): Carcinogens: (A3 Confirmed animal carcinogen)

Canada Ontario

- •Cristobalite (14464-46-1): Designated Substances: (0.05 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))
- •Quartz (14808-60-7): Designated Substances: (0.10 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))

Canada Quebec

- •Quartz (14808-60-7): Carcinogens: (C2 carcinogen effect suspected in humans)
- •Formaldehyde (50-00-0): **Carcinogens**: (C2 carcinogen effect suspected in humans)
- Cobalt (7440-48-4): Carcinogens: (C3 carcinogen effect detected in animals)

ACGIH

- •Iron oxide (1309-37-1): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- •Magnesium oxide (1309-48-4): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- Zirconium oxide as Zirconium compounds: Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- •Aluminum oxide as Aluminum insoluble compounds: Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- •Titanium dioxide (13463-67-7): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- Cristobalite (14464-46-1): **Carcinogens:** (A2 Suspected Human Carcinogen)
- •Quartz (14808-60-7): **Carcinogens:** (A2 Suspected Human Carcinogen)
- Formaldehyde (50-00-0): Carcinogens: (A2 Suspected Human Carcinogen) | Sensitizers: (Sensitizer)
- •Nickel (7440-02-0): Carcinogens: (A5 Not Suspected as a Human Carcinogen)
- Chromium (7440-47-3): **Carcinogens:** (A4 Not Classifiable as a Human Carcinogen)
- •Cobalt (7440-48-4): Carcinogens: (A3 Confirmed Animal Carcinogen with Unknown Relevance to Humans)

Exposure Limits Supplemental

OSHA Cristobalita (14464 46 1): Minoral Du

- Cristobalite (14464-46-1): **Mineral Dusts:** ((1/2)(30)/(%SiO2 + 2) mg/m3 TWA, total dust; (1/2)(250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (1/2)(10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)
- $\bullet \text{Quartz (14808-60-7): \textbf{Mineral Dusts:} ((30)/(\%\text{SiO2} + 2) \text{ mg/m3 TWA, total dust; } (250)/(\%\text{SiO2} + 5) \text{ mppcf TWA, respirable fraction; } (10)/(\%\text{SiO2} + 2) \text{ mg/m3 TWA, total dust; } (250)/(\%\text{SiO2} + 5) \text{ mppcf TWA, respirable fraction; } (10)/(\%\text{SiO2} + 2) \text{ mg/m3 TWA, total dust; } (250)/(\%\text{SiO2} + 5) \text{ mppcf TWA, respirable fraction; } (10)/(\%\text{SiO2} + 2) \text{ mg/m3 TWA, total dust; } (250)/(\%\text{SiO2} + 5) \text{ mppcf TWA, respirable fraction; } (10)/(\%\text{SiO2} + 2) \text{ mg/m3 TWA, total dust; } (250)/(\%\text{SiO2} + 5) \text{ mppcf TWA, respirable fraction; } (10)/(\%\text{SiO2} + 2) \text{ mg/m3 TWA, total dust; } (250)/(\%\text{SiO2} + 5) \text{ mppcf TWA, respirable fraction; } (10)/(\%\text{SiO2} + 2) \text{ mg/m3 TWA, } (10)/(\%\text{SiO2} + 2) \text{ mg/m3 TW$
- + 2) mg/m3 TWA, respirable fraction)
- •Amorphous/fused silica (60676-86-0): Mineral Dusts: ((80)/(% SiO2) mg/m3 TWA; 20 mppcf TWA)
- Silica, amorphous (7631-86-9): Mineral Dusts: (20 mppcf TWA; (80)/(% SiO2) mg/m3 TWA)

ACGIH

- Calcium oxide (1305-78-8): TLV Basis Critical Effects: (upper respiratory tract irritation)
- •Iron oxide (1309-37-1): TLV Basis Critical Effects: (pneumoconiosis)
- •Aluminum oxide as Aluminum insoluble compounds: **TLV Basis Critical Effects:** (pneumoconiosis; lower respiratory tract irritation; neurotoxicity)
- •Titanium dioxide (13463-67-7): **TLV Basis Critical Effects:** (lower respiratory tract irritation) | **Notice of Intended Changes (TLVs):** (1 mg/m3 TWA (respirable fraction); A3 confirmed animal carcinogen with unknown relevance to humans; TLV basis: lower respiratory tract irritation, pneumoconiosis)

Preparation Date: 01/June/2014

Revision Date: 30/April/2018

Page 8 of 21

Format: GHS Language: English (US)

OSHA HCS 2012, WHMIS

- Cristobalite (14464-46-1): TLV Basis Critical Effects: (lung cancer; pulmonary fibrosis)
- •Quartz (14808-60-7): TLV Basis Critical Effects: (lung cancer; pulmonary fibrosis)
- •Formaldehyde (50-00-0): TLV Basis Critical Effects: (eye and upper respiratory tract irritation)
- Nickel (7440-02-0): TLV Basis Critical Effects: (dermatitis; pneumoconiosis)
- •Chromium (7440-47-3): TLV Basis Critical Effects: (skin and upper respiratory tract irritation)
- •Cobalt (7440-48-4): BEIs: (15 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Cobalt (background); 1 µg/L Medium: blood Time: end of shift at end of workweek Parameter: Cobalt (background, semi-quantitative)) | TLV Basis - Critical Effects: (asthma; myocardial effects: pulmonary function)
- •NON-WETTING AGENT (Proprietary): TLV Basis Critical Effects: (pneumoconiosis) | Notice of Intended Changes (TLVs): (5 mg/m3 TWA (inhalable fraction, containing no aspestos and <1% crystalline silica); TLV basis: pneumoconiosis)

Exposure controls

Engineering Measures/Controls

 Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Collection systems must be designed and maintained to prevent the accumulation and recirculation of respirable silica into the workplace.

Personal Protective Equipment

Respiratory

For limited exposure use an N95 dust mask. For prolonged exposure use an airpurifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

Wear protective eyewear (goggles, face shield, or safety glasses).

Hands

· Wear appropriate gloves.

Skin/Body

Wear long sleeves and/or protective coveralls.

General Industrial Hygiene Considerations

Do not breathe dust. Avoid contact with skin, eyes or clothing. Do not remove dusts from clothing by blowing or shaking. Do not eat, drink or smoke during work. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Environmental Exposure Controls

Follow best practice for site management and disposal of waste. Dispose of in an approved landfill.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

STEV = Short Term Exposure Value

NIOSH = National Institute of Occupational Safety and Health

Time-Weighted Averages are based on 8h/day, 40h/week TWA

exposures TWAEV = Time-Weighted Average Exposure Value

OSHA = Occupational Safety and Health Administration STEL = Short Term Exposure Limits are based on 15-minute

exposures

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description					
Physical Form	Solid	Appearance/Description	Gray granular dry powder with an earthy odor.		
Color	Gray	Odor	Earthy		
Particulate Size	600 µ	Odor Threshold	No data available		

Preparation Date: 01/June/2014 Format: GHS Language: English (US) Revision Date: 30/April/2018 OSHA HCS 2012, WHMIS

General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	No data available
Specific Gravity/Relative Density	= 2.53 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	No data available		
Volatility		-	-
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	0 %
VOC (Vol.)	0 %		
Flammability		-	-
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity

• No dangerous reaction known under conditions of normal use.

Chemical stability

• Stable under normal temperatures and pressures.

Possibility of hazardous reactions

· Hazardous polymerization will not occur.

Conditions to avoid

· No data available

Incompatible materials

· No data available

Hazardous decomposition products

· No data available

Section 11 - Toxicological Information

Information on toxicological effects

	Components					
Titanium dioxide (1.4075% TO 1.895%)	13463-67- 7	Irritation: Skin-Human • 300 μg 3 Day(s)-Intermittent • Mild irritation; Tumorigen / Carcinogen: Inhalation-Rat TCLo • 250 mg/m³ 6 Hour(s) 2 Year(s)-Intermittent; Tumorigenic:Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors				
Cristobalite (0.43% TO 0.462%)	14464-46- 1	Acute Toxicity: Inhalation-Human TCLo • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Cough; Lungs, Thorax, or Respiration:Dyspnea; Multi-dose Toxicity: Inhalation-Mouse TCLo • 43 mg/m³ 5 Hour(s) 9 Day(s)-Intermittent; Lungs, Thorax, or Respiration:Pleural effusion; Lungs, Thorax, or Respiration:Other changes				
Silica, amorphous (2.795% TO 2.99%)	7631-86-9	Irritation: Eye-Rabbit • 25 mg 24 Hour(s) • Mild irritation				

DISPERSING AGENT 1 (< 0.1395%)

Proprietary

Acute Toxicity: Ingestion/Oral-Rat LD50 • 3120 mg/kg; Behavioral:Somnolence (general depressed

activity); Behavioral:Coma;

Irritation: Skin-Rabbit • 500 mg 24 Hour(s) • Moderate irritation

GHS Properties	Classification		
Acute toxicity	OSHA HCS 2012 • No data available		
Skin corrosion/Irritation	OSHA HCS 2012 • No data available		
Serious eye damage/Irritation	OSHA HCS 2012 • No data available		
Skin sensitization	OSHA HCS 2012 • No data available		
Respiratory sensitization	OSHA HCS 2012 • No data available		
Aspiration Hazard	OSHA HCS 2012 • No data available		
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A		
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available		
Toxicity for Reproduction	OSHA HCS 2012 • No data available		
STOT-SE	OSHA HCS 2012 • No data available		
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1		

Route(s) of entry/exposure

Medical Conditions Aggravated by Exposure **Potential Health Effects** Inhalation

· Inhalation, Skin, Eye, Ingestion

Any pre-existing conditions of the lungs. Disorders of the lungs.

Acute (Immediate)

Chronic (Delayed)

Nuisance dust may affect the lungs but reactions are typically reversible.

Chronic overexposure to dust containing respirable sized crystalline silica can cause delayed lung injury (silicosis). Inhalation of dust containing crystalline silica pulmonary diseases such as asthma and lung disorder associated with smoking.

Skin

Acute (Immediate)

Chronic (Delayed)

Exposure to dust may cause mechanical irritation.

No data available.

Eye

Acute (Immediate)

 Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

Chronic (Delayed)

No data available.

Ingestion

Acute (Immediate)

 Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

Chronic (Delayed)

Carcinogenic Effects

No data available.

May cause cancer. IARC studies have shown sufficient evidence from animal studies to categorize crystalline silica as a group 1 carcinogen.

Carcinogenic Effects						
	CAS	OSHA	IARC	NTP		
Formaldehyde	50-00-0	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Known Human Carcinogen		
Cobalt	7440-48-4	Not Listed	Group 2B-Possible Carcinogen	Not Listed		
Quartz	14808-60-7	Not Listed	Group 1-Carcinogenic	Known Human Carcinogen		

Nickel	7440-02-0	Not Listed	Group 2B-Possible Carcinogen	Reasonably Anticipated to be Human Carcinogen
Cristobalite	14464-46-1	Not Listed	Group 1-Carcinogenic	Not Listed
Titanium dioxide	13463-67-7	Not Listed	Group 2B-Possible Carcinogen	Not Listed

Key to abbreviations

LD = Lethal Dose

TC = Toxic Concentration

Section 12 - Ecological Information

Toxicity

· Material data lacking.

Persistence and degradability

· Material data lacking.

Bioaccumulative potential

Material data lacking.

Mobility in Soil

· Material data lacking.

Other adverse effects

· No studies have been found.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user

· None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Preparation Date: 01/June/2014

Revision Date: 30/April/2018

Page 12 of 21

Format: GHS Language: English (US)
OSHA HCS 2012, WHMIS

SARA Hazard Classifications • Chronic

	State Right To Know			
Component	CAS	MA	NJ	PA
Aluminum oxide	1344-28-1	Yes	Yes	Yes
Bauxite	1318-16-7	No	No	No
Calcium oxide	1305-78-8	Yes	Yes	Yes
Cobalt	7440-48-4	Yes	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes	Yes
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Yes	Yes	Yes
Formaldehyde	50-00-0	Yes	Yes	Yes
Iron oxide	1309-37-1	Yes	Yes	Yes
Nickel	7440-02-0	Yes	Yes	Yes
Quartz	14808-60-7	Yes	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes	Yes
DISPERSING AGENT 1	Proprietary	Yes	No	Yes

		Inventory	
Component	CAS	Canada DSL	TSCA
Aluminum oxide	1344-28-1	Yes	Yes
Bauxite	1318-16-7	No	No
Calcium oxide	1305-78-8	Yes	Yes
Cobalt	7440-48-4	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Yes	Yes
Formaldehyde	50-00-0	Yes	Yes
Iron oxide	1309-37-1	Yes	Yes
Nickel	7440-02-0	Yes	Yes
Quartz	14808-60-7	Yes	Yes
Silica, amorphous	7631-86-9	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes
DISPERSING AGENT 1	Proprietary	Yes	Yes

Canada

1 -6			
⊺Labor−			
Canada	- WHMIS -	Classifications	of Substance

Callada - Willimio - Classifications of Substances		
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
• Formaldehyde	50-00-0	A, B1, D1A, D2A, D2B; B3, D1A, D2A, D2B, E (regulated under Formol)
Calcium oxide	1305-78-8	E

Uncontrolled product according to WHMIS classification criteria
D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Titanium dioxide, mixture containing on Health Canada's WHMIS Division website.)
, 1 D2A, D2B
5 D2B
Uncontrolled product according to WHMIS classification criteria
D2A, D2B; B6, D2A (Raney)
D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Uncontrolled product according to WHMIS classification criteria
D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
ry Not Listed
7 1 %
0.1 %
3.1 %
1 1%
-7 Not Listed 4 0.1 %
5 1 % 1 1 %
0.1 %
-1 1%
-7 1 %
)- C

Environment

Canada - CEPA - Priority Substances List

DISPERSING AGENT 1 Proprietary
 Bauxite Not Listed
 1318-16-7 Not Listed

1	= 0.00.0	Priority Substance List 2
Formaldehyde	50-00-0	(substance considered toxic)
Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
• Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
Canada - CEPA - Schedule I - List of Toxic Substances		
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
Formaldehyde	50-00-0	
Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
• Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

United States

Labor U.S OSHA - Process Safety Management - Highly Hazardous Chemicals		
• DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
Formaldehyde	50-00-0	1000 lb TQ
Calcium oxide	1305-78-8	Not Listed
Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Nickel	7440-02-0	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S OSHA - Specifically Regulated Chemicals		
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
		2 ppm STEL (See 29 CFR
Formaldehyde	50-00-0	1910.1048, 15 min); 0.5 ppm Action Level (See 29 CFR 1910.1048); 0.75 ppm TWA (See 29 CFR 1910.1048)
Calcium oxide	1305-78-8	Not Listed

• Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
Environment		
U.S CAA (Clean Air Act) - 1990 Hazardous Air Pollutants		
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
Formaldehyde	50-00-0	
Calcium oxide	1305-78-8	Not Listed
Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities	Duranistan	NI-41 i-4- d
• DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
Formaldehyde	50-00-0	100 lb final RQ; 45.4 kg final RQ
Calcium oxide	1305-78-8	Not Listed
Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
		100 lb final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100
• Nickel	7440-02-0	μm); 45.4 kg final RQ (no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 μm)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs		
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed

Formaldehyde	50-00-0	100 lb EPCRA RQ	
Calcium oxide	1305-78-8	Not Listed	
• Iron oxide	1309-37-1	Not Listed	
Titanium dioxide	13463-67-7	Not Listed	
Cobalt	7440-48-4	Not Listed	
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed	
Aluminum oxide	1344-28-1	Not Listed	
• Nickel	7440-02-0	Not Listed	
Cristobalite	14464-46-1	Not Listed	
Silica, amorphous	7631-86-9	Not Listed	
• Quartz	14808-60-7	Not Listed	
U.S CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs			
DISPERSING AGENT 1	Proprietary	Not Listed	
Bauxite	1318-16-7	Not Listed	
Formaldehyde	50-00-0	500 lb TPQ	
Calcium oxide	1305-78-8	Not Listed	
Iron oxide	1309-37-1	Not Listed	
Titanium dioxide	13463-67-7	Not Listed	
Cobalt	7440-48-4	Not Listed	
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed	
Aluminum oxide	1344-28-1	Not Listed	
• Nickel	7440-02-0	Not Listed	
Cristobalite	14464-46-1	Not Listed	
Silica, amorphous	7631-86-9	Not Listed	
• Quartz	14808-60-7	Not Listed	
U.S CERCLA/SARA - Section 313 - Emission Reporting			
DISPERSING AGENT 1	Proprietary	Not Listed	
Bauxite	1318-16-7	Not Listed	
Formaldehyde	50-00-0	0.1 % de minimis concentration	
Calcium oxide	1305-78-8	Not Listed	
Iron oxide	1309-37-1	Not Listed	
Titanium dioxide	13463-67-7	Not Listed	
	= 440 40 4	0.1 % de minimis	
Cobalt	7440-48-4	concentration	
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed	
Aluminum oxide	1344-28-1	1.0 % de minimis concentration (fibrous forms)	
• Nickel	7440-02-0	0.1 % de minimis concentration	
Cristobalite	14464-46-1	Not Listed	
Silica, amorphous	7631-86-9	Not Listed	
• Quartz	14808-60-7	Not Listed	
U.S RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Ap			
DISPERSING AGENT 1	Proprietary	Not Listed	
Bauxite	1318-16-7	Not Listed	
Formaldehyde	50-00-0	Included in waste streams: K009, K010, K038, K040, K156, K157	
Calcium oxide	1305-78-8	Not Listed	
• Iron oxide	1309-37-1	Not Listed	
Titanium dioxide	13463-67-7	Not Listed	

Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	Included in waste streams: F006, F039
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
J.S RCRA (Resource Conservation & Recovery Act) - Constituents for De	etection Monitoring	
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
Formaldehyde	50-00-0	Not Listed
Calcium oxide	1305-78-8	Not Listed
Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Cobalt	7440-48-4	(total)
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	(total)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
J.S RCRA (Resource Conservation & Recovery Act) - D Series Wastes - I	May Conc of Contaminar	ate for the Toy Characteristi
DISPERSING AGENT 1	Proprietary	Not Listed
• Bauxite	1318-16-7	Not Listed
• Formaldehyde	50-00-0	Not Listed
Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
• Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Nickel	7440-02-0	Not Listed
• Cristobalite	14464-46-1	Not Listed
Silica, amorphous Quartz	7631-86-9 14808-60-7	Not Listed Not Listed
LO DODA (December Occupation & December Act). Hereadous Constitu	ands Ammander VIII 4- 4	0.050.004
J.S RCRA (Resource Conservation & Recovery Act) - Hazardous Constitu	• •	
DISPERSING AGENT 1 Payrite	Proprietary	Not Listed Not Listed
Bauxite Formaldehyde	1318-16-7	
• Formaldehyde	50-00-0	waste number U122
Calcium oxide Iran oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
• Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
		hazardous constituent - no
• Nickel	7440-02-0	waste number
	7440-02-0 14464-46-1	waste number Not Listed
NickelCristobaliteSilica, amorphous		

U.S RCRA (Resource Conservation & Recovery Act) - List for Hazardous C	onstituents	
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
Formaldehyde	50-00-0	Not Listed
Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
• Cobalt	7440-48-4	(total)
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
Nickel	7440-02-0	(total)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
Qualiz	14000-00-7	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - Phase 4 LDR Rule - U		
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
• Formaldehyde	50-00-0	Not Listed
Calcium oxide	1305-78-8	Not Listed
Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	3.98 mg/L (wastewater); 11.0 mg/L TCLP (nonwastewater)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed
U.S RCRA (Resource Conservation & Recovery Act) - TSD Facilities Ground	d Water Menitoring	
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
Formaldehyde	50-00-0	Not Listed
Calcium oxide		
	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
Titanium dioxide Cabalt	13463-67-7	Not Listed
Cobalt Dish carbaria acid acidium acit (4.4)	7440-48-4	(total)
Diphosphoric acid, sodium salt (1:4) Alaminum acids.	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	(total)
	1//6/ /6 1	Not Listed
Cristobalite	14464-46-1	
Silica, amorphous	7631-86-9	Not Listed
		Not Listed Not Listed
 Silica, amorphous Quartz U.S RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Act 	7631-86-9 14808-60-7	Not Listed
 Silica, amorphous Quartz U.S RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Act 	7631-86-9 14808-60-7 cutely Toxic Wastes & 0	Not Listed Other Hazardous
 Silica, amorphous Quartz U.S RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Ac Characteristics DISPERSING AGENT 1 	7631-86-9 14808-60-7 cutely Toxic Wastes & 0 <i>Proprietary</i>	Not Listed Other Hazardous Not Listed
 Silica, amorphous Quartz U.S RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Action Characteristics DISPERSING AGENT 1 Bauxite 	7631-86-9 14808-60-7 cutely Toxic Wastes & 0 <i>Proprietary</i> 1318-16-7	Not Listed Other Hazardous Not Listed Not Listed
 Silica, amorphous Quartz U.S RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Action Characteristics DISPERSING AGENT 1 Bauxite Formaldehyde 	7631-86-9 14808-60-7 cutely Toxic Wastes & 0 <i>Proprietary</i> 1318-16-7 50-00-0	Not Listed Other Hazardous Not Listed Not Listed waste number U122
 Silica, amorphous Quartz U.S RCRA (Resource Conservation & Recovery Act) - U Series Wastes - Act Characteristics DISPERSING AGENT 1 Bauxite 	7631-86-9 14808-60-7 cutely Toxic Wastes & 0 <i>Proprietary</i> 1318-16-7	Not Listed Other Hazardous Not Listed Not Listed

• Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

United States - California

Environment		
U.S California - Proposition 65 - Carcinogens List	5	
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
• Formaldehyde	50-00-0	carcinogen, initial date 1/1/88 (gas)
Calcium oxide	1305-78-8	Not Listed
Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	carcinogen, initial date 9/2/11 (airborne, unbound particles of respirable size)
• Cobalt	7440-48-4	carcinogen, initial date 7/1/92 (powder)
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	carcinogen, initial date 10/1/89 (metallic)
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	carcinogen, initial date 10/1/88 (airborne particles of respirable size)
U.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
DISPERSING AGENT 1	Proprietary	Not Listed
Bauxite	1318-16-7	Not Listed
Formaldehyde	50-00-0	40 μg/day NSRL (gas)
Calcium oxide	1305-78-8	Not Listed
• Iron oxide	1309-37-1	Not Listed
Titanium dioxide	13463-67-7	Not Listed
Cobalt	7440-48-4	Not Listed
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed
Aluminum oxide	1344-28-1	Not Listed
• Nickel	7440-02-0	Not Listed
Cristobalite	14464-46-1	Not Listed
Silica, amorphous	7631-86-9	Not Listed
• Quartz	14808-60-7	Not Listed

United States - Pennsylvania

Labor				
.S Pennsylvania - RTK (Right to Know) - Environmental Hazard List				
DISPERSING AGENT 1	Proprietary			
Bauxite	1318-16-7 Not Listed			
Formaldehyde	50-00-0			
Calcium oxide	1305-78-8 Not Listed			

• Iron oxide	1309-37-1	Not Listed	
Titanium dioxide	13463-67-7	Not Listed	
Cobalt	7440-48-4		
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed	
Aluminum oxide	1344-28-1		
Nickel	7440-02-0		
Cristobalite	14464-46-1	Not Listed	
Silica, amorphous	7631-86-9	Not Listed	
• Quartz	14808-60-7	Not Listed	
U.S Pennsylvania - RTK (Right to Know) - Special Hazardous Sub	stances		
DISPERSING AGENT 1	Proprietary	Not Listed	
Bauxite	1318-16-7	Not Listed	
Formaldehyde	50-00-0		
Calcium oxide	1305-78-8	Not Listed	
Iron oxide	1309-37-1	Not Listed	
Titanium dioxide	13463-67-7	Not Listed	
Cobalt	7440-48-4	Not Listed	
Diphosphoric acid, sodium salt (1:4)	7722-88-5	Not Listed	
Aluminum oxide	1344-28-1	Not Listed	
Nickel	7440-02-0		
Cristobalite	14464-46-1	Not Listed	
Silica, amorphous	7631-86-9	Not Listed	
• Quartz	14808-60-7	Not Listed	

Other Information

 WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information

Revision Date

Last Revision Date

Preparation Date

Disclaimer/Statement of Liability

30/April/2018

• 08/April/2015

• 01/June/2014

• The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key to abbreviations

NDA = No data available