

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : Reno Jet Cast NC 60 Z
 Product code : 182150

1.2. Recommended use and restrictions on use

Recommended use : Refractory Applications

1.3. Supplier

Reno Refractories, Inc.
 601 Reno Drive
 P.O. Box 201
 Morris, AL 35116 - United States
 T 205-647-0240 - F 205-647-6854
sales@r-ref.com - www.renorefractions.com

1.4. Emergency telephone number

Emergency number : 1-800-262-8200 CHEMTREC

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

| | |
|---|--|
| Skin sensitization, Category 1 | May cause an allergic skin reaction |
| Carcinogenicity Category 1A | May cause cancer |
| Specific target organ toxicity (repeated exposure) Category 1 | Causes damage to organs through prolonged or repeated exposure |

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

May cause an allergic skin reaction
 May cause cancer
 Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) :

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Do not breathe dust/fume/gas/mist/vapours/spray.
 Avoid breathing dust/fume/gas/mist/vapours/spray.
 Wash hands, forearms and face thoroughly after handling.
 Do not eat, drink or smoke when using this product.
 Contaminated work clothing must not be allowed out of the workplace.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If on skin: Wash with plenty of water.
 If exposed or concerned: Get medical advice/attention.
 Get medical advice/attention if you feel unwell.
 Specific treatment (see supplemental first aid instruction on this label).
 If skin irritation or rash occurs: Get medical advice/attention.
 Wash contaminated clothing before reuse.
 Store locked up.
 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

Reno Jet Cast NC 60 Z

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|--------------------|----------------------|---------------|--|
| Titanium dioxide | (CAS-No.) 13463-67-7 | 0.08 - 1.35 | Carc. 2, H351 |
| Crystalline silica | (CAS-No.) 14808-60-7 | 0.404 - 1.042 | Carc. 1A, H350 STOT RE 1, H372 |
| Nickel | (CAS-No.) 7440-02-0 | 0 - 0.17 | Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

Reno Jet Cast NC 60 Z

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
- Hygiene measures : Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| | |
|---|---|
| Reno Jet Cast NC 60 Z | |
| No additional information available | |
| Crystalline silica (14808-60-7) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Silica crystalline - quartz |
| ACGIH TWA (mg/m ³) | 0.025 mg/m ³ (Respirable fraction) |
| Remark (ACGIH) | TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen) |
| Regulatory reference | ACGIH 2019 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Quartz (Respirable) (Silica: Crystalline) |
| Remark (OSHA) | Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO ₂ +5)) for mppcf and (10 mg/m ³ / (%SiO ₂ +2)) for mg/m ³ . CAS No. source: eCFR Table Z-1. |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-3 Mineral Dusts |
| Titanium dioxide (13463-67-7) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| ACGIH TWA (mg/m ³) | 10 mg/m ³ |
| Remark (ACGIH) | TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) |
| Regulatory reference | ACGIH 2019 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Titanium dioxide (Total dust) |
| OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |
| Nickel (7440-02-0) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Nickel, elemental |
| ACGIH TWA (mg/m ³) | 1.5 mg/m ³ (Inhalable fraction) |
| Remark (ACGIH) | TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen) |
| Regulatory reference | ACGIH 2019 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Nickel |
| OSHA PEL (TWA) (mg/m ³) | 1 mg/m ³ metal and insoluble compounds (as Ni) 1 mg/m ³ soluble compounds (as Ni) |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.

Reno Jet Cast NC 60 Z

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---------------------|
| Physical state | : Solid |
| Color | : Gray |
| Odor | : Almost odourless |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : Not applicable |
| Relative evaporation rate (butyl acetate=1) | : No data available |
| Flammability (solid, gas) | : Non flammable. |
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : 2.53 |
| Solubility | : Water: < 0.1 % |
| Log Pow | : No data available |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : Not applicable |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

Reno Jet Cast NC 60 Z

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| Titanium dioxide (13463-67-7) | |
|-------------------------------|---|
| LD50 oral rat | > 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LC50 inhalation rat (mg/l) | > 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) |

| Nickel (7440-02-0) | |
|--------------------|--|
| LD50 oral rat | > 9000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral) |

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

| Crystalline silica (14808-60-7) | |
|---------------------------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |

| Titanium dioxide (13463-67-7) | |
|-------------------------------|--------------------------------------|
| IARC group | 2B - Possibly carcinogenic to humans |

| Nickel (7440-02-0) | |
|--|---|
| IARC group | 2B - Possibly carcinogenic to humans |
| National Toxicity Program (NTP) Status | Reasonably anticipated to be Human Carcinogen |

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

| Crystalline silica (14808-60-7) | |
|---------------------------------|---|
| STOT-repeated exposure | Causes damage to organs through prolonged or repeated exposure. |

| Nickel (7440-02-0) | |
|------------------------|---|
| STOT-repeated exposure | Causes damage to organs through prolonged or repeated exposure. |

Aspiration hazard : Not classified
Viscosity, kinematic : No data available
Symptoms/effects after skin contact : May cause an allergic skin reaction.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| Titanium dioxide (13463-67-7) | |
|-------------------------------|--|
| LC50 fish 1 | > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) |
| ErC50 (algae) | 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration) |

Reno Jet Cast NC 60 Z

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Nickel (7440-02-0) | |
|---------------------------|---|
| LC50 fish 1 | 15.3 mg/l (Other, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nickel ion) |

12.2. Persistence and degradability

| Crystalline silica (14808-60-7) | |
|--|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |

| Titanium dioxide (13463-67-7) | |
|--------------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |

| Nickel (7440-02-0) | |
|-------------------------------|---|
| Persistence and degradability | Biodegradability in soil: not applicable. Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |

12.3. Bioaccumulative potential

| Crystalline silica (14808-60-7) | |
|--|------------------------------------|
| Bioaccumulative potential | No bioaccumulation data available. |

| Titanium dioxide (13463-67-7) | |
|--------------------------------------|----------------------|
| Bioaccumulative potential | Not bioaccumulative. |

| Nickel (7440-02-0) | |
|-------------------------------|--|
| BCF other aquatic organisms 1 | 1555 (Other, Myrriophyllum sp., Fresh water, Experimental value, Nickel ion) |
| Log Pow | -0.57 (Estimated value) |
| Bioaccumulative potential | Potential for bioaccumulation ($500 \leq \text{BCF} \leq 5000$). |

12.4. Mobility in soil

| Crystalline silica (14808-60-7) | |
|--|---|
| Ecology - soil | No (test)data on mobility of the substance available. |

| Titanium dioxide (13463-67-7) | |
|--------------------------------------|-------------------------------------|
| Ecology - soil | Low potential for mobility in soil. |

| Nickel (7440-02-0) | |
|---------------------------|---|
| Ecology - soil | No (test)data on mobility of the substance available. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Reno Jet Cast NC 60 Z

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

| | |
|--|--------|
| Crystalline silica (14808-60-7) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Titanium dioxide (13463-67-7) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Nickel (7440-02-0) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 | |
| CERCLA RQ | 100 lb |

15.2. International regulations

CANADA

| | |
|---|--|
| Crystalline silica (14808-60-7) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Titanium dioxide (13463-67-7) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Nickel (7440-02-0) | |
| Listed on the Canadian DSL (Domestic Substances List) | |

EU-Regulations

National regulations

| | |
|---|--|
| Crystalline silica (14808-60-7) | |
| Listed on IARC (International Agency for Research on Cancer) | |
| Titanium dioxide (13463-67-7) | |
| Listed on IARC (International Agency for Research on Cancer) | |
| Nickel (7440-02-0) | |
| Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) | |

15.3. US State regulations

| Nickel (7440-02-0) | | | | No significant risk level (NSRL) | Maximum allowable dose level (MADL) |
|---|---|---|---|----------------------------------|-------------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | | |
| Yes | No | No | No | | |

| Component | State or local regulations |
|-------------------|--|
| Nickel(7440-02-0) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

Reno Jet Cast NC 60 Z

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Component | State or local regulations |
|--------------------------------|---|
| Titanium dioxide(13463-67-7) | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |
| Crystalline silica(14808-60-7) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 05/04/2020

Full text of H-phrases:

| | |
|------|--|
| H317 | May cause an allergic skin reaction |
| H350 | May cause cancer |
| H351 | Suspected of causing cancer |
| H372 | Causes damage to organs through prolonged or repeated exposure |

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.