

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 03/18/2019

## **SECTION 1: Identification**

### 1.1. Identification

Product form : Mixture

Trade name : Reno NC 60X

Product code : 182400

#### 1.2. Recommended use and restrictions on use

No additional information available

#### 1.3. Supplier

Reno Refractories, Inc.

601 Reno Drive

P.O. Box 201

Morris, AL 35116 - United States T 205-647-0240 - F 205-647-6854

#### 1.4. Emergency telephone number

Emergency number : 1-800-262-8200 CHEMTREC

## SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin sensitisation, Category 1 May cause an allergic skin reaction.

Carcinogenicity, Category 1A May cause cancer.

Specific target organ toxicity — Repeated exposure, Category 1 Causes damage to organs through prolonged or repeated exposure.

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labelling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : May cause an allergic skin reaction.

May cause cancer.

Causes damage to organs through prolonged or repeated exposure.

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash hands, forearms and face thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water/...

If exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label)

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation

## 2.3. Other hazards which do not result in classification

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

Not applicable

03/18/2019 EN (English) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier %		GHS US classification	
Silicon carbide	(CAS-No.) 409-21-2	4.68 - 9	Carc. 1B, H350	
Crystalline silica	(CAS-No.) 14808-60-7	0.3 - 1.04 Carc. 1A, H350 STOT RE 1, H372		
Titanium dioxide	(CAS-No.) 13463-67-7	0 - 0.2	Carc. 2, H351	
Nickel	(CAS-No.) 7440-02-0	0 - 0.12	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372	

Full text of hazard classes and H-statements : see section 16

## **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you

feel unwell. Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## **SECTION 5: Fire-fighting measures**

# 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

# 5.2. Specific hazards arising from the chemical

No additional information available

# 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not

breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

03/18/2019 EN (English) 2/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures

: Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Titanium dioxide (13463-67-7)					
ACGIH	Local name	Titanium dioxide			
ACGIH	ACGIH TWA (mg/m³)	10 mg/m <sup>3</sup>			
ACGIH	Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)			
ACGIH	Regulatory reference	ACGIH 2018			
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³			
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1			
Crystalline silica (1	4808-60-7)				
ACGIH	Local name	Silica crystaline - quartz			
ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (Respirable fraction)			
ACGIH	Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)			
ACGIH	Regulatory reference	ACGIH 2018			
OSHA	Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.			
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts			
Silicon carbide (409	9-21-2)				
ACGIH	Local name	Silicon carbide			
particulate matter containing crystalline silica) 0.1 fibers/cm³ (Respirable fi ratio ≥ 3:1, as determined b method at 400-450X magnifusing phase-contrast illumin 10 mg/m³ (Inhalable fraction particulate matter containing		3 mg/m³ (Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) 0.1 fibers/cm³ (Respirable fibers: length > 5 µm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination) 10 mg/m³ (Inhalable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica)			
ACGIH	Remark (ACGIH)	Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen)			
ACGIH	Regulatory reference	ACGIH 2018			
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)			
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1			

03/18/2019 EN (English) 3/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nickel (7440-02-0)				
ACGIH	Local name	Nickel, elemental		
ACGIH	ACGIH TWA (mg/m³)	1.5 mg/m³ (Inhalable fraction)		
ACGIH	Remark (ACGIH)	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)		
ACGIH	Regulatory reference	ACGIH 2018		
OSHA	OSHA PEL (TWA) (mg/m³)	1 mg/m³ metal and insoluble compounds (as Ni) 1 mg/m³ soluble compounds (as Ni)		
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		

## 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

## 8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

## Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Solid Colour : Grey

Odour : Almost odourless Odour threshold : No data available No data available рΗ Melting point : No data available Freezing point : Not applicable : No data available Boiling point Flash point : Not applicable Relative evaporation rate (butylacetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapour pressure : No data available : No data available Relative vapour density at 20 °C

Relative density : 2.53

Solubility : No data available Log Pow : No data available Auto-ignition temperature Not applicable Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic No data available Explosive limits : Not applicable Explosive properties : No data available Oxidising properties : No data available

03/18/2019 EN (English) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Titanium dioxide (13463-67-7)			
LD50 oral rat	> 5000 mg/kg bodyweight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))		
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))		

Silicon carbide (409-21-2)				
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)			
LD50 dermal rat > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)				
Nickel (7440-02-0)				
LD50 oral rat	> 9000 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)			

Skin corrosion/irritation	:	Not classified
Serious eve damage/irritation	:	Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

Titanium dioxide (13463-67-7)				
IARC group	2B - Possibly carcinogenic to humans			
Crystalline silica (14808-60-7)				
IARC group	1 - Carcinogenic to humans			
Silicon carbide (409-21-2)				
IARC group 2A - Probably carcinogenic to humans				
Nickel (7440-02-0)				
IARC group	2B - Possibly carcinogenic to humans			
National Toxicity Program (NTP) Status Reasonably anticipated to be Human Carcinogen				
Poproductive toxicity	· Not classified			

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

03/18/2019 EN (English) 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)				
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.				
Nickel (7440-02-0)				
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.			
Aspiration hazard	: Not classified			
/iscosity, kinematic	: No data available			
Symptoms/effects after skin contact	: May cause an allergic skin reaction.			
SECTION 12: Ecological informat	ion			
2.1. Toxicity				
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.			
Titanium dioxide (13463-67-7)				
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)			
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)			
Nickel (7440-02-0)				
LC50 fish 1	15.3 mg/l (Other, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, Nickel ion)			
12.2. Persistence and degradability				
Titanium dioxide (13463-67-7)				
Persistence and degradability	Biodegradability: not applicable.			
Chemical oxygen demand (COD)	Not applicable (inorganic)			
ThOD	Not applicable (inorganic)			
Crystalline silica (14808-60-7)				
Persistence and degradability	Biodegradability: not applicable.			
Biochemical oxygen demand (BOD)	Not applicable			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
BOD (% of ThOD)	Not applicable			
Silicon carbide (409-21-2)	and the same			
Persistence and degradability	Biodegradability: not applicable.			
Chemical oxygen demand (COD)	Not applicable			
ThOD	Not applicable			
BOD (% of ThOD)	Not applicable			
Nickel (7440-02-0)				
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.			
Chemical oxygen demand (COD)	Not applicable (inorganic)			
ThOD	Not applicable (inorganic)			
12.3. Bioaccumulative potential				
Titanium dioxide (13463-67-7)				
Bioaccumulative potential	Not bioaccumulative.			
Silicon carbide (409-21-2)				
Bioaccumulative potential	Bioaccumulation: not applicable.			
Nickel (7440-02-0)				
BCF other aquatic organisms 1	1555 (Other, Myrriophyllum sp., Fresh water, Experimental value, Nickel ion)			
23/18/2010	EN (English)			

03/18/2019 EN (English) 6/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nickel (7440-02-0)			
Log Pow -0.57 (Estimated value)			
Bioaccumulative potential Potential for bioaccumulation (500 ≤ BCF ≤ 5000).			

#### 12.4. Mobility in soil

Titanium dioxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	

Nickel (7440-02-0)		
Ecology - soil No (test)data on mobility of the substance available.		

#### 12.5. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

## **Department of Transportation (DOT)**

In accordance with DOT

Not applicable

#### **Transportation of Dangerous Goods**

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

# Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Crystalline silica (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Silicon carbide (409-21-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Nickel (7440-02-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313

CERCLA RQ 100 lb

### 15.2. International regulations

# CANADA

# Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

03/18/2019 EN (English) 7/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Crystalline silica (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

#### Silicon carbide (409-21-2)

Listed on the Canadian DSL (Domestic Substances List)

#### Nickel (7440-02-0)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

## **National regulations**

## Titanium dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

#### Crystalline silica (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

#### Silicon carbide (409-21-2)

Listed on IARC (International Agency for Research on Cancer)

## Nickel (7440-02-0)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

# 15.3. US State regulations

Nickel (7440-02-0)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silicon carbide(409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Nickel(7440-02-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

# **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 03/18/2019

#### Full text of H-statements:

H317	May cause an allergic skin reaction.
H350	May cause cancer.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

SDS US (GHS HazCom 2012)

03/18/2019 EN (English) 8/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

03/18/2019 EN (English) 9/9