

## Safety Data Sheet



### Section 1: Identification

#### Product identifier

- Product Name** • **Reno Jet Cast NC 70 AL**  
**Product Code** • 183800

#### Relevant identified uses of the substance or mixture and uses advised against

- Recommended use** • Refractory applications

#### Details of the supplier of the safety data sheet

- Manufacturer** • Reno Refractories, Inc.  
P O Box 201  
Morris, AL 35116  
United States  
www.renorefractories.com  
sales@renorefractories.com  
**Telephone (General)** • 205-647-0240

#### Emergency telephone number

- Manufacturer** • 1-800-262-8200 - CHEMTREC

### Section 2: Hazard Identification

#### United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

#### Classification of the substance or mixture

- OSHA HCS 2012** • Carcinogenicity 1A  
Specific Target Organ Toxicity Repeated Exposure 1

#### Label elements

OSHA HCS 2012

**DANGER**



- Hazard statements** • May cause cancer.  
Causes damage to organs through prolonged or repeated exposure.

#### Precautionary statements

- Prevention** • Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe dust.

Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves, clothing, and eye/face protection, .

**Response** • IF exposed or concerned: Get medical advice/attention.  
Get medical advice/attention if you feel unwell.

**Storage/Disposal** • Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

## Other hazards

### OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Canada

According to: WHMIS

## Classification of the substance or mixture

### WHMIS

- Other Toxic Effects - D2A

## Label elements

### WHMIS



### WHMIS

- Other Toxic Effects - D2A

## Other hazards

### WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

## Section 3 - Composition/Information on Ingredients

## Substances

- Material does not meet the criteria of a substance.

## Mixtures

Composition				
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive
Alumina Silicate	<i>Proprietary</i>	47.07% TO 52.56%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)
Aluminum oxide	CAS:1344-28 -1	17.31% TO 29.005%	Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week(s)	OSHA HCS 2012: Not Classified
Silica, amorphous	CAS:7631-86 -9	0.009% TO 15.58%	NDA	OSHA HCS 2012: Not Classified
Aluminum(III) silicate (2:1)	CAS:1302-76 -7	2.55% TO 6.65%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)
Non-Wetting Agent	<i>Proprietary</i>	0.94% TO 4.875%	Ingestion/Oral-Rat LD50 • 4250 mg/kg	OSHA HCS 2012: Not Classified
Amorphous silica fume	CAS:69012- 64-2	1% TO 4%	NDA	OSHA HCS 2012: STOT RE 1 (Lungs)
Quartz	CAS:14808- 60-7	0.15% TO 1.007%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs);

Amorphous/fused silica	CAS:60676-86-0	< 0.72%	NDA	OSHA HCS 2012: Not Classified
Carbon	Proprietary	< 0.5%	Ingestion/Oral-Rat LD50 • >15400 mg/kg Skin-Rabbit LD50 • >3 g/kg	OSHA HCS 2012: Carc. 2B
Titanium dioxide	CAS:13463-67-7	0.03% TO 0.3775%	NDA	OSHA HCS 2012: Carc. 2
Iron oxide	CAS:1309-37-1	< 0.360025%	NDA	OSHA HCS 2012: Not Classified
Cristobalite	CAS:14464-46-1	0.18% TO 0.208%	NDA	OSHA HCS 2012: Carc. 1A;
Setting Agent A	Proprietary	< 0.1684%	NDA	OSHA HCS 2012: Not Classified
Sodium hydroxide	CAS:1310-73-2	< 0.1575%	NDA	OSHA HCS 2012: Skin Corr. 1B; Eye Corr. 1
Limestone	CAS:1317-65-3	0.01% TO 0.145%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs, Inhl)
Calcium oxide	CAS:1305-78-8	< 0.115%	NDA	OSHA HCS 2012: Skin Irrit. 2; Eye Irrit. 2; STOT SE 3: Resp. Irrit.
1-Propene, homopolymer	CAS:9003-07-0	< 0.1%	Ingestion/Oral-Rat LD50 • >8 g/kg	OSHA HCS 2012: WHMIS:
Zirconium oxide	CAS:1314-23-4	< 0.085%	NDA	OSHA HCS 2012: Exposure limits
Setting Agent B	Proprietary	< 0.08%		OSHA HCS 2012: Exposure limits
Potassium oxide	CAS:12136-45-7	< 0.014%	NDA	OSHA HCS 2012: Exposure limits

## Section 4: First-Aid Measures

### Description of first aid measures

#### Inhalation

- Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention immediately.

#### Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes. If skin irritation occurs: Get medical advice/attention.

#### Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

#### Ingestion

- Rinse mouth. Do not give anything by mouth to an unconscious person. Get medical attention immediately.

### Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to material other than this product may have occurred.

## Section 5: Fire-Fighting Measures

### Extinguishing media

**Suitable Extinguishing Media** • Material is non-combustible. In case of fire use media as appropriate for surrounding fire.

**Unsuitable Extinguishing Media** • None known.

## Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards** • None known.

**Hazardous Combustion Products** • None known.

### Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

## Section 6 - Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** • Isolate hazard area and deny entry to unauthorized and/or unprotected personnel. Do not walk through spilled material. Ensure adequate ventilation to remove vapors, fumes, dust etc. Wear appropriate personal protective equipment, avoid direct contact.

**Emergency Procedures** • Ventilate closed spaces before entering. Isolate hazard area and deny entry to unauthorized and/or unprotected personnel.

### Environmental precautions

- No specific actions or treatments recommended related to exposure to this material.

### Methods and material for containment and cleaning up

**Containment/Clean-up Measures** • Avoid generating dust.  
 FOR SMALL SPILLS: Clean with a vacuum with a filtration system sufficient to remove and prevent recirculation of crystalline silica (a vacuum equipped with a high-efficiency particulate air (HEPA) filter is recommended).  
 FOR LARGE SPILLS: Use a fine spray or mist to control dust creation and carefully scoop or shovel into clean dry container for later reuse or disposal.  
 If, an appropriate vacuum is unavailable, only wet-clean-up methods should be used (i.e. misting). Moisture should be added as necessary to reduce exposure to airborne respirable silica dust.

## Section 7 - Handling and Storage

### Precautions for safe handling

**Handling** • Use good safety and industrial hygiene practices. Use only in well ventilated areas. Wear appropriate personal protective equipment, avoid direct contact. Wear long sleeves and/or protective coveralls. Do not breathe dust. Avoid contact with skin, eyes, and clothing. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Contaminated clothing must be vacuumed before removal. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash thoroughly after handling.

### Conditions for safe storage, including any incompatibilities

**Storage** • Store in a covered location. Keep container closed. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust accumulation.

## Section 8 - Exposure Controls/Personal Protection

### Control parameters

Exposure Limits/Guidelines						
Result	ACGIH	Canada Ontario	Canada Quebec	Mexico	NIOSH	

Silica, amorphous (7631-86-9)	TWAs	Not established	Not established	Not established	Not established	6 mg/m3 TWA
Limestone (1317-65-3)	STELs	Not established	Not established	Not established	20 mg/m3 STEL [PPT-CT]	Not established
	TWAs	Not established	Not established	10 mg/m3 TWAEV (Limestone, containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA VLE-PPT	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Titanium dioxide (13463-67-7)	STELs	Not established	Not established	Not established	20 mg/m3 STEL [PPT-CT] (as Ti)	Not established
	TWAs	10 mg/m3 TWA	10 mg/m3 TWA	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA VLE-PPT (as Ti)	Not established
Calcium oxide (1305-78-8)	TWAs	2 mg/m3 TWA	2 mg/m3 TWA	2 mg/m3 TWAEV	2 mg/m3 TWA VLE-PPT	2 mg/m3 TWA
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable particulate matter)	0.10 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.1 mg/m3 TWAEV (respirable dust)	0.1 mg/m3 TWA VLE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Sodium hydroxide (1310-73-2)	Ceilings	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling	2 mg/m3 Ceiling
Setting Agent A (Proprietary)	TWAs	10 mg/m3 TWA (inhalable particulate matter)	10 mg/m3 TWA (inhalable)	10 mg/m3 TWAEV (fume, as Mg)	10 mg/m3 TWA VLE-PPT (fume, as Mg)	Not established
Cristobalite (14464-46-1)	TWAs	0.025 mg/m3 TWA (respirable particulate matter)	0.05 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA VLE-PPT (respirable fraction)	0.05 mg/m3 TWA (respirable dust)
Iron oxide (1309-37-1)	STELs	Not established	Not established	Not established	10 mg/m3 STEL [PPT-CT] (as Fe)	Not established
	TWAs	5 mg/m3 TWA (respirable particulate matter)	5 mg/m3 TWA (respirable)	5 mg/m3 TWAEV (dust and fume, as Fe); 10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, regulated under Rouge, total dust)	5 mg/m3 TWA VLE-PPT	5 mg/m3 TWA (dust and fume, as Fe)
Carbon (Proprietary)	STELs	Not established	Not established	Not established	7 mg/m3 STEL [PPT-CT]	Not established
	TWAs	3 mg/m3 TWA (inhalable particulate matter)	3 mg/m3 TWA (inhalable)	3.5 mg/m3 TWAEV	3.5 mg/m3 TWA VLE-PPT	3.5 mg/m3 TWA; 0.1 mg/m3 TWA (Carbon black in presence of Polycyclic aromatic hydrocarbons, as

						PAH)
Amorphous/fused silica (60676-86-0)	TWAs	Not established	0.1 mg/m3 TWA (respirable)	0.1 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	0.1 mg/m3 TWA VLE-PPT; 10 mg/m3 TWA VLE-PPT (inhalable particulate); 3 mg/m3 TWA VLE-PPT (respirable particulate)	Not established
Amorphous silica fume (69012-64-2)	TWAs	Not established	2 mg/m3 TWA (respirable, listed under Silica fume)	2 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	2 mg/m3 TWA VLE-PPT; 10 mg/m3 TWA VLE-PPT (inhalable particulate); 3 mg/m3 TWA VLE-PPT (respirable particulate)	Not established
Aluminum oxide (1344-28-1)	TWAs	Not established	Not established	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust, as Al)	10 mg/m3 TWA VLE-PPT	Not established

**Exposure Limits/Guidelines (Con't.)**

	Result	OSHA
Limestone (1317-65-3)	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)
Titanium dioxide (13463-67-7)	TWAs	15 mg/m3 TWA (total dust)
Calcium oxide (1305-78-8)	TWAs	5 mg/m3 TWA
Quartz (14808-60-7)	TWAs	50 µg/m3 TWA (listed under Respirable crystalline silica)
Sodium hydroxide (1310-73-2)	TWAs	2 mg/m3 TWA
Setting Agent A (Proprietary)	TWAs	15 mg/m3 TWA (fume, total particulate)
Cristobalite (14464-46-1)	TWAs	50 µg/m3 TWA (listed under Respirable crystalline silica)
Iron oxide (1309-37-1)	TWAs	10 mg/m3 TWA (fume); 15 mg/m3 TWA (total dust, listed under Rouge); 5 mg/m3 TWA (respirable fraction, listed under Rouge)
Carbon (Proprietary)	TWAs	3.5 mg/m3 TWA
Aluminum oxide (1344-28-1)	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)

**Exposure Control Notations**

**Canada Ontario**

- Cristobalite (14464-46-1): **Designated Substances:** (0.05 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))
- Quartz (14808-60-7): **Designated Substances:** (0.10 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))

**Canada Quebec**

- Quartz (14808-60-7): **Carcinogens:** (C2 carcinogen - effect suspected in humans)

**ACGIH**

- Iron oxide (1309-37-1): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)
- Setting Agent A (Proprietary): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)
- Carbon (Proprietary): **Carcinogens:** (A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans)

- Titanium dioxide (13463-67-7): **Carcinogens:** (A4 - Not Classifiable as a Human Carcinogen)
- Cristobalite (14464-46-1): **Carcinogens:** (A2 - Suspected Human Carcinogen)
- Quartz (14808-60-7): **Carcinogens:** (A2 - Suspected Human Carcinogen)

**Exposure Limits Supplemental**

**OSHA**

- Cristobalite (14464-46-1): **Mineral Dusts:** ((1/2)(250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (1/2)(10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)
- Quartz (14808-60-7): **Mineral Dusts:** ((250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)
- Amorphous/fused silica (60676-86-0): **Mineral Dusts:** ((80)/(% SiO2) mg/m3 TWA; 20 mppcf TWA)
- Silica, amorphous (7631-86-9): **Mineral Dusts:** (20 mppcf TWA; (80)/(% SiO2) mg/m3 TWA)

**ACGIH**

- Calcium oxide (1305-78-8): **TLV Basis - Critical Effects:** (upper respiratory tract irritation)
- Iron oxide (1309-37-1): **TLV Basis - Critical Effects:** (pneumoconiosis)
- Setting Agent A (Proprietary): **TLV Basis - Critical Effects:** (metal fume fever; upper respiratory tract irritation)
- Sodium hydroxide (1310-73-2): **TLV Basis - Critical Effects:** (eye, skin and upper respiratory tract irritation)
- Carbon (Proprietary): **TLV Basis - Critical Effects:** (bronchitis)
- Titanium dioxide (13463-67-7): **TLV Basis - Critical Effects:** (lower respiratory tract irritation)
- Cristobalite (14464-46-1): **TLV Basis - Critical Effects:** (lung cancer; pulmonary fibrosis)
- Quartz (14808-60-7): **TLV Basis - Critical Effects:** (lung cancer; pulmonary fibrosis)

**Exposure controls**

**Engineering Measures/Controls**

- Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment). Collection systems must be designed and maintained to prevent the accumulation and recirculation of respirable silica into the workplace.

**Personal Protective Equipment**

**Respiratory**

- For limited exposure use an N95 dust mask. For prolonged exposure use an air-purifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

**Eye/Face**

- Wear protective eyewear (goggles, face shield, or safety glasses).

**Hands**

- Wear appropriate gloves.

**Skin/Body**

- Wear long sleeves and/or protective coveralls.

**General Industrial Hygiene Considerations**

- Do not breathe dust. Avoid contact with skin, eyes or clothing. Do not remove dusts from clothing by blowing or shaking. Do not eat, drink or smoke during work. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

**Environmental Exposure Controls**

- Follow best practice for site management and disposal of waste. Dispose of in an approved landfill.

**Key to abbreviations**

ACGIH = American Conference of Governmental Industrial Hygiene	STEL = Short Term Exposure Limits are based on 15-minute exposures
NIOSH = National Institute of Occupational Safety and Health	TWAEV = Time-Weighted Average Exposure Value
OSHA = Occupational Safety and Health Administration	TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

## Section 9 - Physical and Chemical Properties

### Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	Gray granular dry powder with an earthy odor.
Color	Gray	Odor	Earthy
Particulate Size	600 µ	Odor Threshold	No data available
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	pH	Not relevant
Specific Gravity/Relative Density	= 2.53 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	No data available		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	0 %
VOC (Vol.)	0 %		
Flammability			
Flash Point	Not relevant	UEL	Not relevant
LEL	Not relevant	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

## Section 10: Stability and Reactivity

### Reactivity

- No dangerous reaction known under conditions of normal use.

### Chemical stability

- Stable under normal temperatures and pressures.

### Possibility of hazardous reactions

- Hazardous polymerization will not occur.

### Conditions to avoid

- No data available

### Incompatible materials

- No data available

### Hazardous decomposition products

- No data available

## Section 11 - Toxicological Information

### Information on toxicological effects

Components		
Sodium hydroxide (< 0.1575%)	1310-73-2	<b>Irritation:</b> Eye-Rabbit • 50 µg 24 Hour(s) • Severe irritation; Skin-Rabbit • 500 mg 24 Hour(s) • Severe irritation



Limestone (0.01% TO 0.145%)	1317-65-3	<b>Multi-dose Toxicity:</b> Inhalation-Rat TCl <sub>o</sub> • 84 mg/m <sup>3</sup> 4 Hour(s) 40 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis (interstitial); Liver:Other changes; Kidney, Ureter, and Bladder:Other changes</i>
Carbon (< 0.5%)	Proprietary	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • >15400 mg/kg; <i>Behavioral:Somnolence (general depressed activity); Skin-Rabbit LD50 • &gt;3 g/kg;</i> <b>Tumorigen / Carcinogen:</b> Inhalation-Rat TCl <sub>o</sub> • 11600 µg/m <sup>3</sup> 18 Hour(s) 2 Year(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors</i>
Titanium dioxide (0.03% TO 0.3775%)	13463-67-7	<b>Irritation:</b> Skin-Human • 300 µg 3 Day(s)-Intermittent • Mild irritation; <b>Tumorigen / Carcinogen:</b> Inhalation-Rat TCl <sub>o</sub> • 250 mg/m <sup>3</sup> 6 Hour(s) 2 Year(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria; Lungs, Thorax, or Respiration:Tumors</i>
Silica, amorphous (0.009% TO 15.58%)	7631-86-9	<b>Irritation:</b> Eye-Rabbit • 25 mg 24 Hour(s) • Mild irritation
Non-Wetting Agent (0.94% TO 4.875%)	Proprietary	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • 4250 mg/kg; <i>Behavioral:Somnolence (general depressed activity); Behavioral:Ataxia; Lungs, Thorax, or Respiration:Respiratory depression;</i> <b>Reproductive:</b> Intraperitoneal-Mouse TDLo • 3200 mg/kg (9D preg); <i>Reproductive Effects:Effects on Fertility:Post-implantation mortality</i>

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • No data available
Skin corrosion/Irritation	OSHA HCS 2012 • No data available
Serious eye damage/Irritation	OSHA HCS 2012 • No data available
Skin sensitization	OSHA HCS 2012 • No data available
Respiratory sensitization	OSHA HCS 2012 • No data available
Aspiration Hazard	OSHA HCS 2012 • No data available
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available
Toxicity for Reproduction	OSHA HCS 2012 • No data available
STOT-SE	OSHA HCS 2012 • No data available
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1

**Target Organs**

- [[206]]

**Route(s) of entry/exposure**

- Inhalation, Skin, Eye, Ingestion

**Medical Conditions Aggravated by Exposure**

- Any pre-existing conditions of the lungs. Disorders of the lungs.

**Potential Health Effects**

**Inhalation**

**Acute (Immediate)**

- Nuisance dust may affect the lungs but reactions are typically reversible.

**Chronic (Delayed)**

- Chronic overexposure to dust containing respirable sized crystalline silica can cause delayed lung injury (silicosis). Inhalation of dust containing crystalline silica pulmonary diseases such as asthma and lung disorder associated with smoking.

**Skin**

**Acute (Immediate)**

- Exposure to dust may cause mechanical irritation.

**Chronic (Delayed)**

- No data available.

**Eye**

**Acute (Immediate)**

- Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

**Chronic (Delayed)**

- No data available.

**Ingestion**

- Acute (Immediate)**
  - Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.
- Chronic (Delayed)**
  - No data available.
- Carcinogenic Effects**
  - May cause cancer. IARC studies have shown sufficient evidence from animal studies to categorize crystalline silica as a group 1 carcinogen.

<b>Carcinogenic Effects</b>			
	<b>CAS</b>	<b>IARC</b>	<b>NTP</b>
Titanium dioxide	13463-67-7	Group 2B-Possible Carcinogen	Not Listed
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen
Cristobalite	14464-46-1	Group 1-Carcinogenic	Not Listed
Carbon	Proprietary	Group 2B-Possible Carcinogen	Not Listed

**Key to abbreviations**

- LD = Lethal Dose
- TC = Toxic Concentration
- TD = Toxic Dose

**Section 12 - Ecological Information**

**Toxicity**

- Material data lacking.

**Persistence and degradability**

- Material data lacking.

**Bioaccumulative potential**

- Material data lacking.

**Mobility in Soil**

- Material data lacking.

**Other adverse effects**

- No studies have been found.

**Section 13 - Disposal Considerations**

**Waste treatment methods**

- Product waste**
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

- Packaging waste**
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

**Section 14 - Transport Information**

	<b>UN number</b>	<b>UN proper shipping name</b>	<b>Transport hazard class (es)</b>	<b>Packing group</b>	<b>Environmental hazards</b>
<b>DOT</b>	NDA	Not Regulated	NDA	NDA	NDA
<b>TDG</b>	NDA	Not Regulated	NDA	NDA	NDA
<b>IATA/ICAO</b>	NDA	Not Regulated	NDA	NDA	NDA

**Special precautions for user** • None specified.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** • No data available

## Section 15 - Regulatory Information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**SARA Hazard Classifications** • Chronic

State Right To Know				
Component	CAS	MA	NJ	PA
1-Propene, homopolymer	9003-07-0	No	No	No
Aluminum oxide	1344-28-1	Yes	Yes	Yes
Aluminum(III) silicate (2:1)	1302-76-7	No	No	No
Amorphous/fused silica	60676-86-0	Yes	Yes	No
Non-Wetting Agent	<i>Proprietary</i>	No	No	No
Calcium oxide	1305-78-8	Yes	Yes	Yes
Carbon	<i>Proprietary</i>	Yes	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes	Yes
Setting Agent B	<i>Proprietary</i>	No	No	No
Iron oxide	1309-37-1	Yes	Yes	Yes
Limestone	1317-65-3	Yes	Yes	Yes
Setting Agent A	<i>Proprietary</i>	Yes	Yes	Yes
Alumina Silicate	<i>Proprietary</i>	No	No	No
Potassium oxide	12136-45-7	No	Yes	No
Quartz	14808-60-7	Yes	Yes	Yes
Amorphous silica fume	69012-64-2	No	No	No
Silica, amorphous	7631-86-9	Yes	Yes	Yes
Sodium hydroxide	1310-73-2	Yes	Yes	Yes
Titanium dioxide	13463-67-7	Yes	Yes	Yes
Zirconium oxide	1314-23-4	Yes	No	No

Inventory				
Component	CAS	Canada DSL	Canada NDSL	TSCA
1-Propene, homopolymer	9003-07-0	Yes	No	Yes
Aluminum oxide	1344-28-1	Yes	No	Yes
Aluminum(III) silicate (2:1)	1302-76-7	Yes	No	No
Amorphous/fused silica	60676-86-0	Yes	No	Yes
Non-Wetting Agent	<i>Proprietary</i>	Yes	No	Yes

Calcium oxide	1305-78-8	Yes	No	Yes
Carbon	Proprietary	Yes	No	Yes
Cristobalite	14464-46-1	Yes	No	Yes
Setting Agent B	Proprietary	Yes	No	Yes
Iron oxide	1309-37-1	Yes	No	Yes
Limestone	1317-65-3	No	Yes	Yes
Setting Agent A	Proprietary	Yes	No	Yes
Alumina Silicate	Proprietary	Yes	No	Yes
Potassium oxide	12136-45-7	Yes	No	Yes
Quartz	14808-60-7	Yes	No	Yes
Amorphous silica fume	69012-64-2	Yes	No	Yes
Silica, amorphous	7631-86-9	Yes	No	Yes
Sodium hydroxide	1310-73-2	Yes	No	Yes
Titanium dioxide	13463-67-7	Yes	No	Yes
Zirconium oxide	1314-23-4	Yes	No	Yes

## Canada

### Labor

#### Canada - WHMIS 1988 - Classifications of Substances

• Potassium oxide	12136-45-7	E	Uncontrolled product according to WHMIS classification criteria
• Setting Agent B	Proprietary		
• Non-Wetting Agent	Proprietary		Not Listed
• Alumina Silicate	Proprietary		Not Listed
• Amorphous silica fume	69012-64-2		Not Listed
• Calcium oxide	1305-78-8	E	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Carbon Black, non-respirable on Health Canada's WHMIS Division website.)
• Carbon	Proprietary		Uncontrolled product according to WHMIS classification criteria
• Iron oxide	1309-37-1		Uncontrolled product according to WHMIS classification criteria
• Setting Agent A	Proprietary		E (including 0.04% in aqueous solution, 0.04N, 0.08%, 0.4% in aqueous solution, 2%, 2.5%, 4% in aqueous solution, 5%, 10%, 16%, 20%, 40%, 50% in aqueous solution, 8.7N)
• Sodium hydroxide	1310-73-2		D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Titanium dioxide, mixture containing on Health
• Titanium dioxide	13463-67-7		

• Aluminum oxide	1344-28-1	Canada's WHMIS Division website.) Uncontrolled product according to WHMIS classification criteria
• Limestone	1317-65-3	D2A D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
• Cristobalite	14464-46-1	Uncontrolled product according to WHMIS classification criteria
• Silica, amorphous	7631-86-9	Uncontrolled product according to WHMIS classification criteria
• Amorphous/fused silica	60676-86-0	Uncontrolled product according to WHMIS classification criteria
• Zirconium oxide	1314-23-4	Uncontrolled product according to WHMIS classification criteria D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
• Quartz	14808-60-7	Uncontrolled product according to WHMIS classification criteria
• 1-Propene, homopolymer	9003-07-0	Not Listed
• Aluminum(III) silicate (2:1)	1302-76-7	Not Listed

**Canada - WHMIS 1988 - Ingredient Disclosure List**

• Potassium oxide	12136-45-7	Not Listed
• Setting Agent B	<i>Proprietary</i>	Not Listed
• Non-Wetting Agent	<i>Proprietary</i>	Not Listed
• Alumina Silicate	<i>Proprietary</i>	Not Listed
• Amorphous silica fume	69012-64-2	Not Listed
• Calcium oxide	1305-78-8	1 %
• Carbon	<i>Proprietary</i>	1 %
• Iron oxide	1309-37-1	1 %
• Setting Agent A	<i>Proprietary</i>	1 %
• Sodium hydroxide	1310-73-2	1 %
• Titanium dioxide	13463-67-7	Not Listed
• Aluminum oxide	1344-28-1	1 %
• Limestone	1317-65-3	Not Listed
• Cristobalite	14464-46-1	1 %
• Silica, amorphous	7631-86-9	1 %
• Amorphous/fused silica	60676-86-0	1 %
• Zirconium oxide	1314-23-4	Not Listed
• Quartz	14808-60-7	1 %
• 1-Propene, homopolymer	9003-07-0	Not Listed
• Aluminum(III) silicate (2:1)	1302-76-7	Not Listed

## United States

### Environment

#### U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Potassium oxide	12136-45-7	Not Listed
• Setting Agent B	<i>Proprietary</i>	Not Listed
• Non-Wetting Agent	<i>Proprietary</i>	Not Listed
• Alumina Silicate	<i>Proprietary</i>	Not Listed
• Amorphous silica fume	69012-64-2	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Carbon	<i>Proprietary</i>	Not Listed
• Iron oxide	1309-37-1	Not Listed
• Setting Agent A	<i>Proprietary</i>	Not Listed
• Sodium hydroxide	1310-73-2	1000 lb final RQ; 454 kg final RQ
• Titanium dioxide	13463-67-7	Not Listed
• Aluminum oxide	1344-28-1	Not Listed
• Limestone	1317-65-3	Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Zirconium oxide	1314-23-4	Not Listed
• Quartz	14808-60-7	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
• Aluminum(III) silicate (2:1)	1302-76-7	Not Listed

#### U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Potassium oxide	12136-45-7	Not Listed
• Setting Agent B	<i>Proprietary</i>	Not Listed
• Non-Wetting Agent	<i>Proprietary</i>	Not Listed
• Alumina Silicate	<i>Proprietary</i>	Not Listed
• Amorphous silica fume	69012-64-2	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Carbon	<i>Proprietary</i>	Not Listed
• Iron oxide	1309-37-1	Not Listed
• Setting Agent A	<i>Proprietary</i>	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Titanium dioxide	13463-67-7	Not Listed
• Aluminum oxide	1344-28-1	1.0 % de minimis concentration (fibrous forms)
• Limestone	1317-65-3	Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Zirconium oxide	1314-23-4	Not Listed
• Quartz	14808-60-7	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
• Aluminum(III) silicate (2:1)	1302-76-7	Not Listed

## United States - California

### Environment

#### U.S. - California - Proposition 65 - Carcinogens List

• Potassium oxide	12136-45-7	Not Listed
-------------------	------------	------------

• Setting Agent B	<i>Proprietary</i>	Not Listed
• Non-Wetting Agent	<i>Proprietary</i>	Not Listed
• Alumina Silicate	<i>Proprietary</i>	Not Listed
• Amorphous silica fume	69012-64-2	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Carbon	<i>Proprietary</i>	carcinogen, 2/21/2003 (airborne, unbound particles of respirable size)
• Iron oxide	1309-37-1	Not Listed
• Setting Agent A	<i>Proprietary</i>	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Titanium dioxide	13463-67-7	carcinogen, 9/2/2011 (airborne, unbound particles of respirable size)
• Aluminum oxide	1344-28-1	Not Listed
• Limestone	1317-65-3	Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Zirconium oxide	1314-23-4	Not Listed
• Quartz	14808-60-7	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
• Aluminum(III) silicate (2:1)	1302-76-7	Not Listed

**United States - Pennsylvania**

**Labor**

**U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Potassium oxide	12136-45-7	Not Listed
• Setting Agent B	<i>Proprietary</i>	Not Listed
• Non-Wetting Agent	<i>Proprietary</i>	Not Listed
• Alumina Silicate	<i>Proprietary</i>	Not Listed
• Amorphous silica fume	69012-64-2	Not Listed
• Calcium oxide	1305-78-8	Not Listed
• Carbon	<i>Proprietary</i>	Not Listed
• Iron oxide	1309-37-1	Not Listed
• Setting Agent A	<i>Proprietary</i>	Not Listed
• Sodium hydroxide	1310-73-2	
• Titanium dioxide	13463-67-7	Not Listed
• Aluminum oxide	1344-28-1	
• Limestone	1317-65-3	Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Zirconium oxide	1314-23-4	Not Listed
• Quartz	14808-60-7	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
• Aluminum(III) silicate (2:1)	1302-76-7	Not Listed

**U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances**

• Potassium oxide	12136-45-7	Not Listed
• Setting Agent B	<i>Proprietary</i>	Not Listed
• Non-Wetting Agent	<i>Proprietary</i>	Not Listed
• Alumina Silicate	<i>Proprietary</i>	Not Listed
• Amorphous silica fume	69012-64-2	Not Listed

• Calcium oxide	1305-78-8	Not Listed
• Carbon	<i>Proprietary</i>	
• Iron oxide	1309-37-1	Not Listed
• Setting Agent A	<i>Proprietary</i>	Not Listed
• Sodium hydroxide	1310-73-2	Not Listed
• Titanium dioxide	13463-67-7	Not Listed
• Aluminum oxide	1344-28-1	Not Listed
• Limestone	1317-65-3	Not Listed
• Cristobalite	14464-46-1	Not Listed
• Silica, amorphous	7631-86-9	Not Listed
• Amorphous/fused silica	60676-86-0	Not Listed
• Zirconium oxide	1314-23-4	Not Listed
• Quartz	14808-60-7	Not Listed
• 1-Propene, homopolymer	9003-07-0	Not Listed
• Aluminum(III) silicate (2:1)	1302-76-7	Not Listed

## Other Information

- **WARNING:** This product contains a chemical known to the State of California to cause cancer.

### Section 16 - Other Information

<b>Revision Date</b>	• 01/May/2018
<b>Last Revision Date</b>	• 08/May/2017
<b>Preparation Date</b>	• 01/June/2009
<b>Disclaimer/Statement of Liability</b>	• The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories <b>MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.</b> User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### Key to abbreviations

NDA = No data available