

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/16/2019

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Trade name	: Reno NC Gun 6044		
Product code	: 188200		
1.2. Recommended use and restrictio	ns on use		
Recommended use	: Refractory Applications		
1.3. Supplier			
Reno Refractories, Inc.			
601 Reno Drive			
P.O. Box 201			
Morris, AL 35116 - United States			
T 205-647-0240 - F 205-647-6854			
1.4. Emergency telephone number			
Emergency number	: 1-800-262-8200 CHEMTREC		
SECTION 2: Horord/a) identificatio			
SECTION 2: Hazard(s) identificatio			
2.1. Classification of the substance of	r mixture		
GHS-US classification			
Carcinogenicity Category 1A	May cause cancer		
2.2. GHS Label elements, including p	recautionary statements		
GHS US labeling			
Hazard pictograms (GHS US)	:		
Signal word (GHS US)	: Danger		
Hazard statements (GHS US)	: May cause cancer		
Precautionary statements (GHS US)	: Obtain special instructions before u	use.	
	Do not handle until all safety preca		
	Wear protective gloves/protective of If exposed or concerned: Get medi		
	Store locked up.		
			Il waste collection point, in accordance
	with local, regional, national and/or	milemational regu	
2.3. Other hazards which do not resul	t in classification		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
	tion on ingradiante		
SECTION 3: Composition/Informat			
3.1. Substances			
Not applicable			
3.2. Mixtures			
	Product identifier	%	GHS-US classification
Name			
Silicon carbide	(CAS-No.) 409-21-2	10.5 - 15.2	Carc. 1B, H350
Silicon carbide Pitch	(CAS-No.) 409-21-2 (CAS-No.) 61789-60-4	1 - 2	Carc. 1B, H350
Silicon carbide	(CAS-No.) 409-21-2		,

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects	s (acute and delayed)
No additional information available	
4.3. Immediate medical attention and spec	sial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishin	ig media
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Specific hazards arising from the che	mical
No additional information available	
5.3. Special protective equipment and pre	cautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measure	ures
6.1. Personal precautions, protective equi	pment and emergency procedures
6.1.1. For non-emergency personnel	
	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	s if product enters sewers or public waters.
6.3. Methods and material for containment	t and cleaning up
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
<b>SECTION 8: Exposure controls/perso</b>	nal protection
8.1. Control parameters	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystelling silies (14	909 60 7)	
Crystalline silica (14 ACGIH	Local name	Silica crystaline - quartz
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (Respirable fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Pitch (61789-60-4)		
Not applicable		
Titanium dioxide (13	463-67-7)	
ACGIH	Local name	Titanium dioxide
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m³
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Silicon carbide (409-	-21-2)	
ACGIH	Local name	Silicon carbide
ACGIH	ACGIH TWA (mg/m³)	<ul> <li>3 mg/m³ (Respirable fraction. The value is for particulate matter containing no asbestos and &lt; 1% crystalline silica)</li> <li>0.1 fibers/cm³ (Respirable fibers: length &gt; 5 μm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination)</li> <li>10 mg/m³ (Inhalable fraction. The value is for particulate matter containing no asbestos and &lt; 1% crystalline silica)</li> </ul>
ACGIH	Remark (ACGIH)	Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

## 8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.

: Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **Respiratory protection:**

#### Wear respiratory protection. **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : Solid Color : Dark grey to black Odor : Almost odourless : No data available Odor threshold : No data available pН Melting point : No data available Freezing point : Not applicable Boiling point : No data available Flash point : Not applicable Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available : No data available Relative vapor density at 20 °C : 2.53 Relative density : Water: < 0.1 % Solubility Log Pow : No data available Auto-ignition temperature : Not applicable : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosion limits : Not applicable Explosive properties : No data available Oxidizing properties : No data available 9.2. **Other information**

### VOC content

: 0 %

SECTIO	DN 10: Stability and reactivity
10.1.	Reactivity
The prod	uct is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability
Stable un	der normal conditions.
10.3.	Possibility of hazardous reactions
	erous reactions known under normal conditions of use.
10.4.	Conditions to avoid
None und	ler recommended storage and handling conditions (see section 7).
10.5.	Incompatible materials
No additi	onal information available
10.6.	Hazardous decomposition products
	rmal conditions of storage and use, hazardous decomposition products should not be produced.
SECTIO	DN 11: Toxicological information
11.1.	Information on toxicological effects
Acute tox	icity (oral) : Not classified
Acute tox	icity (dermal) : Not classified
Acute tox	icity (inhalation) : Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Silicon carbide (409-21-2)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat Female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Crystalline silica (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
Silicon carbide (409-21-2)	
IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Crystalline silica (14808-60-7) Specific target organ toxicity – repeated	Causes damage to organs through prolonged or repeated exposure.
exposure	
Aspiration hazard	: Not classified
/iscosity, kinematic	: No data available
SECTION 12: Ecological information	
2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Titanium dioxide (13463-67-7)	
LC50 fish 1	<ul> <li>&gt; 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)</li> </ul>
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
2.2. Persistence and degradability	
Crystalline silica (14808-60-7)	
	Biodegradability: not applicable.
Persistence and degradability	Biodegradability. Not applicable.
Persistence and degradability Biochemical oxygen demand (BOD)	Not applicable
Biochemical oxygen demand (BOD)	Not applicable

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7)	
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Silicon carbide (409-21-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Titanium dioxide (13463-67-7)		
Bioaccumulative potential Not bioaccumulative.		
Silicon carbide (409-21-2)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
12.4. Mobility in soil		
Titanium dioxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	

# 12.5. Other adverse effects

No additional information available

<b>SECTION 13: Disposal consideratio</b>	ns
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
<b>SECTION 14: Transport information</b>	
Department of Transportation (DOT) In accordance with DOT	
Not applicable	
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Not applicable	
Air transport	
Not applicable	

SECTION 15: Regulatory information
15.1. US Federal regulations
Crystalline silica (14808-60-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Pitch (61789-60-4)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Titanium dioxide (13463-67-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Silicon carbide (409-21-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### CANADA

### Crystalline silica (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

### Pitch (61789-60-4)

Listed on the Canadian DSL (Domestic Substances List)

#### Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

### Silicon carbide (409-21-2)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

### **National regulations**

Crystalline silica (14808-60-7)	
Listed on IARC (International Agency for Research on Cancer)	
Titanium dioxide (13463-67-7)	
Listed on IARC (International Agency for Research on Cancer)	
Silicon carbide (409-21-2)	
Listed on IARC (International Agency for Research on Cancer)	

15.3. US State regulations

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silicon carbide(409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 04/16/2019

#### Full text of H-phrases:

H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure

#### SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.