## **Safety Data Sheet**



**Section 1: Identification** 

Product identifier	
Product Name	Reno NC 90 SIC
Product Code •	188300
Relevant identified uses o	f the substance or mixture and uses advised against
Recommended use •	Refractory applications
Details of the supplier of the	he safety data sheet
Manufacturer •	Reno Refractories, Inc.
	P O Box 201 Morris, AL 35116 United States www.renorefractories.com sales@renorefractories.com
Telephone (General) •	205-647-0240
Emergency telephone nur	nber
Manufacturer •	1-800-262-8200 - CHEMTREC

### **Section 2: Hazard Identification**

#### **United States (US)** According to: OSHA 29 CFR 1910.1200 HCS

#### Classification of the substance or mixture

OSHA HCS 2012	<ul> <li>Skin Sensitization 1         Germ Cell Mutagenicity 1A         Carcinogenicity 1A         Reproductive Toxicity 1A         Specific Target Organ Toxicity Repeated Exposure 1</li> </ul>
	opecine rarger organ roxietty repeated Exposure

Label elements **OSHA HCS 2012** 

DANGER



Hazard statements • May cause an allergic skin reaction May cause genetic defects. May cause cancer. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure.

Precautionary statements	
Prevention •	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, clothing , and eye/face protection , .
Response •	If on skin: Wash with plenty of water . Wash contaminated clothing before reuse. Specific treatment, see supplemental first aid information. If skin irritation or rash occurs: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.
Storage/Disposal •	Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
Other hazards	
OSHA HCS 2012 •	Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

### Canada

According to: WHMIS

Classification of the su	ibstance or mixture					
WHMIS	Other Toxic Effects - D2A     Other Toxic Effects - D2B					
Label elements						
WHMIS	· (T)					
WHMIS	Other Toxic Effects - D2A     Other Toxic Effects - D2B					
Other hazards						
WHMIS	<ul> <li>In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).</li> </ul>					

## Section 3 - Composition/Information on Ingredients

#### Substances

• Material does not meet the criteria of a substance.

### Mixtures

	Composition			
Chemical Name	Identifiers	%	1 D50/1 C50	Classifications According to Regulation/Directive
Silicon carbide	CAS:409-21-2	76.92% TO 87.4%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)

Aluminum oxide	<b>CAS</b> :1344-28- 1	5.94% TO 9%	Inhalation-Rat LC50 • 0.2 mg/L 5 Hour(s) 28 Week(s)	OSHA HCS 2012: Not Classified
Amorphous silica fume	<b>CAS</b> :69012- 64-2	0.6% TO 4%	NDA	OSHA HCS 2012: STOT RE 1 (Lungs)
Resinous Carbon	Proprietary	1% TO 3%	NDA	<b>OSHA HCS 2012:</b> Skin Sens. 1; Repr. 1A; Carc. 1A; Muta. 1A;
Metal	Proprietary	0.997% TO 3%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs, Inhl)
Mullite	<b>CAS</b> :1302-93- 8	0.87% TO 1.74%	NDA	OSHA HCS 2012: STOT RE 2 (Lungs)
Silica, amorphous	<b>CAS:</b> 7631-86- 9	< 0.26%	NDA	OSHA HCS 2012: Not Classified
Chemical 1	Proprietary	< 0.0588%	NDA	OSHA HCS 2012: Exposure limits
Quartz	<b>CAS</b> :14808- 60-7	< 0.004%	NDA	OSHA HCS 2012: Exposure limits
Cristobalite	<b>CAS</b> :14464- 46-1	< 0.003%	NDA	OSHA HCS 2012: Exposure limits
Benzo(a)pyrene	CAS:50-32-8	< 0.0015%	NDA	OSHA HCS 2012: Exposure limits

### Section 4: First-Aid Measures

#### **Description of first aid measures** Inhalation Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Skin In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention. Eye In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. • Rinse mouth. Do not give anything by mouth to an unconscious person. Ingestion Most important symptoms and effects, both acute and delayed • Refer to Section 11 - Toxicological Information. Indication of any immediate medical attention and special treatment needed Notes to Physician All treatments should be based on observed signs and symptoms of distress in thepatient. Consideration should be given to the possibility that overexposure to materialsother than this product may have occurred. Section 5: Fire-Fighting Measures

#### **Extinguishing media**

Suitable Extinguishing Media	<ul> <li>This product does not burn or support combustion. Use extinguishing agent suitable for type of surrounding fire.</li> </ul>
Unsuitable Extinguishing Media	None known.
Special hazards arising	from the substance or mixture
Unusual Fire and Explosion Hazards	None known.
Hazardous Combustion	None known.

Advice for firefighters

Products

Structural firefighters' protective clothing will only provide limited protection. Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection. Wear positive pressure self-contained breathing apparatus (SCBA).

#### **Section 6 - Accidental Release Measures**

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	<ul> <li>Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not walk through spilled material. Ventilate enclosed areas.</li> </ul>
Emergency Procedures	<ul> <li>As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. Keep unauthorized personnel away. Stay upwind.</li> </ul>
Environmental precau	tions
	No specific actions or treatments recommended related to exposure to this material.
Methods and material	for containment and cleaning up
Containment/Clean-up	Avoid generating dust.

#### Measures • Avoid generating dust. Wet down material before clean-up. Use vacuums with high-efficiency particulate air (HEPA) filters or wet-sweeping for clean-up. Never dry sweep or blow dust with compressed air.

#### Section 7 - Handling and Storage

#### Precautions for safe handling

Handling

• Use good safety and industrial hygiene practices. Use only in well ventilated areas. Wear appropriate personal protective equipment, avoid direct contact. Wear long sleeves and/or protective coveralls. Do not breathe dust. Avoid contact with skin, eyes, and clothing. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Contaminated clothing must be vacuumed before removal. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash thoroughly after handling.

#### Conditions for safe storage, including any incompatibilities

Storage

• Store in a covered location. Keep container closed. Keep from freezing. Storage and work area should be periodically cleaned to minimize dust accumulation.

## **Section 8 - Exposure Controls/Personal Protection**

#### **Control parameters**

	Exposure Limits/Guidelines					
	Result	ACGIH	Canada Manitoba	Canada Ontario	Canada Quebec	Mexico
	Designated Substances	Not established	Present	Not established	Not established	Not established
Benzo(a)pyrene (50-32-8)	TWAs	Not established	Not established	exposure by all routes should be carefully controlled to levels as low as possible	0.005 mg/m3 TWAEV	Not established
Cristobalite (14464-46-1)	TWAs	0.025 mg/m3 TWA (respirable fraction)	Not established	0.05 mg/m3 TWA (designated substances regulation, respirable, listed	0.05 mg/m3 TWAEV (respirable dust)	0.05 mg/m3 TWA LMPE-PPT (respirable fraction)

		1		under Silica, crystalline)		
Quartz (14808-60-7)	TWAs	0.025 mg/m3 TWA (respirable fraction)	Not established	0.10 mg/m3 TWA (designated substances regulation, respirable, listed under Silica, crystalline)	0.1 mg/m3 TWAEV (respirable dust)	0.1 mg/m3 TWA LMPE-PPT (respirable fraction)
Chemical 1 (Proprietary)	TWAs	10 mg/m3 TWA (inhalable fraction)	Not established	10 mg/m3 TWA (inhalable)	10 mg/m3 TWAEV (fume, as Mg)	10 mg/m3 TWA LMPE-PPT (fume, as Mg)
Amorphous silica fume (69012-64-2)	TWAs	Not established	Not established	2 mg/m3 TWA (respirable, listed under Silica fume)	2 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, respirable dust)	2 mg/m3 TWA LMPE- PPT; 10 mg/m3 TWA LMPE-PPT (inhalable particulate); 3 mg/m3 TWA LMPE-PPT (respirable particulate)
Metal (Proprietary)	TWAs	1 mg/m3 TWA (respirable fraction)	Not established	1 mg/m3 TWA (respirable)	10 mg/m3 TWAEV	10 mg/m3 TWA LMPE-PPT (dust)
Resinous Carbon (Proprietary)	TWAs	Not established	Not established	Not established	Not established	10 mg/m3 TWA LMPE-PPT
Aluminum oxide (1344-28-1)	TWAs	1 mg/m3 TWA (respirable fraction) as Aluminum insoluble compounds	Not established	1 mg/m3 TWA (respirable) as Aluminum insoluble compounds	10 mg/m3 TWAEV (containing no Asbestos and <1% Crystalline silica, total dust, as Al)	10 mg/m3 TWA LMPE-PPT
	STELs	Not established	Not established	Not established	Not established	20 mg/m3 STEL [LMPE-CT]
Silicon carbide (409-21-2)	TWAs	10 mg/m3 TWA (nonfibrous, inhalable fraction, particulate matter containing no asbestos and <1% crystalline silica); 3 mg/m3 TWA (nonfibrous, respirable fraction, particulate matter containing no asbestos and <1% crystalline silica); 0.1 fiber/cm3 TWA (as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination., respirable fibers, including whiskers, length >5 µm, aspect ratio >=3:1)	Not established	10 mg/m3 TWA (non- fibrous, containing no Asbestos and <1% Crystalline silica, inhalable); 3 mg/m3 TWA (non- fibrous, containing no Asbestos and <1% Crystalline silica, respirable); 0.1 fibre/cm3 TWA (fibrous, including whiskers, fibres >5 μm in length and an aspect ratio >=3:1 as determined by the membrane filter method at 400-450 times magnification (4-mm objective), using phase- contrast illumination, respirable)	10 mg/m3 TWAEV (non fibrous, containing no Asbestos and <1% Crystalline silica, total dust)	10 mg/m3 TWA LMPE-PPT

Exposure Limits/Guidelines (Con't.)				
	Result	NIOSH	OSHA	
Benzo(a)pyrene (50-32-8)	TWAs	Not established	0.2 mg/m3 TWA (listed under Coal tar pitch volatiles)	
Cristobalite (14464-46-1)	TWAs	0.05 mg/m3 TWA (respirable dust)	Not established	
Quartz (14808-60-7)	TWAs	0.05 mg/m3 TWA (respirable dust)	Not established	
Chemical 1 (Proprietary)	TWAs	Not established	15 mg/m3 TWA (fume, total particulate)	
Silica, amorphous (7631-86-9)	TWAs	6 mg/m3 TWA	Not established	
Metal (Proprietary)	TWAs	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	
Aluminum oxide (1344-28-1)	TWAs	Not established	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	
Silicon carbide (409-21-2)	TWAs	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)	

#### **Exposure Control Notations**

#### . Mexico

•Silicon carbide (409-21-2): Carcinogens: (A4 - Not classifiable as a human carcinogen)

•Aluminum oxide (1344-28-1): Carcinogens: (A4 - Not classifiable as a human carcinogen)

#### Canada Ontario

- •Quartz (14808-60-7): Designated Substances: (0.10 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))
- •Benzo(a)pyrene (50-32-8): Known Toxic Agents: (Known toxic agent)
- •Cristobalite (14464-46-1): Designated Substances: (0.05 mg/m3 TWA (respirable fraction, listed under Silica, crystalline))

#### Canada Quebec

- •Quartz (14808-60-7): Carcinogens: (C2 carcinogen effect suspected in humans)
- •Benzo(a)pyrene (50-32-8): Carcinogens: (C2 carcinogen effect suspected in humans)

#### ACGIH

- •Silicon carbide (409-21-2): Carcinogens: (A2 Suspected Human Carcinogen (fibrous, including whiskers))
- •Aluminum oxide as Aluminum insoluble compounds: Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- •Quartz (14808-60-7): Carcinogens: (A2 Suspected Human Carcinogen)
- •Metal (Proprietary): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- •Metal as Aluminum insoluble compounds (Proprietary): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)
- •Benzo(a)pyrene (50-32-8): Carcinogens: (A2 Suspected Human Carcinogen)
- •Cristobalite (14464-46-1): Carcinogens: (A2 Suspected Human Carcinogen)
- •Chemical 1 (Proprietary): Carcinogens: (A4 Not Classifiable as a Human Carcinogen)

### Exposure Limits Supplemental

OSHA

•Quartz (14808-60-7): Mineral Dusts: ((30)/(%SiO2 + 2) mg/m3 TWA, total dust; (250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction)

•Silica, amorphous (7631-86-9): Mineral Dusts: (20 mppcf TWA; (80)/(% SiO2) mg/m3 TWA)

•Cristobalite (14464-46-1): **Mineral Dusts:** ((1/2)(30)/(%SiO2 + 2) mg/m3 TWA, total dust; (1/2)(250)/(%SiO2 + 5) mppcf TWA, respirable fraction; (1/2)(10)/(%SiO2 + 2) mg/m3 TWA, respirable fraction;

#### ACGIH

•Silicon carbide (409-21-2): **TLV Basis - Critical Effects:** (upper respiratory tract irritation (nonfibrous); cancer (fibrous, including whiskers); mesothelioma (fibrous, including whiskers))

•Aluminum oxide as Aluminum insoluble compounds: **TLV Basis - Critical Effects:** (pneumoconiosis; lower respiratory tract irritation; neurotoxicity)

Quartz (14808-60-7): TLV Basis - Critical Effects: (lung cancer; pulmonary fibrosis)
Metal (Proprietary): TLV Basis - Critical Effects: (pneumoconiosis; lower respiratory tract irritation; neurotoxicity)

•Metal as Aluminum insoluble compounds (Proprietary): **TLV Basis - Critical Effects:** (pneumoconiosis; lower respiratory tract irritation; neurotoxicity)

•Benzo(a)pyrene (50-32-8): **BEIs:** (Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)) | **TLV Basis - Critical Effects:** (cancer) | **No Adopted Value:** (Exposure by all routes should be carefully controlled to levels as low as possible)

•Cristobalite (14464-46-1): TLV Basis - Critical Effects: (lung cancer; pulmonary fibrosis)

Exposure controls							
Engineering Measures/Controls	conditions. If applicable engineering controls to	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.					
Personal Protective Equipme	ent						
Respiratory	purifying respirator with respirator regulations for	se an N95 dust mask. For prolonged exposure use an air- n high efficiency particulate air (HEPA) filters. Follow the OS bund in 29 CFR 1910.134 or European Standard EN 149. U bean Standard EN 149 approved respirator if exposure limit s are experienced.	lse a				
Eye/Face	<ul> <li>Wear safety goggles.</li> </ul>						
Skin/Body	<ul> <li>Wear long sleeves and</li> </ul>	/or protective coveralls.					
General Industrial Hygiene Considerations	<ul> <li>Handle in accordance eyes or on skin or cloth before eating, drinking,</li> </ul>	with good industrial hygiene and safety practice. Do not ge ning. Wash thoroughly with soap and water after handling a or using tobacco.	t in and				
Environmental Exposure Controls	<ul> <li>Follow best practice for approved landfill.</li> </ul>	r site management and disposal of waste. Dispose of in an	l				
Key to abbreviations							
ACGIH = American Conference of Gove	ernmental Industrial Hygiene	STEV = Short Term Exposure Value					
NIOSH = National Institute of Occupational Safety and Health		TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures					
OSHA = Occupational Safety and Hea		TWAEV = Time-Weighted Average Exposure Value					
STEL = Short Term Exposure Limits a exposures	re based on 15-minute						

## **Section 9 - Physical and Chemical Properties**

## Information on Physical and Chemical Properties

olid ay Ομ	Appearance/Description Odor Odor Threshold	Gray granular dry powder with an earthy odor. Earthy
		Earthy
μ0 μ	Odor Threshold	
		No data available
	-	
o data available	Melting Point/Freezing Point	No data available
o data available	рН	No data available
2.53 Water=1	Water Solubility	Negligible < 0.1 %
o data available		
	-	
o data available	Vapor Density	No data available
o data available	VOC (Wt.)	0 %
%		
2	.53 Water=1 data available data available data available	.53 Water=1 Water Solubility data available Vapor Density data available VOC (Wt.)

Flash Point	572 °F(300 °C)	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental			
Octanol/Water Partition coefficient	No data available		

## Section 10: Stability and Reactivity

#### Reactivity

• No dangerous reaction known under conditions of normal use.

#### **Chemical stability**

• Stable under normal temperatures and pressures.

#### Possibility of hazardous reactions

• Hazardous polymerization will not occur.

### Conditions to avoid

No data available.

#### Incompatible materials

No data available

## Hazardous decomposition products

• No data available

## Section 11 - Toxicological Information

### Information on toxicological effects

	Components			
Metal (0.997% TO 3%)	Proprietary	Multi-dose Toxicity: Inhalation-Man TCLo • 4 mg/m <sup>3</sup> 1 Year(s)-Intermittent; <i>Lungs, Thorax, or Respiration</i> :Cough; <i>Lungs, Thorax, or Respiration</i> :Dyspnea; <i>Nutritional and Gross Metabolic:Gross Metabolite Changes</i> :Weight loss or decreased weight gain; Inhalation-Rat TCLo • 206 mg/m <sup>3</sup> 5 Hour(s) 30 Day(s)-Intermittent; <i>Lungs, Thorax, or</i> <i>Respiration</i> :Fibrosis (interstitial); <i>Endocrine</i> :Hypoglycemia; <i>Blood</i> :Changes in serum composition (e.g., TP, bilirubin cholesterol)		
Silica, amorphous (< 0.26%)	7631-86-9	Irritation: Eye-Rabbit • 25 mg 24 Hour(s) • Mild irritation		

GHS Properties	Classification	
Acute toxicity	OSHA HCS 2012 • Data lacking	
Skin corrosion/Irritation	OSHA HCS 2012 • Data lacking	
Serious eye damage/Irritation	OSHA HCS 2012 • Data lacking	
Skin sensitization	OSHA HCS 2012 • Skin Sensitizer 1	
Respiratory sensitization	OSHA HCS 2012 • Data lacking	
Aspiration Hazard	OSHA HCS 2012 • Data lacking	
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A	
Germ Cell Mutagenicity	OSHA HCS 2012 • Germ Cell Mutagenicity 1A	

Toxicity for Reproduction		OSHA HCS 2012 • Toxic to Reproduction 1A
STOT-SE		OSHA HCS 2012 • Data lacking
STOT-RE		OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1
Route(s) of entry/exposure	<ul> <li>Inhalation, SI</li> </ul>	kin, Eye, and Ingestion
Medical Conditions Aggravated by Exposure	Any pre-existing conditions of the lungs.	
Potential Health Effects Inhalation		
Acute (Immediate)	<ul> <li>Nuisance dus</li> </ul>	st may affect the lungs but reactions are typically reversible.
Chronic (Delayed)		exposure to dust containing respirable sized crystalline silica can cause injury (silicosis).
Skin		
Acute (Immediate)		kin sensitization. Symptoms include redness, and skin rash. Exposure cause mechanical irritation.
Chronic (Delayed)	<ul> <li>No data availa</li> </ul>	able.
Eye		
Acute (Immediate)		dust may cause mechanical irritation. Excessive concentrations of t in the workplace may reduce visibility and may cause unpleasant yes.
Chronic (Delayed)	<ul> <li>No data availa</li> </ul>	able.
Ingestion		
Acute (Immediate)		ncentrations of nuisance dust in the workplace may cause mechanical ucous membranes.
Chronic (Delayed)	<ul> <li>No data availa</li> </ul>	able.
Mutagenic Effects	<ul> <li>Repeated and</li> </ul>	d prolonged exposure may cause mutagenic effects.
Carcinogenic Effects	May cause cau	ancer.

Carcinogenic Effects			
	CAS	IARC	NTP
Benzo(a)pyrene	50-32-8	Group 1-Carcinogenic	Reasonably Anticipated to be Human Carcinogen
Cristobalite	14464-46-1	Group 1-Carcinogenic	Not Listed
Quartz	14808-60-7	Group 1-Carcinogenic	Known Human Carcinogen

#### **Reproductive Effects**

Repeated and prolonged exposure may cause reproductive effects.

#### Key to abbreviations

TC = Toxic Concentration

Section	12 - Ecologia	al Information
000000	L Loologic	

## Toxicity

Material data lacking.

## Persistence and degradability

• Material data lacking.

## Bioaccumulative potential

Material data lacking.
 Mobility in Soil

· Material data lacking.

#### Other adverse effects

• No studies have been found.

#### **Section 13 - Disposal Considerations**

#### Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	NDA	Not Regulated	NDA	NDA	NDA
TDG	NDA	Not Regulated	NDA	NDA	NDA
IATA/ICAO	NDA	Not Regulated	NDA	NDA	NDA

Special precautions for user • None specified.

Transport in bulk according • No data available to Annex II of MARPOL 73/78 and the IBC Code

### **Section 15 - Regulatory Information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Chronic

State Right To Know				
Component	CAS	MA	NJ	PA
Metal	Proprietary	Yes	Yes	Yes
Aluminum oxide	1344-28-1	Yes	Yes	Yes
Benzo(a)pyrene	50-32-8	Yes	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes	Yes
Quartz	14808-60-7	Yes	Yes	Yes

Inventory			
Component	CAS	Canada DSL	TSCA
Metal	Proprietary	Yes	Yes
Aluminum oxide	1344-28-1	Yes	Yes
Benzo(a)pyrene	50-32-8	Yes	Yes
Cristobalite	14464-46-1	Yes	Yes
Quartz	14808-60-7	Yes	Yes

### Canada

Labor Canada - WHMIS - Classifications of Substances		
Benzo(a)pyrene	50-32-8	D2A
Aluminum oxide	1344-28-1	Uncontrolled product according to WHMIS classification criteria
• Metal	Proprietary	B6 (powder); Uncontrolled product according to WHMIS classification criteria
Cristobalite	14464-46-1	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
• Quartz	14808-60-7	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
Canada - WHMIS - Ingredient Disclosure List		
Benzo(a)pyrene	50-32-8	0.1 %
Aluminum oxide	1344-28-1	1 %
• Metal	Proprietary	1 %
Cristobalite	14464-46-1	1 %
• Quartz	14808-60-7	1 %

#### **United States**

Benzo(a)pyrene	50-32-8	1 lb final RQ; 0.454 kg final RC
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
• Quartz	14808-60-7	Not Listed
U.S CERCLA/SARA - Section 313 - Emission Reporting		
Benzo(a)pyrene	50-32-8	0.1 % Supplier notification limit (listed under Chemical Category N590, Polycyclic aromatic compounds)
Aluminum oxide	1344-28-1	1.0 % de minimis concentration (fibrous forms)
• Metal	Proprietary	1.0 % de minimis concentration (dust or fume only)
Cristobalite	14464-46-1	Not Listed
	14808-60-7	Not Listed

#### Preparation Date: 01/June/2009 Revision Date: 01/May/2018

100 lb RT (listed under

Benzo(a)pyrene	50-32-8	Polycyclic aromatic compounds)
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
Quartz	14808-60-7	Not Listed
S EDA Designated Canadia Categories, Delvavalia Arametia Cam		
S EPA - Designated Generic Categories - Polycyclic Aromatic Com Benzo(a)pyrene	50-32-8	
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
Quartz	14808-60-7	Not Listed
S RCRA (Resource Conservation & Recovery Act) - Basis for Listin	ıg - Appendix VII	
		Included in waste streams:
Benzo(a)pyrene	50-32-8	F032, F034, F037, F038, F039 K001, K035, K141, K142,
Belizo(a)pyrelie	50-52-6	K144, K145, K147, K148,
		K170
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
Quartz	14808-60-7	Not Listed
.S RCRA (Resource Conservation & Recovery Act) - Hazardous Con	stituants - Annondix VIII to A	0 CEP 261
Benzo(a)pyrene	50-32-8	waste number U022
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
Quartz	14808-60-7	Not Listed
.S RCRA (Resource Conservation & Recovery Act) - List for Hazard	ous Constituents	
Benzo(a)pyrene	50-32-8	
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
Quartz	14808-60-7	Not Listed
S RCRA (Resource Conservation & Recovery Act) - Phase 4 LDR R	ule - Universal Treatment Sta	andards
Benzo(a)pyrene	50-32-8	0.061 mg/L (wastewater); 3. mg/kg (nonwastewater)
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
Quartz	14808-60-7	Not Listed
S RCRA (Resource Conservation & Recovery Act) - TSD Facilities ( Benzo(a)pyrene	50-32-8	
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
A A DATA DISTURS		
Quartz	14808-60-7	Not Listed

Benzo(a)pyrene	50-32-8	waste number U022
Aluminum oxide	1344-28-1	Not Listed
Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
Quartz	14808-60-7	Not Listed
S RCRA (Resource Conservation & Recovery Act) - Waste Mini	mization Priority Chemicals	
S RCRA (Resource Conservation & Recovery Act) - Waste Mini	mization Priority Chemicals	
S RCRA (Resource Conservation & Recovery Act) - Waste Mini Benzo(a)pyrene	mization Priority Chemicals 50-32-8	(listed under Polycyclic aromatic compounds)
	-	( ) )
Benzo(a)pyrene	50-32-8	aromatic compounds)
Benzo(a)pyrene Aluminum oxide	50-32-8 1344-28-1	aromatic compounds) Not Listed

#### **United States - California**

J.S California - Proposition 65 - Carcinogens List		
Benzo(a)pyrene	50-32-8	carcinogen, initial date 7/1/87
Aluminum oxide	1344-28-1	Not Listed
• Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
		carcinogen, initial date 10/1/8
• Quartz	14808-60-7	(airborne particles of respirable size)
J.S California - Proposition 65 - No Significant Risk Levels (NSRL)		
Benzo(a)pyrene	50-32-8	0.06 μg/day NSRL
Aluminum oxide	1344-28-1	Not Listed
• Metal	Proprietary	Not Listed
Cristobalite	14464-46-1	Not Listed
• Quartz	14808-60-7	Not Listed

#### **United States - Pennsylvania**

J.S Pennsylvania - RTK (Right to Know) - Environn	nental Hazard List
Benzo(a)pyrene	50-32-8
Aluminum oxide	1344-28-1
Metal	Proprietary
Cristobalite	14464-46-1 Not
• Quartz	14808-60-7 Not
.S Pennsylvania - RTK (Right to Know) - Special F	lazardous Substances
<ul> <li>Benzo(a)pyrene</li> </ul>	50-32-8
Aluminum oxide	1344-28-1 Not
• Metal	Proprietary Not
Cristobalite	14464-46-1 Not
• Quartz	14808-60-7 Not

## **Other Information**

• WARNING: This product contains a chemical known to the State of California to cause cancer.

## **Section 16 - Other Information**

Revision Date Last Revision Date Preparation Date	<ul> <li>01/May/2018</li> <li>01/May/2018</li> <li>01/June/2009</li> </ul>
Disclaimer/Statement of Liability	• The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key to abbreviations

NDA = No data available