

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 01/28/2020

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: Reno NC 18 Z
Product code	: 189200
1.2. Recommended use and restrictions on	use
Recommended use	: Refractory Applications
1.3. Supplier	
Reno Refractories, Inc.	
601 Reno Drive	
P.O. Box 201 Morris, AL 35116 - United States	
T 205-647-0240 - F 205-647-6854	
sales@r-ref.com - www.renorefractories.com	
1.4. Emergency telephone number	
Emergency number	: 1-800-262-8200 CHEMTREC
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixt	ure
GHS US classification	
Carcinogenicity Category 1A	May cause cancer
Specific target organ toxicity (repeated exposure)	Causes damage to organs through prolonged or repeated exposure
Category 1	
2.2. GHS Label elements, including precau	tionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
	: May cause cancer
	Causes damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)	: Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray.
	Wash hands, forearms and face thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Wear protective gloves/protective clothing/eye protection/face protection.
	If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell.
	Dispose of contents/container to hazardous or special waste collection point, in accordance
	with local, regional, national and/or international regulation.
2.3. Other hazards which do not result in cl No additional information available	assincation
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
SECTION 3: Composition/Information	on ingredients
3.1. Substances	
Not applicable	
3.2. Mixtures	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Silicon carbide	(CAS-No.) 409-21-2	5 - 7	Carc. 1B, H350
Amorphous/fused silica	(CAS-No.) 60676-86-0	0.9 - 4.95	STOT RE 2, H373
Crystalline silica	(CAS-No.) 14808-60-7	<= 1.072	Carc. 1A, H350 STOT RE 1, H372
Titanium dioxide	(CAS-No.) 13463-67-7	<= 0.21	Carc. 2, H351

Full text of hazard classes and H-statements : see section 16

SECTIC	ON 4: First-aid measures	
4.1.	Description of first aid measures	
First-aid	l measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid	I measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
	I measures after skin contact	: Wash skin with plenty of water.
	I measures after eye contact	: Rinse eyes with water as a precaution.
First-aid	I measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2.	Most important symptoms and effect	cts (acute and delayed)
No additio	onal information available	
4.3.	Immediate medical attention and sp	pecial treatment, if necessary
Treat sym	nptomatically.	
SECTIO	ON 5: Fire-fighting measures	
	Suitable (and unsuitable) extinguish	ning media
Suitable	e extinguishing media	: Water spray. Dry powder. Foam.
5.2.	Specific hazards arising from the cl	hemical
	onal information available	
5.3.	Special protective equipment and p	rocautions for fire-fighters
	on during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing
Troteotic		apparatus. Complete protective clothing.
SECTIC	ON 6: Accidental release mea	sures
6.1.	Personal precautions, protective eq	uipment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerge	ncy procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.
6.1.2.	For emergency responders	
Protectiv	ve equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid rele	ease to the environment. Notify authorit	ties if product enters sewers or public waters.
6.3.	Methods and material for containme	ent and cleaning up
Methods	s for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other in	formation	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For furthe	er information refer to section 13.	
SECTIO	ON 7: Handling and storage	
	Precautions for safe handling	
	ions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures

: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reno NC 18 Z	
No additional information available	
Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH TWA (mg/m ³)	10 mg/m ³
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) (mg/m³)	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Crystalline silica (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Silica crystaline - quartz
ACGIH TWA (mg/m ³)	0.025 mg/m ³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Silicon carbide (409-21-2)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Silicon carbide
ACGIH TWA (mg/m³)	3 mg/m ³ (Respirable fraction. The value is for particulate matter containing no asbesto and < 1% crystalline silica) 0.1 fibers/cm ³ (Respirable fibers: length > 5 μm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase- contrast illumination)
Remark (ACGIH)	 10 mg/m³ (Inhalable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen)
Remark (ACGIH) Regulatory reference	and < 1% crystalline silica)
	and < 1% crystalline silica)
Regulatory reference	and < 1% crystalline silica) Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen) ACGIH 2019 Silicon carbide
Regulatory reference USA - OSHA - Occupational Exposure Limits	Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen) ACGIH 2019
Regulatory reference USA - OSHA - Occupational Exposure Limits Local name	and < 1% crystalline silica)
Regulatory reference USA - OSHA - Occupational Exposure Limits Local name OSHA PEL (TWA) (mg/m ³)	and < 1% crystalline silica)
Regulatory reference USA - OSHA - Occupational Exposure Limits Local name OSHA PEL (TWA) (mg/m ³) Regulatory reference (US-OSHA)	and < 1% crystalline silica)
Regulatory reference USA - OSHA - Occupational Exposure Limits Local name OSHA PEL (TWA) (mg/m ³) Regulatory reference (US-OSHA) Amorphous/fused silica (60676-86-0)	and < 1% crystalline silica)
Regulatory reference USA - OSHA - Occupational Exposure Limits Local name OSHA PEL (TWA) (mg/m ³) Regulatory reference (US-OSHA) Amorphous/fused silica (60676-86-0) USA - OSHA - Occupational Exposure Limits	and < 1% crystalline silica) Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen) ACGIH 2019 Silicon carbide 15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction) OSHA Annotated Table Z-1
Regulatory reference USA - OSHA - Occupational Exposure Limits Local name OSHA PEL (TWA) (mg/m³) Regulatory reference (US-OSHA) Amorphous/fused silica (60676-86-0) USA - OSHA - Occupational Exposure Limits Local name	and < 1% crystalline silica)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station.Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and che	emical properties
Physical state	: Solid
Color	: Colorless Gray
Odor	: Almost odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 2.53
Solubility	: Water: < 0.1 %
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

0.4. Conditions to avoid	
lone under recommended storage and handling c	onditions (see section 7).
0.5. Incompatible materials	
lo additional information available	
0.6. Hazardous decomposition products	
Inder normal conditions of storage and use, hazar	dous decomposition products should not be produced.
ECTION 11: Toxicological information	n
1.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Silicon carbide (409-21-2)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
Crystalline silica (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Silicon carbide (409-21-2)	
IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Crystalline silica (14808-60-7)	
Specific target organ toxicity – repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Amorphous/fused silica (60676-86-0)	
Specific target organ toxicity – repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
· Viscosity, kinematic	: No data available

SECTION 12: Ecological information		
SECTION 12. Ecological information		
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
01/28/2020	EN (English US)	5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7)	
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

Titanium dioxide (13463-67-7)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		
Crystalline silica (14808-60-7)	Crystalline silica (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		
Silicon carbide (409-21-2)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		
Amorphous/fused silica (60676-86-0)			
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		

12.3. Bioaccumulative potential

Titanium dioxide (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.
Crystalline silica (14808-60-7)	
Bioaccumulative potential	No bioaccumulation data available.
Silicon carbide (409-21-2)	
Bioaccumulative potential	Bioaccumulation: not applicable.
Amorphous/fused silica (60676-86-0)	
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

Titanium dioxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	
Crystalline silica (14808-60-7)		
Ecology - soil	No (test)data on mobility of the substance available.	
Amorphous/fused silica (60676-86-0)		
Ecology - soil	No (test)data on mobility of the substance available.	

12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Titanium dioxide (13463-67-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Crystalline silica (14808-60-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Silicon carbide (409-21-2)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Amorphous/fused silica (60676-86-0)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Titanium dioxide (13463-67-7)
Listed on the Canadian DSL (Domestic Substances List)
Crystalline silica (14808-60-7)
Listed on the Canadian DSL (Domestic Substances List)
Silicon carbide (409-21-2)
Listed on the Canadian DSL (Domestic Substances List)
Amorphous/fused silica (60676-86-0)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

National regulations

itanium dioxide (13463-67-7)		
isted on IARC (International Agency for Research on Cancer)		
Crystalline silica (14808-60-7)		
Listed on IARC (International Agency for Research on Cancer)		
ilicon carbide (409-21-2)		
isted on IARC (International Agency for Research on Cancer)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

Component	State or local regulations
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silicon carbide(409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Amorphous/fused silica(60676-86-0)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 01/28/2020

Full text of H-phrases:

H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.