

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 01/29/2020

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Reno Plastic 80 AS

Product code : 206200

1.2. Recommended use and restrictions on use

Recommended use : Refractory Applications

1.3. Supplier

Reno Refractories, Inc. 601 Reno Drive P.O. Box 201

Morris, AL 35116 - United States T 205-647-0240 - F 205-647-6854

sales@r-ref.com - www.renorefractories.com

1.4. Emergency telephone number

Emergency number : 1-800-262-8200 CHEMTREC

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Corrosive to metals Category 1

Serious eye damage/eye irritation Category 1

Carcinogenicity Category 1A

Specific target organ toxicity (repeated exposure)

Category 1

May be corrosive to metals Causes serious eye damage

May cause cancer

Causes damage to organs through prolonged or repeated exposure

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : May be corrosive to metals

Causes serious eye damage

May cause cancer

Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep only in original container.

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Immediately call a poison center or doctor. Get medical advice/attention if you feel unwell. Absorb spillage to prevent material-damage.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

01/29/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Crystalline silica	(CAS-No.) 14808-60-7	1.3 - 5.4	Carc. 1A, H350 STOT RE 1, H372
Aluminum sulfate (2:3)	(CAS-No.) 10043-01-3	1.71 - 3	Met. Corr. 1, H290 Eye Dam. 1, H318
Titanium dioxide	(CAS-No.) 13463-67-7	1.82 - 2.8825	Carc. 2, H351

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take a

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not

breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

01/29/2020 EN (English US) 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke

when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Store in a well-ventilated place. Keep cool.

Incompatible materials : Metals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reno Plastic 80 AS	
No additional information available	
Crystalline silica (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Silica crystaline - quartz
ACGIH TWA (mg/m³)	0.025 mg/m³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Aluminum sulfate (2:3) (10043-01-3)	
No additional information available	
Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH TWA (mg/m³)	10 mg/m³
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) (mg/m³)	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

01/29/2020 EN (English US) 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

: Solid Physical state Color : Grey to black Odor Almost odourless Odor threshold : No data available : No data available рΗ : No data available Melting point Freezing point : Not applicable Boiling point No data available Flash point : Not applicable : No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) : Non flammable. Vapor pressure : No data available No data available Relative vapor density at 20 °C

Relative density : 2.53

Solubility : Water: < 0.1 % Log Pow : No data available Auto-ignition temperature : Not applicable No data available Decomposition temperature : No data available Viscosity, kinematic Viscosity, dynamic : No data available **Explosion limits** : Not applicable Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

01/29/2020 EN (English US) 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LD50 oral rat	2000 - 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Female,
	Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value of similar product, Dermal, 14 day(s))
LC50 inhalation rat (mg/l)	> 5 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))
ATE US (oral)	2000 mg/kg body weight
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Crystalline silica (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity – repeated	: Not classified: Causes damage to organs through prolonged or repeated exposure.
Specific target organ toxicity – single exposure Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7)	
Specific target organ toxicity – repeated exposure	
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated	: Causes damage to organs through prolonged or repeated exposure.
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure	: Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure.
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard /iscosity, kinematic	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. : Not classified
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes.
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard Viscosity, kinematic Symptoms/effects after eye contact	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes.
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard //iscosity, kinematic Symptoms/effects after eye contact ECTION 12: Ecological information	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes.
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard /iscosity, kinematic Symptoms/effects after eye contact ECTION 12: Ecological information	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes. The product is not considered harmful to aquatic organisms or to cause long-term adverse
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard //iscosity, kinematic Symptoms/effects after eye contact ECTION 12: Ecological information 2.1. Toxicity Ecology - general	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes. The product is not considered harmful to aquatic organisms or to cause long-term adverse
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard /iscosity, kinematic Symptoms/effects after eye contact ECTION 12: Ecological information 2.1. Toxicity Ecology - general Aluminum sulfate (2:3) (10043-01-3)	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes. The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. > 87.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system,
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard /iscosity, kinematic Symptoms/effects after eye contact ECTION 12: Ecological information 2.1. Toxicity Ecology - general Aluminum sulfate (2:3) (10043-01-3) LC50 fish 1	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes. The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. > 87.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Lethal) > 200 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard Viscosity, kinematic Symptoms/effects after eye contact ECTION 12: Ecological information 2.1. Toxicity Ecology - general Aluminum sulfate (2:3) (10043-01-3) LC50 fish 1 EC50 Daphnia 1	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes. The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. > 87.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Lethal) > 200 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 14 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static
Specific target organ toxicity – repeated exposure Crystalline silica (14808-60-7) Specific target organ toxicity – repeated exposure Aspiration hazard Viscosity, kinematic Symptoms/effects after eye contact ECTION 12: Ecological information 1. Toxicity Ecology - general Aluminum sulfate (2:3) (10043-01-3) LC50 fish 1 EC50 Daphnia 1 ErC50 (algae)	Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Not classified No data available Serious damage to eyes. The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. > 87.5 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Lethal) > 200 mg/l (Equivalent or similar to OECD 202, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) 14 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static

01/29/2020 EN (English US) 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Aluminum sulfate (2:3) (10043-01-3)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Titanium dioxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Crystalline silica (14808-60-7)	
Bioaccumulative potential	No bioaccumulation data available.
Aluminum sulfate (2:3) (10043-01-3)	
Bioaccumulative potential	No bioaccumulation data available.
Titanium dioxide (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Crystalline silica (14808-60-7)		
Ecology - soil	No (test)data on mobility of the substance available.	
Aluminum sulfate (2:3) (10043-01-3)		
Surface tension	73 mN/m (20 °C, 1 g/l, OECD 115: Surface Tension of Aqueous Solutions)	
Ecology - soil	No (test)data on mobility of the substance available.	
Titanium dioxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

01/29/2020 EN (English US) 6/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Crystalline silica (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Aluminum sulfate (2:3) (10043-01-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 5000 lb

Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Crystalline silica (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

Aluminum sulfate (2:3) (10043-01-3)

Listed on the Canadian DSL (Domestic Substances List)

Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

National regulations

Crystalline silica (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

Titanium dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Aluminum sulfate (2:3)(10043-01-3)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 01/29/2020

01/29/2020 EN (English US) 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H290	May be corrosive to metals
H318	Causes serious eye damage
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

01/29/2020 EN (English US) 8/8