

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 03/22/2019

SECTION 1: Identification	
SECTION 1: Identification	
.1. Identification	
Product form	: Mixture
Trade name	: Reno PL 70 P
Product code	: 227000
.2. Recommended use and restrictions or	
Recommended use	: Refractory Applications
.3. Supplier	
Reno Refractories, Inc. 601 Reno Drive P.O. Box 201 Morris, AL 35116 - United States T 205-647-0240 - F 205-647-6854 sales@r-ref.com - www.renorefractories.com	
.4. Emergency telephone number	
Emergency number	: 1-800-262-8200 CHEMTREC
SECTION 2: Hazard(s) identification	
.1. Classification of the substance or mixed	ure
HS US classification	
Corrosive to metals Category 1 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1 Carcinogenicity Category 1A Specific target organ toxicity (repeated exposure) Category 1	May be corrosive to metals Causes skin irritation Causes serious eye damage May cause cancer Causes damage to organs through prolonged or repeated exposure
.2. GHS Label elements, including precau	tionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: May be corrosive to metals Causes skin irritation Causes serious eye damage May cause cancer Causes damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)	<ul> <li>Obtain special instructions before use.</li> <li>Do not handle until all safety precautions have been read and understood.</li> <li>Keep only in original container.</li> <li>Do not breathe dust/fume/gas/mist/vapours/spray.</li> <li>Wash hands, forearms and face thoroughly after handling.</li> <li>Do not eat, drink or smoke when using this product.</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If on skin: Wash with plenty of water.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If exposed or concerned: Get medical advice/attention.</li> <li>Immediately call a poison center or doctor.</li> <li>Get medical advice/attention if you feel unwell.</li> <li>Specific treatment (see supplemental first aid instruction on this label).</li> <li>If skin irritation occurs: Get medical advice/attention.</li> <li>Take off contaminated clothing and wash it before reuse.</li> <li>Absorb spillage to prevent material-damage.</li> <li>Store locked up.</li> </ul>
02/02/2020	Store in corrosive resistant container with a resistant inner liner.
02/03/2020	EN (English US) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

#### No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

## 3.1. Substances

## Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Phosphoric acid	(CAS-No.) 7664-38-2	3 - 3.9	Met. Corr. 1, H290 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1, H314 Eye Dam. 1, H318
Crystalline silica	(CAS-No.) 14808-60-7	0.51 - 1.26	Carc. 1A, H350 STOT RE 1, H372
Titanium dioxide	(CAS-No.) 13463-67-7	0.1 - 0.55	Carc. 2, H351

Full text of hazard classes and H-statements : see section 16

SECTI	ON 4: First-aid measures		
4.1.	Description of first aid measures		
First-ai	d measures general	:	IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell.
First-ai	d measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
First-ai	d measures after skin contact	:	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-ai	d measures after eye contact	:	Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately.
First-ai	d measures after ingestion	:	Call a poison center/doctor/physician if you feel unwell.
4.2.	Most important symptoms and effects	; (a	icute and delayed)
Sympto	oms/effects after skin contact	:	Irritation.
Sympto	oms/effects after eye contact	:	Serious damage to eyes.
4.3.	Immediate medical attention and spec	ia	I treatment, if necessary
Treat sy	mptomatically.		
SECTI	ON 5: Fire-fighting measures		
5.1.	Suitable (and unsuitable) extinguishin	g	media
Suitabl	e extinguishing media	:	Water spray. Dry powder. Foam.
5.2.	Specific hazards arising from the cher	mi	cal
No addit	ional information available		
5.3.	Special protective equipment and pre-	ca	utions for fire-fighters
Protect	tion during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTI	ON 6: Accidental release measu	Ire	98
6.1.	Personal precautions, protective equi	pn	nent and emergency procedures
6.1.1.	For non-emergency personnel		
Emerge	ency procedures	:	Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2.	For emergency responders		
Protect	tive equipment	:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containme	.3. Methods and material for containment and cleaning up	
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	

**6.4. Reference to other sections** For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool.
Incompatible materials	: Metals.

## SECTION 8: Exposure controls/personal protection

8.1.	Control parameters

Reno PL 70 P	
No additional information available	
Crystalline silica (14808-60-7)	
USA - ACGIH - Occupational Exposure Limits	5
Local name	Silica crystaline - quartz
ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (Respirable fraction)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Phosphoric acid (7664-38-2)	
USA - ACGIH - Occupational Exposure Limits	5
Local name	Phosphoric acid
ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
ACGIH STEL (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Phosphoric acid
OSHA PEL (TWA) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	5
Local name	Titanium dioxide
ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

Hand	protection:
nana	protection.

Protective gloves

Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

Wear respiratory protection.

## SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state

Physical state	: Solid
Color	: Gray
Odor	: Almost odourless
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 2.5 - 2.7
Solubility	: Water: < 0.1 %
Log Pow	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday,			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
he product is non-reactive under normal conditions of use, storage and transport.			
10.2. Chemical stability	0.2. Chemical stability		
Stable under normal conditions.			
10.3. Possibility of hazardous reactions			
No dangerous reactions known under normal cor	iditions of use.		
10.4. Conditions to avoid			
None under recommended storage and handling	conditions (see section 7).		
10.5. Incompatible materials			
metals.			
10.6. Hazardous decomposition products			
	ardous decomposition products should not be produced.		
<b>°</b>			
SECTION 11: Toxicological informati 11.1. Information on toxicological effects			
Acute toxicity (oral)	: Not classified		
Acute toxicity (dermal)	: Not classified		
Acute toxicity (inhalation)	: Not classified		
Phosphoric acid (7664-38-2)			
LD50 oral rat	2600 mg/kg body weight (Equivalent or similar to OECD 423, Rat, Female, Experimental value, Oral, 7 day(s))		
LD50 dermal rabbit	2740 mg/kg body weight (Rabbit, Experimental value, Skin)		
LC50 inhalation rat (mg/l)	0.96 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male, Read-across, Converted value,		
	Inhalation, 14 day(s))		
ATE US (oral)	2600 mg/kg body weight		
ATE US (dermal) ATE US (vapors)	2740 mg/kg body weight 0.96 mg/l/4h		
ATE US (vapors) ATE US (dust, mist)	0.96 mg/l/4h		
Titanium dioxide (13463-67-7)			
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat,		
	Female, Experimental value, Oral, 14 day(s))		
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity Carcinogenicity	: Not classified : May cause cancer.		
Crystalline silica (14808-60-7)	1. Carainagania ta humana		
IARC group	1 - Carcinogenic to humans		
Titanium dioxide (13463-67-7)			
IARC group	2B - Possibly carcinogenic to humans		
Reproductive toxicity	: Not classified		
Specific target organ toxicity – single exposure : Not classified			
Specific target organ toxicity – repeated : Causes damage to organs through prolonged or repeated exposure.			
Crystalline silica (14808-60-7)			
Specific target organ toxicity – repeated exposure	Causes damage to organs through prolonged or repeated exposure.		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

available
l. damage to eyes.

SEC	SECTION 12: Ecological information		
12.1.	Toxicity		
Eco	logy - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.	
Pł	osphoric acid (7664-38-2)		
EC	C50 Daphnia 1	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration)	

ErC50 (algae)	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Titanium dioxide (13463-67-7)	
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

## 12.2. Persistence and degradability

Crystalline silica (14808-60-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Phosphoric acid (7664-38-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Titanium dioxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

## 12.3. Bioaccumulative potential

rystalline silica (14808-60-7)	
Bioaccumulative potential	No bioaccumulation data available.
Phosphoric acid (7664-38-2)	
Bioaccumulative potential	Not bioaccumulative.
Titanium dioxide (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.

## 12.4. Mobility in soil

Crystalline silica (14808-60-7)	ystalline silica (14808-60-7)	
Ecology - soil	No (test)data on mobility of the substance available.	
Phosphoric acid (7664-38-2)		
Ecology - soil	No (test)data on mobility of the substance available.	
Titanium dioxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal conside	arations	
13.1. Disposal methods		
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.	
SECTION 14: Transport inform	ation	
Department of Transportation (DOT)		
In accordance with DOT		
Not applicable		
Transportation of Dangerous Goods		
Not applicable		
Transport by sea		
Not applicable		
Air transport		
Not applicable		
SECTION 15: Regulatory inforr	mation	
15.1. US Federal regulations		
Crystalline silica (14808-60-7)		
	xic Substances Control Act) inventory	
Phosphoric acid (7664-38-2)		
	Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporting requirements of the United States SARA Section 313	
CERCLA RQ	5000 lb	
Titanium dioxide (13463-67-7)		
Listed on the United States TSCA (To	xic Substances Control Act) inventory	

## 15.2. International regulations

### CANADA

Crystalline silica (14808-60-7)	
Listed on the Canadian DSL (Domestic Substances List)	
Phosphoric acid (7664-38-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Titanium dioxide (13463-67-7)	
Listed on the Canadian DSL (Domestic Substances List)	
EU-Regulations	

N	National regulations		
	Crystalline silica (14808-60-7)		
	Listed on IARC (International Agency for Research on Cancer)		
Titanium dioxide (13463-67-7)         Listed on IARC (International Agency for Research on Cancer)			

15.3. US State regulations

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Phosphoric acid(7664-38-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

## **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Revision date

: 03/22/2019

## Full text of H-phrases:

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H331	Toxic if inhaled
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure

#### SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.