

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Envirostop AMC-5
Product code : 270705

1.2. Recommended use and restrictions on use

Recommended use : Refractory Applications

1.3. Supplier

Reno Refractories, Inc.
601 Reno Drive
P.O. Box 201
Morris, AL 35116 - United States
T 205-647-0240 - F 205-647-6854
sales@r-ref.com - www.renorefractions.com

1.4. Emergency telephone number

Emergency number : 1-800-262-8200 CHEMTREC

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

| | |
|---|--|
| Acute toxicity (inhalation:dust,mist) Category 4 | Harmful if inhaled |
| Carcinogenicity Category 1A | May cause cancer |
| Specific target organ toxicity (repeated exposure) Category 1 | Causes damage to organs through prolonged or repeated exposure |

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : Harmful if inhaled
May cause cancer
Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If exposed or concerned: Get medical advice/attention.
Call a poison center or doctor if you feel unwell.
Get medical advice/attention if you feel unwell.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

Envirostop AMC-5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|--------------------|----------------------|-------------|--|
| Crystalline silica | (CAS-No.) 14808-60-7 | < 16.49 | Carc. 1A, H350 STOT RE 1, H372 |
| Silicon carbide | (CAS-No.) 409-21-2 | 2.5 - 8 | Carc. 1B, H350 |
| Iron | (CAS-No.) 7439-89-6 | 0.4 - 2.2 | Acute Tox. 2 (Inhalation:dust,mist), H330 |
| Solvent naphtha | (CAS-No.) 64742-94-5 | 0.9 - 2 | Flam. Liq. 3, H226 Asp. Tox. 1, H304 |
| Titanium dioxide | (CAS-No.) 13463-67-7 | 0.23 - 1.12 | Carc. 2, H351 |
| Naphthalene | (CAS-No.) 91-20-3 | < 0.2 | Acute Tox. 4 (Oral), H302 Carc. 2, H351 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if you feel unwell.
- First-aid measures after skin contact : Wash skin with plenty of water.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

Envirostop AMC-5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray.
- Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| | |
|---|---|
| Envirostop AMC-5 | |
| No additional information available | |
| Iron (7439-89-6) | |
| No additional information available | |
| Crystalline silica (14808-60-7) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Silica crystalline - quartz |
| ACGIH TWA (mg/m ³) | 0.025 mg/m ³ (Respirable fraction) |
| Remark (ACGIH) | TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen) |
| Regulatory reference | ACGIH 2019 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Quartz (Respirable) (Silica: Crystalline) |
| Remark (OSHA) | Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO ₂ +5)) for mppcf and (10 mg/m ³ / (%SiO ₂ +2)) for mg/m ³ . CAS No. source: eCFR Table Z-1. |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-3 Mineral Dusts |
| Naphthalene (91-20-3) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Naphthalene |
| ACGIH TWA (ppm) | 10 ppm |
| Remark (ACGIH) | TLV® Basis: URT irr; cararacts; hemolytic anemia. Notations: Skin; A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI |
| Regulatory reference | ACGIH 2019 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Naphthalene |
| OSHA PEL (TWA) (mg/m ³) | 50 mg/m ³ |
| OSHA PEL (TWA) (ppm) | 10 ppm |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |
| Titanium dioxide (13463-67-7) | |
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| ACGIH TWA (mg/m ³) | 10 mg/m ³ |
| Remark (ACGIH) | TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen) |
| Regulatory reference | ACGIH 2019 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Titanium dioxide (Total dust) |
| OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |

Envirostop AMC-5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Silicon carbide (409-21-2) | |
|---|--|
| USA - ACGIH - Occupational Exposure Limits | |
| Local name | Silicon carbide |
| ACGIH TWA (mg/m ³) | 3 mg/m ³ (Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) 0.1 fibers/cm ³ (Respirable fibers: length > 5 µm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination) 10 mg/m ³ (Inhalable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) |
| Remark (ACGIH) | Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen) |
| Regulatory reference | ACGIH 2019 |
| USA - OSHA - Occupational Exposure Limits | |
| Local name | Silicon carbide |
| OSHA PEL (TWA) (mg/m ³) | 15 mg/m ³ (Total dust) 5 mg/m ³ (Respirable fraction) |
| Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1 |
| Solvent naphtha (64742-94-5) | |
| No additional information available | |

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Color : Black
Odor : Characteristic odour
Odor threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : Not applicable
Boiling point : No data available
Flash point : 145 °F
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Non flammable.
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available
Relative density : 2.7 - 2.9

Envirostop AMC-5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---------------------------|---------------------|
| Solubility | : Water: < 0.1 % |
| Log Pow | : No data available |
| Auto-ignition temperature | : Not applicable |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : Not applicable |
| Explosive properties | : No data available |
| Oxidizing properties | : No data available |

9.2. Other information

| | |
|-------------|-------|
| VOC content | : 0 % |
|-------------|-------|

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|-----------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Harmful if inhaled. |

| | |
|---------------------|---------------|
| ATE US (dust, mist) | 2.273 mg/l/4h |
|---------------------|---------------|

| Iron (7439-89-6) | |
|----------------------------|--|
| LD50 oral rat | 98600 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) |
| LC50 inhalation rat (mg/l) | > 0.25 mg/l (6 h, Rat, Male, Experimental value, Inhalation (dust)) |
| ATE US (oral) | 98600 mg/kg body weight |
| ATE US (dust, mist) | 0.05 mg/l/4h |

| Naphthalene (91-20-3) | |
|-----------------------|----------------------------|
| LD50 dermal rat | > 2500 mg/kg (Rat, Dermal) |
| ATE US (oral) | 533 mg/kg body weight |

| Titanium dioxide (13463-67-7) | |
|-------------------------------|---|
| LD50 oral rat | > 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s)) |
| LC50 inhalation rat (mg/l) | > 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) |

| Silicon carbide (409-21-2) | |
|----------------------------|--|
| LD50 oral rat | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) |
| LD50 dermal rat | > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) |

| | |
|-------------------------------|------------------|
| Skin corrosion/irritation | : Not classified |
| Serious eye damage/irritation | : Not classified |

Envirostop AMC-5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : May cause cancer.

| Crystalline silica (14808-60-7) | |
|--|---|
| IARC group | 1 - Carcinogenic to humans |
| Naphthalene (91-20-3) | |
| IARC group | 2B - Possibly carcinogenic to humans |
| National Toxicity Program (NTP) Status | Reasonably anticipated to be Human Carcinogen |
| Titanium dioxide (13463-67-7) | |
| IARC group | 2B - Possibly carcinogenic to humans |
| Silicon carbide (409-21-2) | |
| IARC group | 2A - Probably carcinogenic to humans |

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Causes damage to organs through prolonged or repeated exposure.

| Crystalline silica (14808-60-7) | |
|--|---|
| Specific target organ toxicity – repeated exposure | Causes damage to organs through prolonged or repeated exposure. |

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| Naphthalene (91-20-3) | |
|--------------------------------------|--|
| LC50 fish 1 | 0.11 mg/l (96 h, Oncorhynchus mykiss, Literature study) |
| EC50 Daphnia 1 | 2.16 mg/l (48 h, Daphnia magna, Literature study) |
| Titanium dioxide (13463-67-7) | |
| LC50 fish 1 | > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) |
| ErC50 (algae) | 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration) |

12.2. Persistence and degradability

| Iron (7439-89-6) | |
|--|---|
| Persistence and degradability | Biodegradability in soil: not applicable. Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |
| Crystalline silica (14808-60-7) | |
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |
| Naphthalene (91-20-3) | |
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. |

Envirostop AMC-5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Naphthalene (91-20-3) | |
|--------------------------------------|------------------------------------|
| Biochemical oxygen demand (BOD) | 0 g O ₂ /g substance |
| Chemical oxygen demand (COD) | 0.22 g O ₂ /g substance |
| ThOD | 2.99 g O ₂ /g substance |
| Titanium dioxide (13463-67-7) | |
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |
| Silicon carbide (409-21-2) | |
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable |
| ThOD | Not applicable |
| BOD (% of ThOD) | Not applicable |

12.3. Bioaccumulative potential

| Iron (7439-89-6) | |
|--|---|
| Bioaccumulative potential | Not bioaccumulative. |
| Crystalline silica (14808-60-7) | |
| Bioaccumulative potential | No bioaccumulation data available. |
| Naphthalene (91-20-3) | |
| BCF fish 1 | 23 - 168 (8 week(s), Cyprinus carpio, Literature study) |
| Log Pow | 3.3 (Experimental value) |
| Log Kow | 3.3 |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |
| Titanium dioxide (13463-67-7) | |
| Bioaccumulative potential | Not bioaccumulative. |
| Silicon carbide (409-21-2) | |
| Bioaccumulative potential | Bioaccumulation: not applicable. |

12.4. Mobility in soil

| Iron (7439-89-6) | |
|--|---|
| Ecology - soil | Adsorbs into the soil. |
| Crystalline silica (14808-60-7) | |
| Ecology - soil | No (test)data on mobility of the substance available. |
| Naphthalene (91-20-3) | |
| Surface tension | 0.03 N/m (100 °C) |
| Ecology - soil | Adsorbs into the soil. |
| Titanium dioxide (13463-67-7) | |
| Ecology - soil | Low potential for mobility in soil. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Envirostop AMC-5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

| | |
|---|--------|
| Iron (7439-89-6) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Crystalline silica (14808-60-7) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Naphthalene (91-20-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Subject to reporting requirements of United States SARA Section 313 | |
| Listed on EPA Hazardous Air Pollutant (HAPS) | |
| CERCLA RQ | 100 lb |
| Titanium dioxide (13463-67-7) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Silicon carbide (409-21-2) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Solvent naphtha (64742-94-5) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |

15.2. International regulations

CANADA

| | |
|---|--|
| Iron (7439-89-6) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Crystalline silica (14808-60-7) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Naphthalene (91-20-3) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Titanium dioxide (13463-67-7) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Silicon carbide (409-21-2) | |
| Listed on the Canadian DSL (Domestic Substances List) | |
| Solvent naphtha (64742-94-5) | |
| Listed on the Canadian DSL (Domestic Substances List) | |

EU-Regulations

National regulations

Envirostop AMC-5

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

Naphthalene (91-20-3)

Listed on IARC (International Agency for Research on Cancer)
Listed as carcinogen on NTP (National Toxicology Program)

Titanium dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

Silicon carbide (409-21-2)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Naphthalene (91-20-3)

| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) | Maximum allowable dose level (MADL) |
|---|---|---|---|----------------------------------|-------------------------------------|
| Yes | No | No | No | 5.8 µg/day | |

| Component | State or local regulations |
|--------------------------------|---|
| Crystalline silica(14808-60-7) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |
| Naphthalene(91-20-3) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |
| Titanium dioxide(13463-67-7) | U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |
| Silicon carbide(409-21-2) | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 01/23/2020

Full text of H-phrases:

| | |
|------|--|
| H226 | Flammable liquid and vapour |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H330 | Fatal if inhaled |
| H350 | May cause cancer |
| H351 | Suspected of causing cancer |
| H372 | Causes damage to organs through prolonged or repeated exposure |

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.