

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 05/04/2020

SECTION 1: Identification	
1.1. Identification	
	: Mixture
Trade name	: Reno Super Abrade AZS
Product code	: 308500
1.2. Recommended use and restrictions on	
Recommended use	: Refractory Applications
1.3. Supplier	
Reno Refractories, Inc. 601 Reno Drive P.O. Box 201 Morris, AL 35116 - United States T 205-647-0240 - F 205-647-6854 sales@r-ref.com - www.renorefractories.com	
1.4. Emergency telephone number	
Emergency number	: 1-800-262-8200 CHEMTREC
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mixt	ure
GHS US classification	
Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Carcinogenicity Category 1A Specific target organ toxicity (repeated exposure) Category 2	Causes skin irritation Causes serious eye irritation May cause cancer May cause damage to organs through prolonged or repeated exposure
2.2. GHS Label elements, including precaut GHS US labeling	tionary statements
Hazard pictograms (GHS US)	
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	 Causes skin irritation Causes serious eye irritation May cause cancer May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Specific treatment (see supplemental first aid instruction on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

OFOTION 4

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Amorphous/fused silica	(CAS-No.) 60676-86-0	1.56 - 8.4	STOT RE 2, H373
Binder*	(CAS-No.) Trade Secret	1 - 2	Eye Irrit. 2, H319
Sodium hydroxide	(CAS-No.) 1310-73-2	0.52 - 1.68	Skin Corr. 1, H314 Eye Dam. 1, H318
Crystalline silica	(CAS-No.) 14808-60-7	0.015 - 0.623	Carc. 1A, H350 STOT RE 1, H372
Titanium dioxide	(CAS-No.) 13463-67-7	0 - 0.34	Carc. 2, H351

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and ef	fects (acute and delayed)
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.
4.3. Immediate medical attention and	special treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measure	S
5.1. Suitable (and unsuitable) extingu	shing media
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Specific hazards arising from the	chemical
No additional information available	
5.3. Special protective equipment and	precautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containn	nent and cleaning up
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
Hygiene measures	Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, include	ding any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1.	Control	parameters	
		-	

Reno Super Abrade AZS		
No additional information available		
Binder		
No additional information available		
Crystalline silica (14808-60-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Silica crystaline - quartz	
ACGIH TWA (mg/m³)	0.025 mg/m ³ (Respirable fraction)	
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)	
Regulatory reference	ACGIH 2019	
USA - OSHA - Occupational Exposure Limits		
Local name	Quartz (Respirable) (Silica: Crystalline)	
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts	
Sodium hydroxide (1310-73-2)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Sodium hydroxide	
ACGIH Ceiling (mg/m ³)	2 mg/m ³	
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr	
Regulatory reference ACGIH 2019		
USA - OSHA - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OSHA PEL (TWA) (mg/m³)	2 mg/m ³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Titanium dioxide (13463-67-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Titanium dioxide	
ACGIH TWA (mg/m³)	10 mg/m ³	
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)	
Regulatory reference	ACGIH 2019	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

USA - OSHA - Occupational Exposure Limits		
Local name	Titanium dioxide (Total dust)	
OSHA PEL (TWA) (mg/m ³)	15 mg/m³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Amorphous/fused silica (60676-86-0)		
USA - OSHA - Occupational Exposure Limits		
Local name	Silica, fused, respirable dust	
OSHA PEL (TWA) (ppm)	20 mppcf	
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formula: (80 mg/m3 / (%SiO2)) for mg/m3. CAS No. source: eCFR Table Z-1.	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts	

8.2.	Appropriate engineering controls	
Appro	priate engineering controls	: Ensure good ventilation of the work station.
Enviro	onmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and c	1. Information on basic physical and chemical properties		
Physical state	: Solid		
Color	: Grey		
Odor	: Almost odourless		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: Not applicable		
Boiling point	: No data available		
Flash point	: Not applicable		
Relative evaporation rate (butyl acetate=1)	: No data available		
Flammability (solid, gas)	: Non flammable.		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: No data available		
Relative density	: 2.53		
Solubility	: Water: < 0.1 %		
Log Pow	: No data available		
Auto-ignition temperature	: Not applicable		
Decomposition temperature	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosion limits	: Not applicable		
Explosive properties	: No data available		

Safety Data Sheet

- according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, Mar	rch 26, 2012 / Rules and Regulations	
Oxidizing properties : No data available		
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		
10.1. Reactivity		
The product is non-reactive under normal conditions	of use, storage and transport.	
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal condition	ions of use.	
10.4. Conditions to avoid		
None under recommended storage and handling con	nditions (see section 7).	
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
Under normal conditions of storage and use, hazard	ous decomposition products should not be produced.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (oral)	Not classified	
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation)	Not classified	
Binder		
LD50 oral rat	3053 mg/kg (Rat, Oral)	
LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)	
ATE US (oral)	3053 mg/kg body weight	
Titanium dioxide (13463-67-7)		
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))	
LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))	
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	May cause cancer.	
Crystalline silica (14808-60-7)		
IARC group	1 - Carcinogenic to humans	
Titanium dioxide (13463-67-7)		
IARC group	2B - Possibly carcinogenic to humans	
Reproductive toxicity :	Not classified	
STOT-single exposure	Not classified	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	

Crystalline silica (14808-60-7)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Amorphous/fused silica (60676-86-0)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Eye irritation.

ECTION 12: Ecological information	1
2.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Sodium hydroxide (1310-73-2)	
LC50 fish 1	45.4 mg/l (96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Solution >=50%)

Titanium dioxide (13463-67-7)	
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

Binder	
Persistence and degradability	Biodegradability in soil: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Crystalline silica (14808-60-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Sodium hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Titanium dioxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Amorphous/fused silica (60676-86-0)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Binder	
Bioaccumulative potential	No bioaccumulation data available.
Crystalline silica (14808-60-7)	
Bioaccumulative potential	No bioaccumulation data available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

mulative.		
Titanium dioxide (13463-67-7)		
Bioaccumulative potential Not bioaccumulative.		
Amorphous/fused silica (60676-86-0)		
Bioaccumulative potential No bioaccumulation data available.		

12.4. Mobility in soil

Crystalline silica (14808-60-7)	
Ecology - soil No (test)data on mobility of the substance available.	
Sodium hydroxide (1310-73-2)	
Ecology - soil	No (test)data on mobility of the substance available.
Titanium dioxide (13463-67-7)	
Ecology - soil	Low potential for mobility in soil.
Amorphous/fused silica (60676-86-0)	
Ecology - soil No (test)data on mobility of the substance available.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideratio	ns
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT	
Not applicable	
Transportation of Dangerous Goods	
Not applicable	
Transport by sea	
Not applicable	
Air transport	
Not applicable	
SECTION 15: Regulatory informatio	n
15.1. US Federal regulations	
Binder	
Listed on the United States TSCA (Toxic Sub	bstances Control Act) inventory
Crystalline silica (14808-60-7)	
Listed on the United States TSCA (Toxic Sub	bstances Control Act) inventory

Sodium hydroxide (1310-73-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	V

Not subject to reporting requirements of the Unite	d States SARA Section 313
CERCLA RQ	1000 lb

Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Amorphous/fused silica (60676-86-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

Binder	
Listed on the Canadian DSL (Domestic Substances List)	
Crystalline silica (14808-60-7)	
Listed on the Canadian DSL (Domestic Substances List)	
Sodium hydroxide (1310-73-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Titanium dioxide (13463-67-7)	
Listed on the Canadian DSL (Domestic Substances List)	
Amorphous/fused silica (60676-86-0)	
Listed on the Canadian DSL (Domestic Substances List)	

EU-Regulations

National regulations

Crystalline silica (14808-60-7)	
Listed on IARC (International Agency for Research on Cancer)	
Titanium dioxide (13463-67-7)	

15.3. US State regulations

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Sodium hydroxide(1310-73-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Amorphous/fused silica(60676-86-0)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 05/04/2020

Full text of H-phrases:

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.