

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 03/13/2020

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Reno Rock BTW RAM

Product code : 378100

1.2. Recommended use and restrictions on use

Recommended use : Refractory Applications

1.3. Supplier

Reno Refractories, Inc. 601 Reno Drive P.O. Box 201

Morris, AL 35116 - United States T 205-647-0240 - F 205-647-6854

sales@r-ref.com - www.renorefractories.com

1.4. Emergency telephone number

Emergency number : 1-800-262-8200 CHEMTREC

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

Germ cell mutagenicity Category 2 Carcinogenicity Category 1A

Specific target organ toxicity (repeated exposure)

Category 1

Causes skin irritation
Causes serious eye irritation

Suspected of causing genetic defects

May cause cancer

Causes damage to organs through prolonged or repeated exposure

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes skin irritation

Causes serious eye irritation

Suspected of causing genetic defects

May cause cancer

Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands, forearms and face thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Specific treatment (see supplemental first aid instruction on this label).

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Dispose of contents/container to hazardous or special waste collection point, in accordance

with local, regional, national and/or international regulation.

03/13/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Silicon carbide	(CAS-No.) 409-21-2	18.43 - 19.4	Carc. 1B, H350
Crystalline silica	(CAS-No.) 14808-60-7	0.541 - 2.813	Carc. 1A, H350 STOT RE 1, H372
Titanium dioxide	(CAS-No.) 13463-67-7	0 - 2.06	Carc. 2, H351
Phenol	(CAS-No.) 108-95-2	< 1.875	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Corr. 1B, H314 Eye Irrit. 2, H319 Muta. 2, H341 STOT RE 2, H373
Iron	(CAS-No.) 7439-89-6	0.4 - 1.4	Acute Tox. 2 (Inhalation:dust,mist), H330

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if

you feel unwell. Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

No additional information available

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not

breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

03/13/2020 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Obtain special instructions before use. Do not

handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do

not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reno Rock BTW RAM		
No additional information available		
Phenol (108-95-2)		
USA - ACGIH - Occupational Exposure Li	mits	
Local name	Phenol	
ACGIH TWA (ppm)	5 ppm	
Remark (ACGIH)	TLV® Basis: URT irr; lung dam; CNS impair. Notations: Skin; A4 (Not classifiable as a Human Carcinogen); BEI	
Regulatory reference	ACGIH 2019	
USA - OSHA - Occupational Exposure Lin	nits	
Local name	Phenol	
OSHA PEL (TWA) (mg/m³)	19 mg/m³	
OSHA PEL (TWA) (ppm)	5 ppm	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	
Iron (7439-89-6)		
No additional information available		
Crystalline silica (14808-60-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Silica crystaline - quartz	
ACGIH TWA (mg/m³)	0.025 mg/m³ (Respirable fraction)	
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)	
Regulatory reference	ACGIH 2019	
USA - OSHA - Occupational Exposure Lin	nits	
Local name	Quartz (Respirable) (Silica: Crystalline)	
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts	

03/13/2020 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH TWA (mg/m³)	10 mg/m³
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) (mg/m³)	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Silicon carbide (409-21-2)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Silicon carbide
ACGIH TWA (mg/m³)	3 mg/m³ (Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) 0.1 fibers/cm³ (Respirable fibers: length > 5 µm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination) 10 mg/m³ (Inhalable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica)
Remark (ACGIH)	Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2019
USA - OSHA - Occupational Exposure Limits	
Local name	Silicon carbide
OSHA PEL (TWA) (mg/m³)	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Color : Black

Odor : Acetone odour Asphyxiating odour Characteristic odour Medicinal odour

Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : Not applicable

03/13/2020 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Boiling point : No data available
Flash point : Not applicable
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Non flammable.
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : 2.7 - 2.9 Solubility Water: < 0.1 % Log Pow : No data available : Not applicable Auto-ignition temperature Decomposition temperature : No data available : No data available Viscosity, kinematic No data available Viscosity, dynamic **Explosion limits** : Not applicable : No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Phenol (108-95-2)	
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h

Iron (7439-89-6)	
LD50 oral rat 98600 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experim Oral)	
LC50 inhalation rat (mg/l)	> 0.25 mg/l (6 h, Rat, Male, Experimental value, Inhalation (dust))
ATE US (oral)	98600 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h

03/13/2020 EN (English US) 5/10

Safety Data Sheet

Phenol (108-95-2)

Persistence and degradability

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Female, Experimental value, Oral, 14 day(s)	Titanium dioxide (13463-67-7)	
Silicon carbide (409-21-2) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Femile, Experimental value, Oral) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Demala Toxicity, Satisfied S	LD50 oral rat	
Female, Experimental value, Oral)	LC50 inhalation rat (mg/l)	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Female_Experimental value_Oral)	Silicon carbide (409-21-2)	
Experimental value, Dermal) Experimental value, Dermal) Experious eye damage/irritation Causes serious eye irritation. Causes serious eye irritation. Sepriatory or skin sensitization Soem cell mutagenicity May cause cancer. Phenol (108-95-2) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) Expression or serious eye irritation. Experimental value, Dermaly Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of causing genetic defects. Suspected of seusing genetic defects in the suspected of seusing genetic defects. Suspected of seusing genetic defects in the command. Suspected of seusing genetic defects and seusing genetic defects. Suspected of seusing genetic defects and seusing genetic defects. Suspected of seusing genetic defects. Suspected of seusing genetic defects and seusing genetic defects and seusing genetic defects and seusing genetic defects. Suspected of seusing genetic defects and seusing genetic defects and seusing genetic defects and seusing genetic defects and seusing genetic defects. Suspected of seusing genetic defects. Suspected of seusin	LD50 oral rat	
Serious eye damage/irritation : Causes serious eye irritation. Respiratory or skin sensitization : Not classified 3 causes cancer. Phenol (108-95-2) IARC group 3 - Not classifiable Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2A - Probably carcinogenic to humans Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans STOT-repeated exposure Not classified STOT-repeated exposure Not classified STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Phenol (108-95-2) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-80-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Sepiration hazard Not classified Stotor-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-80-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Sepiration hazard Not classified Not data available Symptoms/effects after exin contact Irritation. Symptoms/effects after exin contact Eye irritation. ECTION 12: Ecological information M. Toxicity Titanium dioxide (13463-67-7) LCS0 (fish 1 Product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. ECTION 12: Proper description of the environment of the product is sold organism or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LCS0 (fish 1 Product is not considered narmful to OECD 203. 96 h, Oncorhynchus mykiss, Static system, Fresh water. Experimental value, Nominal concentration)	LD50 dermal rat	
Respiratory or skin sensitization : Not classified : Suspected of causing genetic defects. Carcinogenicity : Suspected of causing genetic defects. Carcinogenicity : May cause cancer. Phenot (108-95-2) IARC group	Skin corrosion/irritation	: Causes skin irritation.
Germ cell mutagenicity : Suspected of causing genetic defects. And cause cancer. Phonol (108-95-2) LARC group 3 - Not classifiable Crystalline silica (14808-60-7) LARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) LARC group 2 B - Possibly carcinogenic to humans Silicon carbide (409-21-2) LARC group 2 A - Probably carcinogenic to humans Silicon carbide (409-21-2) LARC group 2 A - Probably carcinogenic to humans Silicon carbide (409-21-2) LARC group 3 C A - Probably carcinogenic to humans STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Phonol (108-95-2) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : No data available Symptoms/effects after skin contact : Irritation. Symptoms/effects after eye contact : Eye Irritation. ECTION 12: Ecological information 24. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LCS0 fish 1	Serious eye damage/irritation	: Causes serious eye irritation.
Carcinogenicity	Respiratory or skin sensitization	: Not classified
Phenol (108-95-2) IARC group 3 - Not classifiable Crystalline silica (14808-60-7) IARC group 2B - Possibly carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans Seproductive toxicity Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Phenol (108-95-2) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified //scosity, kinematic : No data available Symptoms/effects after eye contact : Irritation. Symptoms/effects after eye contact : Eye irritation. ECTION 12: Ecological information 1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) EC50 (algae) 51 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) EC50 (algae) 61 mg/l (EQHA 6000-78-61-18, 72 h, Pseckokirchneriella subcapitata, Static system, Fresh)	Germ cell mutagenicity	: Suspected of causing genetic defects.
Crystalline silica (14808-60-7) IARC group	Carcinogenicity	: May cause cancer.
Crystalline silica (14808-60-7) IARC group	Phenol (108-95-2)	
Titanium dioxide (13463-67-7) IARC group	IARC group	3 - Not classifiable
IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Phenol (108-95-2) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Symptoms/effects after skin contact : Irritation. Symptoms/effects after skin contact : Eye irritation. ECTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1	Crystalline silica (14808-60-7)	
Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Phenol (108-95-2) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Not data available Not data available Symptoms/effects after skin contact Irritation. Symptoms/effects after eye contact Eye irritation. ECTION 12: Ecological information 2.1. Toxicity Ecology - general The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) Effects (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh		1 - Carcinogenic to humans
Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Phenol (108-95-2) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified viscosity, kinematic : No data available Symptoms/effects after skin contact : Irritation. Symptoms/effects after eye contact : Eye irritation. ECTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h. Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) Effects (algae) 61 mg/l (EPA 600/9-78-018, 72 h. Pseudokirchneriella subcapitata, Static system, Fresh	Titanium dioxide (13463-67-7)	
IARC group Reproductive toxicity Reproducti		2B - Possibly carcinogenic to humans
IARC group Reproductive toxicity Reproducti	Silicon carbide (409-21-2)	
Reproductive toxicity : Not classified STOT-single exposure : Causes damage to organs through prolonged or repeated exposure. Phenol (108-95-2) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified No data available Symptoms/effects after skin contact Irritation. Symptoms/effects after eye contact Eye irritation. ECTION 12: Ecological information 2.1. Toxicity Ecology - general The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	• •	2A - Probably carcinogenic to humans
STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Phenol (108-95-2) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : No data available Irritation. Symptoms/effects after skin contact : Irritation. Symptoms/effects after eye contact : Eye irritation. ECTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	<u> </u>	: Not classified
Phenol (108-95-2) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard is Not classified is No data available is ymptoms/effects after skin contact is Irritation. ECTION 12: Ecological information 1. Toxicity Ecology - general The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Not classified Not classified In ritation. Experimental to available The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. In ritation. Stopping or speated exposure. The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 STOT-repeated exposure In ritation. Stopping or speated exposure. The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 (algae) STOT-repeated exposure. Aspiration haver and the product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.		
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Symptoms/effects after skin contact Symptoms/effects after eye contact ECTION 12: Ecological information 1. Toxicity Ecology - general The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ECC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh		
Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Viscosity, kinematic No data available Symptoms/effects after skin contact Irritation. Symptoms/effects after eye contact ECTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	, ,	May cause damage to organs through prolonged or repeated exposure.
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Spiration hazard Symptoms/effects after skin contact Symptoms/effects after eye contact ECTION 12: Ecological information 2.1. Toxicity Ecology - general Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ECTS (algae) Causes damage to organs through prolonged or repeated exposure. Not classified Shot classified Tiritation. Tiritation. Symptoms/effects after eye contact Experimental to aquatic organisms or to cause long-term adverse effects in the environment.		, , , , , , , , , , , , , , , , , , , ,
Aspiration hazard : Not classified Viscosity, kinematic : No data available Symptoms/effects after skin contact : Irritation. Symptoms/effects after eye contact : Eye irritation. ECTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1		Causes demand to argain through prelanged as reported expecture
Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effect	STOT-repeated exposure	Causes damage to organs through prolonged of repeated exposure.
Symptoms/effects after skin contact : Irritation. Symptoms/effects after eye contact : Eye irritation. ECCTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1	Aspiration hazard	: Not classified
ECTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	Viscosity, kinematic	: No data available
ECTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	Symptoms/effects after skin contact	· Irritation
ECTION 12: Ecological information 2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	· ·	
2.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1	-,p	-
Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. Titanium dioxide (13463-67-7) LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	ECTION 12: Ecological information	on
ErC50 (algae) effects in the environment. effects in the environment. Titanium dioxide (13463-67-7) > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	•	
LC50 fish 1 > 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	Ecology - general	
Fresh water, Experimental value, Nominal concentration) ErC50 (algae) 61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh	Titanium dioxide (13463-67-7)	
	LC50 fish 1	
	ErC50 (algae)	
	2.2. Persistence and degradability	

03/13/2020 EN (English US) 6/10

Biodegradable in the soil. Inhibits biodegradation processes in the soil. Inhibition of nitrification. Readily biodegradable in water.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Phenol (108-95-2)		
Biochemical oxygen demand (BOD)	1.68 g O₂/g substance	
Chemical oxygen demand (COD)	2.28 g O₂/g substance	
ThOD	2.38 g O₂/g substance	
BOD (% of ThOD)	0.71	
Iron (7439-89-6)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Crystalline silica (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Titanium dioxide (13463-67-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Silicon carbide (409-21-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	

Phenol (108-95-2)	
BCF fish 1	1276 - 1496 (Pimephales promelas, Pure substance)
BCF other aquatic organisms 1	277 (Daphnia magna, Pure substance)
Log Pow	1.46
Log Kow	1.46
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).
Iron (7439-89-6)	
Bioaccumulative potential	Not bioaccumulative.
Crystalline silica (14808-60-7)	
Bioaccumulative potential	No bioaccumulation data available.
Titanium dioxide (13463-67-7)	
Bioaccumulative potential	Not bioaccumulative.
Silicon carbide (409-21-2)	
Bioaccumulative potential	Bioaccumulation: not applicable.

12.4. Mobility in soil

Phenol (108-95-2)	
Ecology - soil	No (test)data on mobility of the components available.
Iron (7439-89-6)	
Ecology - soil	Adsorbs into the soil.
Crystalline silica (14808-60-7)	
Ecology - soil	No (test)data on mobility of the substance available.
Titanium dioxide (13463-67-7)	
Ecology - soil	Low potential for mobility in soil.

03/13/2020 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Phenol (108-95-2)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313 Listed on EPA Hazardous Air Pollutant (HAPS)	
CERCLA RQ	1000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	10000 lb 500lb if the substance is solid in powder form with particle size less than 100 microns, or is in solution or molten form
Iron (7439-89-6)	

Iron (7439-89-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Crystalline silica (14808-60-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Titanium dioxide (13463-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Silicon carbide (409-21-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian DSL (Domestic Substances List)

15.2. International regulations

CANADA

	Phenol (108-95-2)	
Listed on the Canadian DSL (Domestic Substances List)		
	Iron (7439-89-6)	

03/13/2020 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

Silicon carbide (409-21-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

National regulations

Crystalline silica (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

Titanium dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

Silicon carbide (409-21-2)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Phenol(108-95-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silicon carbide(409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 03/13/2020

Full text of H-phrases:

H227	Combustible liquid
H301	Toxic if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H331	Toxic if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

03/13/2020 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

03/13/2020 EN (English US) 10/10