

Reno ElectroPump™ 16 SiC

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 11/18/2020

SECTION 1: Identification			
.1. Identification			
Product form	: Mixture		
Trade name	: Reno ElectroPump™ 16 SiC		
Product code	: 194530		
I.2. Recommended use and restrict			
Recommended use	: Refractory Applications		
1.3. Supplier			
Reno Refractories, Inc. 601 Reno Drive			
P.O. Box 201			
Morris, AL 35116 - United States			
T 205-647-0240 - F 205-647-6854 sales@r-ref.com - www.renorefractories.c	om		
1.4. Emergency telephone number			
.4. Emergency telephone number			
Emergency number	: 1-800-262-8200 CHEMTREC		
SECTION 2: Hazard(s) identificat	tion		
2.1. Classification of the substance	or mixture		
GHS US classification			
Flammable solids Category 1	Flammable solid		
Carcinogenicity Category 1A	May cause cancer		
2.2. GHS Label elements, including	precautionary statements		
GHS US labeling			
Hazard pictograms (GHS US)			
Signal word (GHS US)	: Danger		
Hazard statements (GHS US)	: Flammable solid May cause cancer		
Precautionary statements (GHS US)	: Obtain special instructions befor	e use	
	Do not handle until all safety pre	cautions have bee	
		ces, sparks, open fl	lames and other ignition sources. No
	smoking. Wear protective gloves/protectiv	e clothing/eye prot	ection/face protection.
	If exposed or concerned: Get me	edical advice/attent	tion.
	In case of fire: Use media other		guish. cial waste collection point, in accordance
	with local, regional, national and		
2.3. Other hazards which do not res	sult in classification		
	16)		
2.4. Unknown acute toxicity (GHS L Not applicable			
SECTION 3: Composition/Inform	ation on ingredients		
3.1. Substances			
Not applicable 3.2. Mixtures			
Name	Product identifier	%	GHS US classification
Silicon carbide	(CAS-No.) 409-21-2	13 – 18	Carc. 1B, H350

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N	lame	Product identifier	%	GHS US classification
Т	ïtanium dioxide	(CAS-No.) 13463-67-7	1.06 – 2.90175	Carc. 2, H351
С	Crystalline silica	(CAS-No.) 14808-60-7	0.04 – 0.15	Carc. 1A, H350 STOT RE 1, H372

Full text of hazard classes and H-statements : see section 16

Full text of hazard classes and H-statements : see	e section 16
SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion 4.2. Most important symptoms and effect	 IF exposed or concerned: Get medical advice/attention. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center/doctor/physician if you feel unwell.
4.3. Immediate medical attention and spe Treat symptomatically.	cial treatment, if necessary
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishi	ng media
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Specific hazards arising from the che	
Fire hazard	: Flammable solid.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and protecti	ecautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release meas	ures
6.1. Personal precautions, protective equ	lipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment. Notify authoritie	es if product enters sewers or public waters.
6.3. Methods and material for containment	nt and cleaning up
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene measures	: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Keep cool. Protect from sunlight. Keep away from ignition sources. Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reno ElectroPump™ 16 SiC	
No additional information available	
Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Lir	nits
Local name	Titanium dioxide
ACGIH TWA (mg/m ³)	10 mg/m ³
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lim	its
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) (mg/m ³)	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Silicon carbide (409-21-2)	
USA - ACGIH - Occupational Exposure Lir	nits
Local name	Silicon carbide
ACGIH TWA (mg/m³)	 3 mg/m³ (Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) 0.1 fibers/cm³ (Respirable fibers: length > 5 μm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination) 10 mg/m³ (Inhalable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica)
Remark (ACGIH)	Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lim	nits
Local name	Silicon carbide
OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (Total dust) 5 mg/m ³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Crystalline silica (14808-60-7)	
USA - ACGIH - Occupational Exposure Lir	nits
Local name	Silica crystaline - quartz
ACGIH TWA (mg/m ³)	0.025 mg/m ³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lim	nits
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts

8.2.	Appropriate engineering controls	
Appropri	ate engineering controls	: Ensure good ventilation of the work station.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

Personal protective equipment symbol(s):



9.1. Information on basic physical and cl	nemical properties	
Physical state	: Solid	
Color	: Grey	
Odor	: Almost odourless	
Odor threshold	: No data available	
pH	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	: Not applicable	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Flammable solid.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: Not applicable	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

No additional information available

SECTION 10: Stability and reactivity 10.1. Reactivity Flammable solid. 10.2. Chemical stability 10.2.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

1.1. Information on toxicological effects Acute toxicity (ortal) : Not classified Acute toxicity (idermal) : Not classified Acute toxicity (inhalation) : Not classified ID50 oral rat > 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s)) LC50 Inhalation - Rat > 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) Silicon carbide (409-21-2)	SECTION 11: Toxicological informatio	n
Acute toxicity (dermal) : Not classified Trainum dioxide (13463-67-7) LD50 oral rat > 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s)) Silicon carbide (409-21-2) > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) LD50 dermal rat > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Carcinogenicity : May cause cancer. Ttanium dioxide (13463-67-7)	11.1. Information on toxicological effects	
Acute toxicity (inhalation) : Not classified Titanium dioxide (13463-67-7) LD50 oral rat > 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Fernale, Experimental value, Oral, 14 day(s)) Silicon carbide (409-21-2) > 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) Silicon carbide (409-21-2) > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Fernale, Experimental value, Oral) LD50 oral rat > 2000 mg/kg body weight (OECD 422: Acute Dermal Toxicity, 24 h, Rat, Male / fernale, Experimental value, Dermal) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Silicon carbide (409-21-2) IARC group IARC group 2A - Probably carcinogenic to humans Silicon carbide (409-21-2) IARC group IARC group 1 - Carcinogenic to humans Crystatlline silica (14808-60-7) IARC group IARC group 1 - Carcinogenic to humans Crystatlline silica (14808-60-7) : Not classified STOT-single exposure : Not classified STOT-repeated exposure	Acute toxicity (oral)	: Not classified
Titanium dioxide (13463-67-7) LD50 oral rat > 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s)) LC50 Inhalation - Rat > 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) Silicon carbide (409-21-2) LD50 oral rat LD50 dermal rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) LD50 dermal rat > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Titanium dioxide (13463-67-7) IARC group IARC group 2A - Probably carcinogenic to humans Crystalline silica (14808-60-7) IARC group IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified	Acute toxicity (dermal)	: Not classified
LD50 oral rat > 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s)) LC50 Inhalation - Rat > 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) Silicon carbide (409-21-2) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) LD50 dermal rat > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) LD50 dermal rat > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) LD50 dermal rat > Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Titanium dioxide (13463-67-7) IARC group IARC group 2A - Probably carcinogenic to humans Crystalline silica (14808-60-7) I - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classi	Acute toxicity (inhalation)	: Not classified
Female, Experimental value, Oral, 14 day(s)) LC50 Inhalation - Rat > 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) Silicon carbide (409-21-2) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) LD50 dermal rat > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Oral) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Gern cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Titanium dioxide (13463-67-7) IARC group IARC group 2A - Probably carcinogenic to humans Silicon carbide (409-21-2) IARC group IARC group 1 - Carcinogenic to humans Crystalline silica (14808-60-7) IAC group IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified	Titanium dioxide (13463-67-7)	
Silicon carbide (409-21-2) > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) LD50 dermal rat > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Way cause cancer. Titanum dioxide (13463-67-7) IARC group IARC group : 2A - Probably carcinogenic to humans Silicon carbide (409-21-2) IARC group IARC group : A - Probably carcinogenic to humans Crystalline silica (14808-60-7) : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified	LD50 oral rat	
LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) LD50 dermal rat > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Titanium dioxide (13463-67-7) IARC group IARC group 2A - Probably carcinogenic to humans Silicon carbide (409-21-2) IARC group IARC group 1 - Carcinogenic to humans Crystalline silica (14808-60-7) : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified	LC50 Inhalation - Rat	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Female, Experimental value, Oral) LD50 dermal rat > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Carcinogenicity : May cause cancer. Titanium dioxide (13463-67-7)	Silicon carbide (409-21-2)	
Experimental value, Dermal)Skin corrosion/irritation: Not classifiedSerious eye damage/irritation: Not classifiedRespiratory or skin sensitization: Not classifiedGerm cell mutagenicity: Not classifiedCarcinogenicity: May cause cancer.Titanium dioxide (13463-67-7)	LD50 oral rat	
Serious eye damage/irritation : Not classified Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Titanium dioxide (13463-67-7)	LD50 dermal rat	
Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Titanium dioxide (13463-67-7) IARC group IARC group 2B - Possibly carcinogenic to humans Silicon carbide (409-21-2) IARC group IARC group 2A - Probably carcinogenic to humans Crystalline silica (14808-60-7) IARC group IARC group 1 - Carcinogenic to humans StOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7) : Not classified Crystalline silica (14808-60-7) : Not classified	Skin corrosion/irritation	: Not classified
Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Titanium dioxide (13463-67-7)	Serious eye damage/irritation	: Not classified
Carcinogenicity : May cause cancer. Titanium dioxide (13463-67-7) IARC group IARC group 2B - Possibly carcinogenic to humans Silicon carbide (409-21-2) IARC group IARC group 2A - Probably carcinogenic to humans Crystalline silica (14808-60-7) IARC group IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified	Respiratory or skin sensitization	: Not classified
Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7) : Not classified	Germ cell mutagenicity	: Not classified
IARC group 2B - Possibly carcinogenic to humans Silicon carbide (409-21-2) IARC group IARC group 2A - Probably carcinogenic to humans Crystalline silica (14808-60-7) IARC group IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7) : Not classified	Carcinogenicity	: May cause cancer.
Silicon carbide (409-21-2) IARC group 2A - Probably carcinogenic to humans Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7) : Not classified	Titanium dioxide (13463-67-7)	
IARC group 2A - Probably carcinogenic to humans Crystalline silica (14808-60-7) 1 - Carcinogenic to humans IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7)	IARC group	2B - Possibly carcinogenic to humans
Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7) : Not classified	Silicon carbide (409-21-2)	
IARC group 1 - Carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7)	IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7)	Crystalline silica (14808-60-7)	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified Crystalline silica (14808-60-7)	IARC group	1 - Carcinogenic to humans
STOT-repeated exposure : Not classified Crystalline silica (14808-60-7)	Reproductive toxicity	: Not classified
Crystalline silica (14808-60-7)	STOT-single exposure	: Not classified
	STOT-repeated exposure	: Not classified
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure.	Crystalline silica (14808-60-7)	
	STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard : Not classified	Aspiration hazard	: Not classified
Viscosity, kinematic : No data available	Viscosity, kinematic	: No data available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7)	
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

Titanium dioxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Silicon carbide (409-21-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Crystalline silica (14808-60-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Bioaccumulative potential	Not bioaccumulative.	
Silicon carbide (409-21-2)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
Crystalline silica (14808-60-7)		
Bioaccumulative potential	No bioaccumulation data available.	
2.4. Mobility in soil		
Titanium dioxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	

Crystalline silica (14808-60-7)		
Ecology - soil	No (test)data on mobility of the substance available.	

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations				
13.1. Disposal methods				
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.			
Department of Transportation (DOT)				
Department of Transportation (DOT)				
In accordance with DOT				
Not applicable				

Transportation of Dangerous Goods

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information		
15.1. US Federal regulations		
Titanium dioxide (13463-67-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Silicon carbide (409-21-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Crystalline silica (14808-60-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
15.2. International regulations		
CANADA		
Titanium dioxide (13463-67-7)		
Listed on the Canadian DSL (Domestic Substances List)		
Silicon carbide (409-21-2)		
Listed on the Canadian DSL (Domestic Substances List)		
Crystalline silica (14808-60-7)		
Listed on the Canadian DSL (Domestic Substances List)		
EU-Regulations No additional information available		
National regulations		
Titanium dioxide (13463-67-7)		
Listed on IARC (International Agency for Research on Cancer)		
Silicon carbide (409-21-2)		
Listed on IARC (International Agency for Research on Cancer)		
Crystalline silica (14808-60-7)		
Listed on IARC (International Agency for Research on Cancer)		

15.3. US State regulations

Component	State or local regulations
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silicon carbide(409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 11/18/2020

Full text of H-phrases:

H350	May cause cancer
H351	Suspected of causing cancer
H372 Causes damage to organs through prolonged or repeated exposure	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.