

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 02/09/2021

SECTION 1: Identification			
SECTION 1: Identification			
1.1. Identification Product form	: Mixture		
Trade name	: Reno ElectroCast™ 370		
Product code	: 191020		
1.2. Recommended use and rest			
Recommended use	: Refractory Applications		
1.3. Supplier			
Reno Refractories, Inc. 601 Reno Drive			
P.O. Box 201 Morris, AL 35116 - United States			
T 205-647-0240 - F 205-647-6854			
sales@r-ref.com - www.renorefractorie	<u>s.com</u>		
1.4. Emergency telephone numb	er		
,, ,,			
Emergency number	: 1-800-262-8200 CHEMTRI	EC	
SECTION 2: Hazard(s) identified	cation		
2.1. Classification of the substar			
GHS US classification			
Carcinogenicity Category 1A	May cause cancer		
2.2. GHS Label elements, includi	ng precautionary statements		
GHS US labeling			
Hazard pictograms (GHS US)			
Signal word (GHS US)	: Danger		
Hazard statements (GHS US)	: May cause cancer		
Precautionary statements (GHS US)			
2.3. Other hazards which do not	result in classification		
No additional information available			
2.4. Unknown acute toxicity (GH	S US)		
Not applicable			
SECTION 3: Composition/Info	rmation on ingredients		
3.1. Substances			
Not applicable			
3.2. Mixtures			
Name	Product identif	ier %	GHS US classification
Crystalline silica	(CAS-No.) 14808-60		Carc. 1A, H350 STOT RE 1, H372
Titanium dioxide	(CAS-No.) 13463-6	7-7 0 – 0.492	Carc. 2, H351

Silicon carbide

(CAS-No.) 409-21-2

0.1 – 0.22

Carc. 1B, H350

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects	(acute and delayed)
4.3. Immediate medical attention and spec	ial treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishin	g media
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Specific hazards arising from the cher	nical
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and pred	cautions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTION 6: Accidental release measu	ires
6.1. Personal precautions, protective equi	pment and emergency procedures
6.1.1. For non-emergency personnel Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene.
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions Avoid release to the environment. Notify authorities	s if product enters sewers or public waters.
6.3. Methods and material for containment	t and cleaning up
Methods for cleaning up Other information	<ul> <li>Mechanically recover the product. Notify authorities if product enters sewers or public waters.</li> <li>Dispose of materials or solid residues at an authorized site.</li> </ul>
6.4. Reference to other sections	·
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including	any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Reno ElectroCast™ 370	
No additional information available	
Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Lin	nits
Local name	Titanium dioxide
ACGIH TWA (mg/m³)	10 mg/m³
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lin	nits
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Crystalline silica (14808-60-7)	
USA - ACGIH - Occupational Exposure Lin	nits
Local name	Silica crystaline - quartz
ACGIH TWA (mg/m³)	0.025 mg/m <sup>3</sup> (Respirable fraction)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lin	nits
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Silicon carbide (409-21-2)	
USA - ACGIH - Occupational Exposure Li	nits
Local name	Silicon carbide
ACGIH TWA (mg/m³)	<ul> <li>3 mg/m³ (Respirable fraction. The value is for particulate matter containing no asbesto and &lt; 1% crystalline silica)</li> <li>0.1 fibers/cm³ (Respirable fibers: length &gt; 5 μm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination)</li> <li>10 mg/m³ (Inhalable fraction. The value is for particulate matter containing no asbestos and &lt; 1% crystalline silica)</li> </ul>
Remark (ACGIH)	Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lin	nits
Local name	Silicon carbide
OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2.	Appropriate engineering controls	
•••••	riate engineering controls imental exposure controls	<ul><li>Ensure good ventilation of the work station.</li><li>Avoid release to the environment.</li></ul>

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

### Eye protection:

02/09/2021

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

Wear respiratory protection.

Personal protective equipment symbol(s):



	and the second	
SECTION 9: Physical and chemical p		
9.1. Information on basic physical and ch		
Physical state	: Solid	
Color	: Gray	
Odor	: Almost odourless	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	: Not applicable	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: 2.53	
Solubility	: Water: < 0.1 %	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: Not applicable	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2 Other information		

9.2. Other information VOC content

: 0 %

SECTION 10: Stability and reactivity			
10.1.	Reactivity		
The prod	uct is non-reactive under normal conditions of use, storage and transport.		
10.2.	Chemical stability		
Stable ur	nder normal conditions.		

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

### No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

ECTION 11: Toxicological informa	ation
1.1. Information on toxicological effect	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))
LC50 Inhalation - Rat	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))
Silicon carbide (409-21-2)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: May cause cancer.
Titanium dioxide (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans
Crystalline silica (14808-60-7)	
IARC group	1 - Carcinogenic to humans
Silicon carbide (409-21-2)	
IARC group	2A - Probably carcinogenic to humans
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Crystalline silica (14808-60-7)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Titanium dioxide (13463-67-7)	
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium dioxide (13463-67-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Crystalline silica (14808-60-7)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
Silicon carbide (409-21-2)		
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
2.3. Bioaccumulative potential		
Titanium dioxide (13463-67-7)		
Bioaccumulative potential	Not bioaccumulative.	
Crystalline silica (14808-60-7)		
Bioaccumulative potential	No bioaccumulation data available.	
Silicon carbide (409-21-2)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
2.4. Mobility in soil		
Titanium dioxide (13463-67-7)		
Ecology - soil	Low potential for mobility in soil.	
Crystalline silica (14808-60-7)		

#### 12.5. Other adverse effects

No additional information available

<b>SECTION 13: Disposal consider</b>	rations
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport informa	ation
SECTION 14: Transport informa Department of Transportation (DOT)	ation

Not applicable

### **Transportation of Dangerous Goods**

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information
15.1. US Federal regulations
Titanium dioxide (13463-67-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Crystalline silica (14808-60-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Silicon carbide (409-21-2)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
15.2. International regulations
CANADA
Titanium dioxide (13463-67-7)
Listed on the Canadian DSL (Domestic Substances List)
Crystalline silica (14808-60-7)
Listed on the Canadian DSL (Domestic Substances List)
Silicon carbide (409-21-2)
Listed on the Canadian DSL (Domestic Substances List)
EU-Regulations No additional information available National regulations
Titanium dioxide (13463-67-7)
Listed on IARC (International Agency for Research on Cancer)
Crystalline silica (14808-60-7)
Listed on IARC (International Agency for Research on Cancer)
Silicon carbide (409-21-2)
Listed on IARC (International Agency for Research on Cancer)
15.3. US State regulations

Component	State or local regulations
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silicon carbide(409-21-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 02/09/2021

Full text of H-phrases:

	H350	May cause cancer
	H351	Suspected of causing cancer
	H372	Causes damage to organs through prolonged or repeated exposure

#### SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.