

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 04/30/2019

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: Reno P&L Seal
Product code	: 400300
1.2. Recommended use and restrictions	
Recommended use	: Refractory Applications
1.3. Supplier	
Reno Refractories, Inc.	
601 Reno Drive	
P.O. Box 201	
Morris, AL 35116 - United States	
T 205-647-0240 - F 205-647-6854	
1.4. Emergency telephone number	
Emergency number	: 1-800-262-8200 CHEMTREC
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or m	ixture
GHS-US classification	
Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 1	Causes serious eye damage
Carcinogenicity Category 1A	May cause cancer
Specific target organ toxicity (repeated exposure) Category 1	Causes damage to organs through prolonged or repeated exposure
Category	
2.2. GHS Label elements, including preca	autionary statements
GHS US labeling	
Hazard pictograms (GHS US)	
	PT
Signal word (CHS US)	
Signal word (GHS US) Hazard statements (GHS US)	: Danger : Causes skin irritation
	Causes serious eye damage
	May cause cancer
	Causes damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)	: Obtain special instructions before use.
	Do not handle until all safety precautions have been read and understood.
	Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.
	Do not eat, drink or smoke when using this product.
	Wear protective gloves/protective clothing/eye protection/face protection.
	If on skin: Wash with plenty of water If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing
	If exposed or concerned: Get medical advice/attention.
	Immediately call a poison center or doctor
	Get medical advice/attention if you feel unwell. Specific treatment (see supplemental first aid instruction on this label)
	If skin irritation occurs: Get medical advice/attention.
	Take off contaminated clothing and wash it before reuse.
	Dispass of contents/container to be arguing or encoded waste collection point in accordance

2.3. Other hazards which do not result in classification

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHS US)

### Not applicable

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

#### Not applicable

-

3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
Crystalline silica	(CAS-No.) 14808-60-7	42.3 - 48.1	Carc. 1A, H350 STOT RE 1, H372
Sodium silicate	(CAS-No.) 1344-09-8	1.413 - 3.297	Skin Corr. 1, H314 Eye Dam. 1, H318
Silica, crystalline – cristobalite	(CAS-No.) 14464-46-1	1.35 - 3.25	STOT RE 1, H372
Carbon Black	(CAS-No.) 1333-86-4	0.75 - 1.5	Carc. 2, H351
Titanium dioxide	(CAS-No.) 13463-67-7	0.04 - 0.16	Carc. 2, H351

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician immediately.
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and eff	ects (acute and delayed)
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
4.3 Immediate medical attention and a	enocial treatment if necessary

4.3. Immediate medical attention and special treatment, if necessary Treat symptomatically.

SECTI	ON 5: Fire-fighting measures	
5.1.	Suitable (and unsuitable) extinguishin	g media
Suitable	extinguishing media :	Water spray. Dry powder. Foam.
5.2.	Specific hazards arising from the cher	nical
No additi	ional information available	
5.3.	Special protective equipment and pred	cautions for fire-fighters
Protectio	n during firefighting :	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
SECTI	ON 6: Accidental release measu	ires
6.1.	Personal precautions, protective equi	pment and emergency procedures
6.1.1.	For non-emergency personnel	
Emerger	cy procedures :	Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
6.1.2.	For emergency responders	
Protectiv	e equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2.	Environmental precautions	
Avoid rel		s if product enters sewers or public waters.
6.3.	Methods and material for containment	and cleaning up
Methods	for cleaning up :	Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other i	information	: Dispose of materials or solid residues at an authorized site.
6.4.	Reference to other sections	
For fur	ther information refer to section 13.	
SECT	FION 7: Handling and storage	
7.1.	Precautions for safe handling	
Precau	utions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygien	ne measures	<ul> <li>Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Crystalline silica (14	808-60-7)	
ACGIH	Local name	Silica crystaline - quartz
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (Respirable fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Carbon Black (1333-	86-4)	
ACGIH	Local name	Carbon black
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (Inhalable fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	3.5 mg/m <sup>3</sup>
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Titanium dioxide (13	3463-67-7)	
ACGIH	Local name	Titanium dioxide
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup>
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Silica, crystalline – cristobalite (14464-46-1)		
ACGIH	Local name	Silica crystaline - cristobalite
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup> (Respirable fraction)
ACGIH	Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Silica, crystalline – cristobalite (14464-46-1)		
ACGIH	Regulatory reference	ACGIH 2018
OSHA	Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use ½ the value calculated from the count or mass formulae for quartz. CAS No. source: eCFR Table Z-1.
OSHA	Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Sodium silicate (1344-09-8)		
Not applicable		

#### 8.2. Appropriate engineering controls

: Ensure good ventilation of the work station.

Appropriate engineering controls Environmental exposure controls

: Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

### Eye protection:

Safety glasses

### Skin and body protection:

Wear suitable protective clothing

#### **Respiratory protection:**

Wear respiratory protection.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Color	: Gray	
Odor	: Almost odourless	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	: Not applicable	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: 2.53	
Solubility	: Water: < 0.1 %	
Log Pow	: No data available	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: Not applicable	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<ul> <li>ccording to Federal Register / Vol. 77, No. 58 / Monday, I</li> <li>9.2. Other information</li> </ul>		
9.2. Other information VOC content	: 0%	
SECTION 10: Stability and reactivity		
10.1. Reactivity	· · · · · ·	
The product is non-reactive under normal conditions of use, storage and transport.		
10.2. Chemical stability		
Stable under normal conditions.		
10.3. Possibility of hazardous reactions		
No dangerous reactions known under normal con	ditions of use.	
10.4. Conditions to avoid		
None under recommended storage and handling	conditions (see section 7).	
10.5. Incompatible materials		
No additional information available		
10.6. Hazardous decomposition products		
Under normal conditions of storage and use, haza	ardous decomposition products should not be produced.	
SECTION 11: Toxicological informati	on	
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Carbon Black (1333-86-4)		
LD50 oral rat	> 8000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value,	
	Oral)	
LD50 dermal rabbit	> 3000 mg/kg (Rabbit, Literature study, Dermal)	
LC50 inhalation rat (mg/l)	> 4.6 mg/l air (4 h, Rat, Experimental value, Inhalation)	
Titanium dioxide (13463-67-7)		
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))	
LC50 inhalation rat (mg/l)	<ul> <li>&gt; 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))</li> </ul>	
Sodium silicate (1344-09-8)		
LD50 oral rat	> 2000 mg/kg (Rat, Oral)	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
Crystalline silica (14808-60-7)		
IARC group	1 - Carcinogenic to humans	
Carbon Black (1333-86-4)		
IARC group	2B - Possibly carcinogenic to humans	
Titanium dioxide (13463-67-7)		
IARC group	2B - Possibly carcinogenic to humans	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
Specific target organ toxicity – repeated exposure	: Causes damage to organs through prolonged or repeated exposure.	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)	
Specific target organ toxicity – repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Silica, crystalline – cristobalite (14464-46	j-1)
Specific target organ toxicity – repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
/iscosity, kinematic	: No data available
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: Serious damage to eyes.
SECTION 12: Ecological informati	on
2.1. Toxicity	
cology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Carbon Black (1333-86-4)	
LC50 fish 1	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Literature study)
EC50 Daphnia 1	> 5600 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Experimental value)
Titanium dioxide (13463-67-7)	
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Sodium silicate (1344-09-8)	
LC50 fish 1	3185 mg/l (96 h, Brachydanio rerio, Not neutralized)
EC50 Daphnia 1	216 mg/l (96 h, Daphnia magna)
EC50 Daphnia 2	160 mg/l (96 h, Amphipoda)
2.2. Persistence and degradability	
Crystalline silica (14808-60-7)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Carbon Black (1333-86-4)	
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
Titanium dioxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Silica, crystalline – cristobalite (14464-46	i-1)
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
	<u> </u>

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Silica, crystalline – cristobalite (14464-46-1)			
BOD (% of ThOD)	Not applicable		
Sodium silicate (1344-09-8)	Sodium silicate (1344-09-8)		
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		

### 12.3. Bioaccumulative potential

Carbon Black (1333-86-4)		
Bioaccumulative potential	Not bioaccumulative.	
Titanium dioxide (13463-67-7)		
Bioaccumulative potential	Not bioaccumulative.	
Silica, crystalline – cristobalite (14464-46-1)		
Bioaccumulative potential	No test data available.	
Sodium silicate (1344-09-8)		
Bioaccumulative potential	No test data of component(s) available.	
12.4 Mobility in soil		

### 12.4. Mobility in soil

Carbon Black (1333-86-4)			
Ecology - soil	Adsorbs into the soil. Not toxic to plants. Not toxic to animals.		
Titanium dioxide (13463-67-7)			
Ecology - soil	Low potential for mobility in soil.		
Silica, crystalline – cristobalite (14464-46-1)			
Ecology - soil	No (test)data on mobility of the substance available.		
Sodium silicate (1344-09-8)			
Ecology - soil	No (test)data on mobility of the components available.		

### 12.5. Other adverse effects

No additional information available

SECTION 13: Disposal consideration	IS
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
Department of Transportation (DOT) In accordance with DOT	
Not applicable	
Transportation of Dangerous Goods	

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information
15.1. US Federal regulations
Crystalline silica (14808-60-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Carbon Black (1333-86-4)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Titanium dioxide (13463-67-7)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Silica, crystalline – cristobalite (14464-46-1)
Listed on the United States TSCA (Toxic Substances Control Act) inventory
Sodium silicate (1344-09-8)
Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### CANADA

Crystalline silica (14808-60-7)
Listed on the Canadian DSL (Domestic Substances List)
Carbon Black (1333-86-4)
Listed on the Canadian DSL (Domestic Substances List)
Titanium dioxide (13463-67-7)
Listed on the Canadian DSL (Domestic Substances List)
Silica, crystalline – cristobalite (14464-46-1)
Listed on the Canadian DSL (Domestic Substances List)
Sodium silicate (1344-09-8)
Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

#### **National regulations**

Crystalline silica (14808-60-7)	
Listed on IARC (International Agency for Research on Cancer)	
Carbon Black (1333-86-4)	
Listed on IARC (International Agency for Research on Cancer)	
Titanium dioxide (13463-67-7)	
Listed on IARC (International Agency for Research on Cancer)	

15.3. US State regulations

Carbon Black (1	333-86-4)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Carbon Black(1333-86-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silica, crystalline – cristobalite(14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 04/30/2019

### Full text of H-phrases:

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure

### SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.