

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 12/5/2023

SECTION 1: Identification

1.1. Identification Product form : Mixture Trade name : Reno Gun 28 Product code : 125400

1.2. Recommended use and restrictions on use

Recommended use

: Refractory Applications

1.3. Supplier Reno Refractories, Inc. 601 Reno Drive P.O. Box 201 Morris, AL, 35116

United States T 205-647-0240 - F 205-647-6854 <u>sales@r-ref.com</u> - <u>www.renorefractories.com</u>

1.4. Emergency telephone number

Emergency number

: 1-800-262-8200 CHEMTREC

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Carcinogenicity Category 1A Specific target organ toxicity (repeated exposure) Category 1

May cause cancer

Causes damage to organs through prolonged or repeated exposure

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)



: Danger

·

- May cause cancer
- Causes damage to organs through prolonged or repeated exposure
- Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Wash hands, forearms and face thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Wear protective gloves/protective clothing/eye protection/face protection.
- If exposed or concerned: Get medical advice/attention.
- Get medical advice/attention if you feel unwell.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	GHS US classification
Silica, crystalline – cristobalite	CAS-No.: 14464-46-1	≤ 16.26	STOT RE 1, H372
Crystalline silica	CAS-No.: 14808-60-7	≤ 3.69	Carc. 1A, H350 STOT RE 1, H372
Titanium dioxide	CAS-No.: 13463-67-7	≤ 1.53	Carc. 2, H351
Amorphous/fused silica	CAS-No.: 60676-86-0	0 – 1.2	STOT RE 2, H373

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 IF exposed or concerned: Get medical advice/attention. Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects	(acute and delayed)
No additional information available	
4.3. Immediate medical attention and specie	al treatment, if necessary
Treat symptomatically.	
SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing	media
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Specific hazards arising from the chem	ical
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Special protective equipment and prec	autions for fire-fighters
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment. Notify a	uthorities if product enters sewers or public waters.	
6.3. Methods and material for containment and cleaning up		

Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
	. Dispose of materials of solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

7.1. Precautions for safe handling	
Precautions for safe handling	Ensure good ventilation of the work station. Obtain special instructions before use. Do not handl until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray.
Hygiene measures	Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reno Gun 28		
No additional information available		
Crystalline silica (14808-60-7)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Silica crystaline - quartz	
ACGIH OEL TWA	0.025 mg/m ³ (Respirable fraction)	
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)	
Regulatory reference	ACGIH 2023
USA - OSHA - Occupational Exposure Limits	
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH OEL TWA	0.2 mg/m³ (Respirable fraction) 2.5 mg/m³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2023
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) [1]	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Silica, crystalline – cristobalite (14464-4	5-1)
USA - ACGIH - Occupational Exposure Limits	
Local name	Silica crystaline - cristobalite
ACGIH OEL TWA	0.025 mg/m³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2023
USA - OSHA - Occupational Exposure Limits	
Local name	Cristobalite (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use ½ the value calculated from the count or mass formulae for quartz. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Amorphous/fused silica (60676-86-0)	
USA - OSHA - Occupational Exposure Limits	
Local name	Silica, fused, respirable dust
OSHA PEL (TWA) [2]	20 mppcf
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formula: (80 mg/m3 / (%SiO2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
8.2. Appropriate engineering controls	
	· Ensure good ventilation of the work station

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls

: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment	
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
[In case of inadequate ventilation] wear respiratory protection.	

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Color Odor Odor threshold pH Melting point Freezing point Boiling point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas)	 Solid Gray Almost odourless No data available No data available No data available Not applicable Not applicable Not applicable Not applicable Not apalicable

9.2. Other information

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

perimental
ue,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

pH 6 - 7 Respiratory or skin sensitization : Not classified Gern cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) I - Carcinogenic to humans IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. STICT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STICT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STICT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STICT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STICT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STICT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STICT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) May cause damage to organs through prolonged or repeated exposure. StoT1-repeated exposure May	Silica, crystalline – cristobalite (14464-46-1)	
Gern cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) I - Carcinogenic to humans Titanum dioxide (13463-67-7) I - Carcinogenic to humans RAC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Storepeated exposure : Not classified Storepeated exposure : Not applicable Crystalline at classified : Not applicable Crystalline silica (14808-60-7) : Not applicab		6 - 7
Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline - cristobalite (14464-46-1) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) Stot-single silica (14808-60-7) Stot-single exposure May cause damage to organs through prolonged or repeated exposure. Crystalline - cristobalite (14464-46-1) Stot-single exposure May cause damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) Stot-single exposure Not classified Stot-single exposure Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Not applicable Silica, crystalline - cristobalite (14464-46-1) Viscosity, kinematic Not applicable (solid)	Respiratory or skin sensitization :	Not classified
Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity Not classified STOT-single exposure Not classified STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline - cristobalite (14464-46-1) Stot-repeated exposure STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Stilica, crystalline - cristobalite (14464-46-1) Stot-repeated exposure STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Stilica, crystalline - cristobalite (14464-46-1) Stot-repeated exposure STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Viscosity, kinematic Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanum dioxide (13463-67-7) Viscosity, kinematic	Germ cell mutagenicity :	Not classified
IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity Not classified STOT-single exposure Not classified STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Silica, crystalline – cristobalite (14464-46-1) Stot - repeated exposure STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Viscosity, kinematic Not classified Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanum dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic <td>Carcinogenicity :</td> <td>May cause cancer.</td>	Carcinogenicity :	May cause cancer.
Titanium dioxide (13463-67-7) IARC group ZB - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Silica, crystalline - cristobalite (14464-46-1) StoT-repeated exposure Causes damage to organs through prolonged or repeated exposure. StoT-repeated exposure Causes damage to organs through prolonged or repeated exposure. StoT-repeated exposure StoT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline - cristobalite (14464-46-1) Viscosi	Crystalline silica (14808-60-7)	
IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) Eauses damage to organs through prolonged or repeated exposure. STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. SILica, crystalline - cristobalite (14464-46-1) Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) StoT-repeated exposure STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified viscosity, kinematic : Not classified Viscosity, kinematic Not applicable Crystalline silica (14868-66-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica,	IARC group	1 - Carcinogenic to humans
Reproductive toxicity Not classified STOT-single exposure Not classified STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Silica, crystalline – cristobalite (14464-46-1) STOT-repeated exposure STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Viscosity, kinematic Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1)	Titanium dioxide (13463-67-7)	
STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) : Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. SIIca, crystalline – cristobalite (14464-46-1) : Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) : Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) : Not classified STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not classified Viscosity, kinematic : Not applicable Crystalline silica (14463-67-7) : Not applicable Viscosity, kinematic : Not applicable Silica, crystalline – cristobalite (14464-46-1) : Not applicable Viscosity, kinematic : Not applicable Silica, crystalline – cristobali	IARC group	2B - Possibly carcinogenic to humans
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Viscosity, kinematic Not classified Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable	Reproductive toxicity :	Not classified
Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Silica, crystalline – cristobalite (14464-46-1) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Viscosity, kinematic Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Amorphous/fused silica (60676-86-0) Not applicable	STOT-single exposure :	Not classified
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Silica, crystalline – cristobalite (14464-46-1) Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Viscosity, kinematic Not classified Orystalline silica (14808-60-7) Not applicable (solid) Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable	STOT-repeated exposure :	Causes damage to organs through prolonged or repeated exposure.
Silica, crystalline – cristobalite (14464-46-1) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) STOT-repeated exposure STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable	Crystalline silica (14808-60-7)	
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Amorphous/fused silica (60676-86-0) May cause damage to organs through prolonged or repeated exposure. STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified Viscosity, kinematic Not classified Orystalline silica (14808-60-7) Not applicable Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Not applicable Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Not applicable Viscosity, kinematic Not applicable Amorphous/fused silica (60676-86-0) Not applicable	STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Amorphous/fused silica (60676-86-0) STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable	Silica, crystalline – cristobalite (14464-46-1)	
STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Vot applicable Viscosity, kinematic Not applicable	STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Not applicable	Amorphous/fused silica (60676-86-0)	
Viscosity, kinematic : Not applicable Crystalline silica (14808-60-7) Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Not applicable Amorphous/fused silica (60676-86-0)	STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Crystalline silica (14808-60-7) Viscosity, kinematic Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable Amorphous/fused silica (60676-86-0) Viscosity	Aspiration hazard :	Not classified
Viscosity, kinematic Not applicable (solid) Titanium dioxide (13463-67-7) Viscosity, kinematic Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable Amorphous/fused silica (60676-86-0) Viscosity	Viscosity, kinematic :	Not applicable
Titanium dioxide (13463-67-7) Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Not applicable Amorphous/fused silica (60676-86-0)	Crystalline silica (14808-60-7)	
Viscosity, kinematic Not applicable Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Viscosity, kinematic Not applicable Amorphous/fused silica (60676-86-0) Viscosity	Viscosity, kinematic	Not applicable (solid)
Silica, crystalline – cristobalite (14464-46-1) Viscosity, kinematic Not applicable Amorphous/fused silica (60676-86-0)	Titanium dioxide (13463-67-7)	
Viscosity, kinematic Not applicable Amorphous/fused silica (60676-86-0)	Viscosity, kinematic	Not applicable
Amorphous/fused silica (60676-86-0)	Silica, crystalline – cristobalite (14464-46-1)	
	Viscosity, kinematic	Not applicable
Viscosity, kinematic Not applicable	Amorphous/fused silica (60676-86-0)	
	Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general

: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Titanium dioxide (13463-67-7)	
LC50 - Fish [1]	> 300 mg/l (Danio rerio, Fresh water, Literature study, Nominal concentration)
	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.2. Persistence and degradability	
Crystalline silica (14808-60-7)	
Persistence and degradability Biodegradability:	not applicable.
Chemical oxygen demand (COD) Not applicable (in	organic)
ThOD Not applicable (in	organic)
Titanium dioxide (13463-67-7)	
Persistence and degradability Biodegradability:	not applicable.
Chemical oxygen demand (COD) Not applicable (in	organic)
ThOD Not applicable (in	organic)
Silica, crystalline – cristobalite (14464-46-1)	
Persistence and degradability Biodegradability:	not applicable.
Chemical oxygen demand (COD) Not applicable	
ThOD Not applicable	
BOD (% of ThOD) Not applicable	
Amorphous/fused silica (60676-86-0)	
Amorphous/fused silica (60676-86-0)	n soil: not applicable. Biodegradability: not applicable.
Amorphous/fused silica (60676-86-0)	
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability	organic)
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability Chemical oxygen demand (COD) Not applicable (in	organic)
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability Chemical oxygen demand (COD) ThOD Not applicable (in	organic)
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability Chemical oxygen demand (COD) Not applicable (in ThOD Not applicable (in 12.3. Bioaccumulative potential	organic) organic)
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability Chemical oxygen demand (COD) Not applicable (in ThOD Not applicable (in 12.3. Bioaccumulative potential Crystalline silica (14808-60-7)	organic) organic)
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability in Chemical oxygen demand (COD) Not applicable (in ThOD Not applicable (in 12.3. Bioaccumulative potential Crystalline silica (14808-60-7) Bioaccumulative potential Bioaccumulation:	organic) organic) not applicable.
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability in Chemical oxygen demand (COD) Not applicable (in ThOD Not applicable (in 12.3. Bioaccumulative potential Crystalline silica (14808-60-7) Bioaccumulative potential Bioaccumulation: Titanium dioxide (13463-67-7) Bioaccumulation:	organic) organic) not applicable.
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability in Chemical oxygen demand (COD) Not applicable (in ThOD Not applicable (in 12.3. Bioaccumulative potential Crystalline silica (14808-60-7) Bioaccumulative potential Bioaccumulation: Titanium dioxide (13463-67-7) Bioaccumulative potential	organic) organic) not applicable. ive.
Amorphous/fused silica (60676-86-0)Persistence and degradabilityBiodegradability inChemical oxygen demand (COD)Not applicable (inThODNot applicable (in 12.3. Bioaccumulative potential Crystalline silica (14808-60-7)Bioaccumulative potentialBioaccumulative potentialBioaccumulative potentialSilica, crystalline – cristobalite (14464-46-1)	organic) organic) not applicable. ive.
Amorphous/fused silica (60676-86-0)Persistence and degradabilityBiodegradability inChemical oxygen demand (COD)Not applicable (inThODNot applicable (in 12.3. Bioaccumulative potentialCrystalline silica (14808-60-7) Bioaccumulative potentialBioaccumulative potentialBioaccumulative potentialSilica, crystalline - cristobalite (14464-46-1)Bioaccumulative potentialNot bioaccumulative potential	organic) organic) not applicable. ive. able.
Amorphous/fused silica (60676-86-0)Persistence and degradabilityBiodegradability inChemical oxygen demand (COD)Not applicable (inThODNot applicable (in 12.3. Bioaccumulative potential Crystalline silica (14808-60-7)Bioaccumulative potentialBioaccumulation: Titanium dioxide (13463-67-7) Bioaccumulative potentialSilica, crystalline – cristobalite (14464-46-1)Not bioaccumulation:Silica, crystalline – cristobalite (14464-46-1)Bioaccumulative potentialAmorphous/fused silica (60676-86-0)Not test data avail	organic) organic) not applicable. ive. able.
Amorphous/fused silica (60676-86-0) Persistence and degradability Biodegradability Chemical oxygen demand (COD) Not applicable (in ThOD Not applicable (in 12.3. Bioaccumulative potential Crystalline silica (14808-60-7) Bioaccumulative potential Crystalline silica (14808-60-7) Bioaccumulative potential Bioaccumulative potential Silica, crystalline – cristobalite (14464-46-1) Bioaccumulative potential No test data avail Amorphous/fused silica (60676-86-0) Bioaccumulative potential No bioaccumulative	organic) organic) not applicable. ive. able.
Amorphous/fused silica (60676-86-0)Persistence and degradabilityBiodegradability inChemical oxygen demand (COD)Not applicable (inThODNot applicable (in 12.3. Bioaccumulative potentialCrystalline silica (14808-60-7) Bioaccumulative potentialBioaccumulative potentialBioaccumulative potentialSilica, crystalline - cristobalite (14464-46-1)Bioaccumulative potentialNot test data availAmorphous/fused silica (60676-86-0)Bioaccumulative potentialNo bioaccumulati 12.4. Mobility in soil Crystalline silica (14808-60-7)	organic) organic) not applicable. ive. able.
Amorphous/fused silica (60676-86-0)Persistence and degradabilityBiodegradability inChemical oxygen demand (COD)Not applicable (inThODNot applicable (in 12.3. Bioaccumulative potentialCrystalline silica (14808-60-7) Bioaccumulative potentialBioaccumulative potentialBioaccumulative potentialSilica, crystalline - cristobalite (14464-46-1)Bioaccumulative potentialNot test data availAmorphous/fused silica (60676-86-0)Bioaccumulative potentialNo bioaccumulati 12.4. Mobility in soil Crystalline silica (14808-60-7)	organic) organic) not applicable. ive. able. on data available.
Amorphous/fused silica (60676-86-0)Persistence and degradabilityBiodegradability inChemical oxygen demand (COD)Not applicable (inThODNot applicable (in12.3. Bioaccumulative potentialNot applicable (in Crystalline silica (14808-60-7) Bioaccumulation:Bioaccumulative potentialBioaccumulation:Titanium dioxide (13463-67-7)Bioaccumulative potentialSilica, crystalline – cristobalite (14464-46-1)Not bioaccumulatiBioaccumulative potentialNo test data availAmorphous/fused silica (60676-86-0)No bioaccumulatiBioaccumulative potentialNo test data availAmorphous/fused silica (14808-60-7)Ecology - soilNo (test)data on referenceNo (test)data on reference	organic) organic) not applicable. ive. able. on data available. nobility of the substance available.
Amorphous/fused silica (60676-86-0)Persistence and degradabilityBiodegradability inChemical oxygen demand (COD)Not applicable (inThODNot applicable (inThODNot applicable (in 12.3. Bioaccumulative potential Bioaccumulative (in Crystalline silica (14808-60-7) Bioaccumulation:Bioaccumulative potentialBioaccumulation: Titanium dioxide (13463-67-7) Bioaccumulation:Silica, crystalline - cristobalite (14464-46-1)Bioaccumulative potentialNot bioaccumulative potentialNo test data availAmorphous/fused silica (60676-86-0)Bioaccumulative potentialBioaccumulative potentialNo bioaccumulati 12.4. Mobility in soil No (test)data on r Crystalline silica (14808-60-7) No (test)data on r Titanium dioxide (13463-67-7) No (test)data on r	organic) organic) not applicable. ive. able. bon data available. nobility of the substance available. in the literature
Amorphous/fused silica (60676-86-0)Persistence and degradabilityBiodegradability inChemical oxygen demand (COD)Not applicable (inThODNot applicable (in12.3. Bioaccumulative potentialInCrystalline silica (14808-60-7)Bioaccumulation:Bioaccumulative potentialBioaccumulation:Titanium dioxide (13463-67-7)Bioaccumulative potentialSilica, crystalline – cristobalite (14464-46-1)Not bioaccumulation:Bioaccumulative potentialNo test data availAmorphous/fused silica (60676-86-0)No bioaccumulation:Bioaccumulative potentialNo test data availAmorphous/fused silica (60676-86-0)No bioaccumulation:Bioaccumulative potentialNo test data availAmorphous/fused silica (14808-60-7)No bioaccumulation:Crystalline silica (14808-60-7)Ecology - soilNo (test)data on rNo (test)data on rTitanium dioxide (13463-67-7)Surface tensionSurface tensionNo data available	organic) organic) not applicable. ive. able. bon data available. nobility of the substance available. in the literature

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Ecology - soil	No (test)data on mobility of the substance available.
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
-	
13.1. Disposal methods Waste treatment methods	· Dispass of contents/container in accordance with licensed collector's certing instructions
	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
n accordance with DOT / TDG / IMDG / IATA	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable : Not applicable
Proper Shipping Name (IATA)	: Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
TDG Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
ATA	
Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT)	: Not applicable
Packing group (TDG) Packing group (IMDG)	: Not applicable : Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	

DOT

No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No data available

IMDG

No data available

ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Crystalline silica (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

Silica, crystalline – cristobalite (14464-46-1)

Listed on the Canadian DSL (Domestic Substances List)

Amorphous/fused silica (60676-86-0)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Crystalline silica (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

Titanium dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Component	State or local regulations
	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silica, crystalline – cristobalite(14464-46-1)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Amorphous/fused silica(60676-86-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 12/5/2023

Full text of H-phrases	
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure

Reno Safety Data Sheet (SDS), USA

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.