

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 12/5/2023

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : Reno Super Abrade LTM-G

Product code : 127300

1.2. Recommended use and restrictions on use

Recommended use : Refractory Applications

1.3. Supplier

Reno Refractories, Inc. 601 Reno Drive P.O. Box 201 Morris, AL, 35116 United States T 205-647-0240 - F 205-647-6854

sales@r-ref.com - www.renorefractories.com

1.4. Emergency telephone number

Emergency number : 1-800-262-8200 CHEMTREC

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Carcinogenicity Category 1A

Specific target organ toxicity (repeated exposure) Category 1

May cause cancer

Causes damage to organs through prolonged or repeated

exposure

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : May cause cancer

Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell.

Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Crystalline silica	CAS-No.: 14808-60-7	1.05 – 2.863	Carc. 1A, H350 STOT RE 1, H372
Binder*	CAS-No.: Trade Secret	1 – 2	Eye Irrit. 2, H319
Titanium dioxide	CAS-No.: 13463-67-7	0.21 – 1.4875	Carc. 2, H351

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eve contact : Rinse eves with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

12/5/2023 (Revision date) EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Other information

: Mechanically recover the product. Notify authorities if product enters sewers or public waters.

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray.

Hygiene measures

: Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reno Super Abrade LTM-G

No additional information available

Binder

No additional information available

Crystalline silica (14808-60-7)

USA - ACGIH - Occupational Exposure Limits

Local name Silica crystaline - quartz

12/5/2023 (Revision date) EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)	
ACGIH OEL TWA	0.025 mg/m³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2023
USA - OSHA - Occupational Exposure Limits	
Local name	Quartz (Respirable) (Silica: Crystalline)
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts
Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH OEL TWA	0.2 mg/m³ (Respirable fraction) 2.5 mg/m³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2023
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) [1]	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):







Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Color : Colourless to white-grey

Odor : Almost odourless
Odor threshold : No data available

pH : No data available Melting point : No data available

Freezing point : Not applicable
Boiling point : No data available
Flash point : Not applicable
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Non flammable.
Vapor pressure : No data available

No data available

Relative density : 2.53

Solubility Water: < 0.1 % Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : Not applicable Decomposition temperature : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic No data available **Explosion limits** Not applicable Explosive properties No data available Oxidizing properties No data available

9.2. Other information

Relative vapor density at 20°C

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 11: Toxicological information

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhelation) : Not classified Binder LD50 oral rat		
Acute toxicity (inhalation) : Not classified Acute toxicity (inhalation) : Not classified LD50 oral rat : 3053 mg/kg (Rat, Oral) : Not classified LD50 demail rabbit : 2000 mg/kg (Rabbit, Dermal) : Not Classified ATE US (oral) : 3053 mg/kg body weight : Not US (Rabbit, Dermal) : Not US (Rabbit, Not US (Rabbi	11.1. Information on toxicological effects	
Acute toxicity (inhalation) : Not classified Binder LD56 oral rat	,	
Bindor Space Spa		
LD50 oral rat 3053 mg/kg (Rat, Oral) LD50 dermal rabbit > 2000 mg/kg (Rabbit, Dermal) ATE US (oral) 3053 mg/kg body weight Titanium dioxide (13463-67-7) LD50 oral rat > 2000 mg/kg body weight (DECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) LC50 inhalation - Rat > 5.09 mg/l (DECD 403: Acute Inhalation Toxicity, 4 h. Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : No classified Crystalline silica (14808-60-7) pH 6 - 7 Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Serious eye damage/irritation : Not classified Crystalline silica (14808-60-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization		Not classified
LD50 dermal rabbit > 2000 mg/kg (Rabbit, Dermal) ATE US (oral) 3053 mg/kg body weight Titanium dioxide (13463-67-7) LD50 oral rat		2050 # 47 4 0 1)
ATE US (oral) 3053 mg/kg body weight Titanium dioxide (13463-67-7) LD50 oral rat > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) LC50 Inhalation - Rat Source of Page (1000 oral) oral (14808-60-7) Ph		
Titanium dioxide (13463-67-7) LD60 oral rat	LD50 dermal rabbit	> 2000 mg/kg (Rabbit, Dermal)
LD50 oral rat	ATE US (oral)	3053 mg/kg body weight
value, Oral, 14 day(s)) LC50 Inhalation - Rat > 5.09 mg/l (DECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s)) Skin corrosion/irritation Not classified Crystalline silica (14808-60-7) pH	Titanium dioxide (13463-67-7)	
Inhalation (dust), 14 day(s)) Skin corrosion/liritation : Not classified Crystalline silica (14808-60-7) pH	LD50 oral rat	
Crystalline silica (14808-60-7) pH	LC50 Inhalation - Rat	
Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Serious eye damage/irritation : Not classified Crystalline silica (14808-60-7) pH 6-7 Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) IARC group 1- Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Tott-repeated exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	Skin corrosion/irritation :	Not classified
Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Serious eye damage/irritation : Not classified Crystalline silica (14808-60-7) pH 6-7 Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) IARC group 1- Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-ingle exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not capplicable Binder	Crystalline silica (14808-60-7)	
pH 7 (aqueous suspension, 10 %) Serious eye damage/irritation : Not classified Crystalline silica (14808-60-7) pH 6-7 Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Crystalline silica (14808-60-7) IARC group 1- Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2- B - Possibly carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2- B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	pH	6 – 7
pH 7 (aqueous suspension, 10 %) Serious eye damage/irritation : Not classified Crystalline silica (14808-60-7) pH 6-7 Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Crystalline silica (14808-60-7) IARC group 1- Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2- B - Possibly carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2- B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	Titanium dioxide (13463-67-7)	
PH 6 - 7 Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization Sermical (14808-60-7) Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity Stort-single exposure Not classified Stort-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Stort-repeated exposure Causes damage to organs through prolonged or repeated exposure. Binder		7 (aqueous suspension, 10 %)
Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization Serm cell mutagenicity Not classified Carcinogenicity Not classified Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity Not classified STOT-single exposure Not classified STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Not classified	Serious eye damage/irritation :	
Titanium dioxide (13463-67-7) pH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	Crystalline silica (14808-60-7)	
PH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure : Not classified Viscosity, kinematic : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified	pH	6 – 7
PH 7 (aqueous suspension, 10 %) Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure : Not classified Viscosity, kinematic : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified	Titanium dioxide (13463-67-7)	
Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure : Not classified		7 (aqueous suspension, 10 %)
Germ cell mutagenicity : Not classified Carcinogenicity : May cause cancer. Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	Respiratory or skin sensitization :	
Crystalline silica (14808-60-7) IARC group 1 - Carcinogenic to humans Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity STOT-single exposure STOT-repeated exposure STOT-repeated exposure Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Viscosity, kinematic Binder		Not classified
Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity STOT-single exposure STOT-repeated exposure Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Viscosity, kinematic SIOT-repeated exposure SIOT-repeated exposure Aspiration hazard Viscosity, kinematic SIOT-repeated exposure Aspiration hazard Viscosity, kinematic SIOT-repeated exposure	Carcinogenicity :	May cause cancer.
Titanium dioxide (13463-67-7) IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity STOT-single exposure STOT-repeated exposure STOT-repeated exposure Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Aspiration hazard STOT-repeated exposure Aspiration hazard STOT-repeated exposure Not classified Viscosity, kinematic Not applicable	Crystalline silica (14808-60-7)	
IARC group 2B - Possibly carcinogenic to humans Reproductive toxicity STOT-single exposure STOT-repeated exposure Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Causes damage to organs through prolonged or repeated exposure. Aspiration hazard STOT-repeated exposure STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Not classified Viscosity, kinematic Not applicable	IARC group	1 - Carcinogenic to humans
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	Titanium dioxide (13463-67-7)	
STOT-single exposure : Not classified STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	IARC group	2B - Possibly carcinogenic to humans
STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure. Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	Reproductive toxicity :	Not classified
Crystalline silica (14808-60-7) STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. Aspiration hazard Viscosity, kinematic Sinder	STOT-single exposure :	Not classified
STOT-repeated exposure Causes damage to organs through prolonged or repeated exposure. STOT-repeated exposure STOT-repeated exposure Not classified Viscosity, kinematic STOT-repeated exposure Not applicable	STOT-repeated exposure :	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard : Not classified Viscosity, kinematic : Not applicable Binder	Crystalline silica (14808-60-7)	
Viscosity, kinematic : Not applicable Binder	STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Binder		
		Not applicable
	Binder	
Viscosity, kinematic Not applicable	Viscosity, kinematic	Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Crystalline silica (14808-60-7)	
Viscosity, kinematic Not applicable (solid)	
Titanium dioxide (13463-67-7)	
Viscosity, kinematic	Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Titanium dioxide (13463-67-7)	
LC50 - Fish [1]	> 300 mg/l (Danio rerio, Fresh water, Literature study, Nominal concentration)
	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)

12.2. Persistence and degradability

Binder	
Persistence and degradability	Biodegradability in soil: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Crystalline silica (14808-60-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Titanium dioxide (13463-67-7)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Binder		
Bioaccumulative potential	No bioaccumulation data available.	
Crystalline silica (14808-60-7)		
Bioaccumulative potential	Bioaccumulation: not applicable.	
Titanium dioxide (13463-67-7)		
Bioaccumulative potential	Not bioaccumulative.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

Crystalline silica (14808-60-7)	
Ecology - soil	No (test)data on mobility of the substance available.
Titanium dioxide (13463-67-7)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for mobility in soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

12/5/2023 (Revision date) EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

Binder

Listed on the Canadian DSL (Domestic Substances List)

Crystalline silica (14808-60-7)

Listed on the Canadian DSL (Domestic Substances List)

Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Crystalline silica (14808-60-7)

Listed on IARC (International Agency for Research on Cancer)

Titanium dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 12/5/2023

Full text of H-phrases	
H319	Causes serious eye irritation
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure

Reno Safety Data Sheet (SDS), USA

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.