

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 06/16/2022

SECTION 1: Identifica	ation	
1.1. Identification		
Product form		: Mixture
Trade name		: Reno NC Hot Gun 6044-BF
Product code		: 680200
1.2. Recommended u	se and restriction	is on use
Recommended use		: Refractory Applications
1.3. Supplier		
Manufacturer Reno Refractories, Inc. 601 Reno Drive P.O. Box 201 Morris, AL 35116 - United T 205-647-0240 - F 205-64 sales@r-ref.com - www.ref 1.4. Emergency telep	17-6854 norefractories.com	
1.4. Emergency telep		
Emergency number		: 1-800-262-8200 CHEMTREC
SECTION 2: Hazard(s) identificatio	n
	the substance or	
GHS US classification		
Skin sensitization, Category 1	H317	May cause an allergic skin reaction
Carcinogenicity Category	H350	May cause cancer
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure
Full text of H statements : se	e section 16	
2.2. GHS Label eleme	ents including pre	ecautionary statements
GHS US labeling		
Hazard pictograms (GHS L	JS)	
Signal word (GHS US)		: Danger
Hazard statements (GHS US)		: H317 - May cause an allergic skin reaction H350 - May cause cancer H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary statements (GHS US)		 P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust/fume/gas/mist/vapors/spray. P272 - Contaminated work clothing must not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 - If on skin: Wash with plenty of water. P308+P313 - If exposed or concerned: Get medical advice/attention. P314 - Got medical advice/attention if you feel unwell

P314 - Get medical advice/attention if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3.	Other hazards	which do not	result in classification
------	---------------	--------------	--------------------------

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification	
Silicon carbide	(CAS-No.) 409-21-2	12 – 15	Carc. 1B, H350	
Carbon Black	(CAS-No.) 1333-86-4	1 – 2	Carc. 2, H351	
Pitch	(CAS-No.) 61789-60-4	1 – 2	Carc. 1B, H350	
Amorphous/fused silica	(CAS-No.) 60676-86-0	0 – 1.1	STOT RE 2, H373	
Titanium dioxide	(CAS-No.) 13463-67-7	0.01 – 0.75	Carc. 2, H351	
Crystalline silica	(CAS-No.) 14808-60-7	0.055 – 0.585	Carc. 1A, H350 STOT RE 1, H372	
Nickel	(CAS-No.) 7440-02-0	0 – 0.33	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372	

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid I	neasures			
4.1. Description of firs	t aid measures			
First-aid measures general		IF exposed or concerned: Get medical advice/attention.		
First-aid measures after inh	alation :	Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skir	n contact :	Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye	e contact :	Rinse eyes with water as a precaution.		
First-aid measures after ing	estion :	Call a poison center/doctor/physician if you feel unwell.		
4.2. Most important sy	mptoms and effects (a	acute and delayed)		
Symptoms/effects after skin	contact :	May cause an allergic skin reaction.		
4.3. Immediate medica	I attention and specia	Il treatment, if necessary		
Treat symptomatically.				
SECTION 5: Fire-fight	ing measures			
	uitable) extinguishing	media		
Suitable extinguishing medi	a :	Water spray. Dry powder. Foam.		
	arising from the chemi			
Hazardous decomposition p		Toxic fumes may be released.		
5.3. Special protective	equipment and preca	nutions for fire-fighters		
Protection during firefighting		Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		
SECTION 6: Accidenta	al release measur	es		
		nent and emergency procedures		
6.1.1. For non-emergend	cy personnel			
Emergency procedures		Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.		
6.1.2. For emergency re-	sponders			
Protective equipment	:	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental pre	ecautions			
Avoid release to the environm	nent. Notify authorities i	f product enters sewers or public waters.		

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for co	•
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 1	3.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe handlin	ig
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.
Hygiene measures	: Separate working clothes from town clothes. Launder separately. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage	including any incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reno NC Hot Gun 6044-BF	
No additional information available	
Carbon Black (1333-86-4)	
USA - ACGIH - Occupational Exposure Li	mits
Local name	Carbon black
ACGIH TWA (mg/m³)	3 mg/m ³ (Inhalable fraction)
Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lin	nits
Local name	Carbon black
OSHA PEL (TWA) (mg/m ³)	3.5 mg/m ³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Titanium dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Li	mits
Local name	Titanium dioxide
ACGIH TWA (mg/m³)	10 mg/m³
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lin	nits
Local name	Titanium dioxide (Total dust)
OSHA PEL (TWA) (mg/m ³)	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Crystalline silica (14808-60-7)	
USA - ACGIH - Occupational Exposure Li	mits
Local name	Silica crystaline - quartz
ACGIH TWA (mg/m³)	0.025 mg/m ³ (Respirable fraction)
Remark (ACGIH)	TLV® Basis: Pulm fibrosis; lung cancer. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2020
USA - OSHA - Occupational Exposure Lin	nits
Local name	Quartz (Respirable) (Silica: Crystalline)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formulas: (250 / (%SiO2+5)) for mppcf and (10 mg/m3 / (%SiO2+2)) for mg/m3. CAS No. source: eCFR Table Z-1.		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts		
Silicon carbide (409-21-2)			
USA - ACGIH - Occupational Exposure Lir	nits		
Local name	Silicon carbide		
ACGIH TWA (mg/m³)	 3 mg/m³ (Respirable fraction. The value is for particulate matter containing no asbesto and < 1% crystalline silica) 0.1 fibers/cm³ (Respirable fibers: length > 5 µm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination) 10 mg/m³ (Inhalable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica) 		
Remark (ACGIH)	Non fibrous = TLV® Basis: URT irr Fibrous (including whiskers) = TLV® Basis: Mesothelioma; cancer. Notations: A2 (Suspected Human Carcinogen)		
Regulatory reference	ACGIH 2020		
USA - OSHA - Occupational Exposure Lim	its		
Local name	Silicon carbide		
OSHA PEL (TWA) (mg/m ³)	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		
Amorphous/fused silica (60676-86-0)			
USA - OSHA - Occupational Exposure Lim	its		
Local name	Silica, fused, respirable dust		
OSHA PEL (TWA) (ppm)	20 mppcf		
Remark (OSHA)	Table Z-3. For OSHA PEL (TWA): Use formula: (80 mg/m3 / (%SiO2)) for mg/m3. CAS No. source: eCFR Table Z-1.		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts		
Pitch (61789-60-4)			
No additional information available			
Nickel (7440-02-0)			
USA - ACGIH - Occupational Exposure Lir	nits		
Local name	Nickel, elemental		
ACGIH TWA (mg/m ³)	1.5 mg/m ³ (Inhalable fraction)		
Remark (ACGIH)	TLV® Basis: Dermatitis; pneumoconiosis. Notations: A5 (Not Suspected as a Human Carcinogen)		
Regulatory reference	ACGIH 2020		
USA - OSHA - Occupational Exposure Lim	its		
Local name	Nickel		
OSHA PEL (TWA) (mg/m ³)	1 mg/m ³ metal and insoluble compounds (as Ni) 1 mg/m ³ soluble compounds (as Ni)		
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1		

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
- · · · · · ·	A (1) (1) (1) (1)

Environmental exposure controls

: Avoid release to the environment.

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory protection:

Wear respiratory protection.

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical p	roperties	
9.1. Information on basic physical and ch	emical properties	
Physical state	: Solid	
Appearance	: Granular powder.	
Color	: Dark grey to black	
Odor	: Almost odorless	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: Not applicable	
Boiling point	: No data available	
Flash point	: Not applicable	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Non flammable.	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: Not applicable	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: Not applicable	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
9.2. Other information		

No additional information available

SECTIO	DN 10: Stability and reactivity
10.1.	Reactivity
The produ	act is non-reactive under normal conditions of use, storage and transport.
10.2.	Chemical stability
Stable un	der normal conditions.
10.3.	Possibility of hazardous reactions
No dange	rous reactions known under normal conditions of use.
10.4.	Conditions to avoid
Nono und	or recommonded storage and handling conditions (see section 7)

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Hazardous decomposition products

Safety Data Sheet

10.6.

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Jnder normal conditions of storage and use, haz	zardous decomposition products should not be produced.	
SECTION 11: Toxicological informat	ion	
11.1. Information on toxicological effects		
Acute toxicity (oral)	: Not classified	
Acute toxicity (dermal)	: Not classified	
Acute toxicity (inhalation)	: Not classified	
Carbon Black (1333-86-4)		
LD50 oral rat	> 10000 mg/kg (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 28 day(s))	
LC50 Inhalation - Rat	> 4.6 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Experimental value, Inhalation (dust))	
Titanium dioxide (13463-67-7)		
LD50 oral rat	> 5000 mg/kg body weight (OECD 425: Acute Oral Toxicity: Up-and-Down Procedure, Rat, Female, Experimental value, Oral, 14 day(s))	
LC50 Inhalation - Rat	> 6.82 mg/l (Other, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))	
Silicon carbide (409-21-2)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)	
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)	
Nickel (7440-02-0)		
LD50 oral rat	> 9000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 15 day(s))	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: May cause cancer.	
Carbon Black (1333-86-4)		
IARC group	2B - Possibly carcinogenic to humans	
Titanium dioxide (13463-67-7)		
IARC group	2B - Possibly carcinogenic to humans	
Crystalline silica (14808-60-7)		
IARC group	1 - Carcinogenic to humans	
Silicon carbide (409-21-2) IARC group	2A - Probably carcinogenic to humans	
Nickel (7440-02-0)		
IARC group	2B - Possibly carcinogenic to humans	
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.	
Crystalline silica (14808-60-7)		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Amorphous/fused silica (60676-86-0)			
STOT-repeated exposure	TOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.		
Nickel (7440-02-0)			
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.		
Aspiration hazard	: Not classified		
Viscosity, kinematic	: No data available		
Symptoms/effects after skin contact	: May cause an allergic skin reaction.		

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Carbon Black (1333-86-4)	
LC50 fish 1	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	> 5600 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	> 10000 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Titanium dioxide (13463-67-7)	
LC50 fish 1	> 100 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration)
ErC50 (algae)	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)

Nickel (7440-02-0)	
LC50 fish 1	15.3 mg/l (96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value,
	Lethal)

12.2. Persistence and degradability

Carbon Black (1333-86-4)			
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		
Titanium dioxide (13463-67-7)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		
Crystalline silica (14808-60-7)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		
Silicon carbide (409-21-2)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		
Amorphous/fused silica (60676-86-0)			
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Amorphous/fused silica (60676-86-0)		
ThOD Not applicable (inorganic)		
Nickel (7440-02-0)		
Persistence and degradability	Biodegradability in soil: not applicable. Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	

12.3. Bioaccumulative potential

Carbon Black (1333-86-4)			
Bioaccumulative potential Not bioaccumulative.			
Titanium dioxide (13463-67-7)			
Bioaccumulative potential	Not bioaccumulative.		
Crystalline silica (14808-60-7)			
Bioaccumulative potential	No bioaccumulation data available.		
Silicon carbide (409-21-2)			
Bioaccumulative potential	Bioaccumulation: not applicable.		
Amorphous/fused silica (60676-86-0)			
Bioaccumulative potential No bioaccumulation data available.			
Nickel (7440-02-0)			
BCF fish 1	47 – 106 (30 day(s), Pimephales promelas, Flow-through system, Fresh water, Experimental value)		
BCF other aquatic organisms 1	1555 (Myrriophyllum sp., Fresh water, Experimental value, Nickel ion)		
Partition coefficient n-octanol/water (Log Pow)	-0.57 (Estimated value)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		

12.4. Mobility in soil

Carbon Black (1333-86-4)			
Surface tension	Not applicable (solid)		
Ecology - soil	No (test)data on mobility of the substance available. Not toxic to plants. Not toxic to animals.		
Titanium dioxide (13463-67-7)			
Ecology - soil	Low potential for mobility in soil.		
Crystalline silica (14808-60-7)			
Ecology - soil	No (test)data on mobility of the substance available.		
Amorphous/fused silica (60676-86-0)			
Ecology - soil	No (test)data on mobility of the substance available.		
Nickel (7440-02-0)			
Surface tension	No data available (test not performed)		
Ecology - soil	Adsorbs into the soil.		

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable		
ECTION 15: Regulatory information		
5.1. US Federal regulations		
Reno NC Hot Gun 6044-BF		
All components of this product are present and listed a Substances Control Act (TSCA) inventory	s Active on the United States Environme	ntal Protection Agency Toxic
Chemical(s) subject to the reporting requirements of So 1986 and 40 CFR Part 372.	ection 313 or Title III of the Superfund Ar	nendments and Reauthorization Act (SARA) of
Nickel	CAS-No. 7440-02-0	0 – 0.33%
Nickel (7440-02-0)		
CERCLA RQ 100	lb	
5.2. International regulations		
ANADA		
Carbon Black (1333-86-4)		
Listed on the Canadian DSL (Domestic Substances List	st)	
Titanium dioxide (13463-67-7)		
Listed on the Canadian DSL (Domestic Substances List	st)	
Crystalline silica (14808-60-7)		
Listed on the Canadian DSL (Domestic Substances List	st)	
Silicon carbide (409-21-2)		
Listed on the Canadian DSL (Domestic Substances List	st)	
Amorphous/fused silica (60676-86-0)		
Listed on the Canadian DSL (Domestic Substances Lis	st)	
Pitch (61789-60-4)		
Listed on the Canadian DSL (Domestic Substances Lis	st)	
Nickel (7440-02-0)		
Listed on the Canadian DSL (Domestic Substances Lis	st)	
U-Regulations o additional information available ational regulations		
Carbon Black (1333-86-4)		
Listed on IARC (International Agency for Research on	Cancer)	
Titanium dioxide (13463-67-7)		
Listed on IARC (International Agency for Research on	Cancer)	
Crystalline silica (14808-60-7)		
Listed on IARC (International Agency for Research on	Cancer)	
Silicon carbide (409-21-2)		
Listed on IARC (International Agency for Research on	Cancer)	
06/16/2022 EN (E	inglish US)	9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nickel (7440-02-0)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) 15.3. US State regulations

Carbon Black (*	Carbon Black (1333-86-4)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Nickel (7440-02	Nickel (7440-02-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	Maximum allowable dose level (MADL)
Yes	No	No	No		

Component	State or local regulations
Crystalline silica(14808-60-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Carbon Black(1333-86-4)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Titanium dioxide(13463-67-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Nickel(7440-02-0)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Silicon carbide(409-21-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
Amorphous/fused silica(60676-86-0)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: 06/16/2022

Full text of H-phrases:

Revision date

H317	May cause an allergic skin reaction
H350	May cause cancer
H351	Suspected of causing cancer
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure

SDS US (GHS HazCom 2012)

The information provided in the Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of it's publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. Reno Refractories, Inc. makes no warranties, expressed or implied, with respect to such information, including, but not limited to, any implied warranty of merchantability or fitness for a particular purpose or course of performance or usage of trade. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.